

Door Handle / Product List
of OLLIE / of 2018

OLLIE[®]

products catalog



Wenzhou Ollie Hardware Co., Ltd.
Tel: 0086-577-66073500
Fax: 0086-577-66073600
E-mail: info@wzollie.com
Http://www.wzollie.com

OLLIE[®]
products catalog



Who Are We?

Professional door lock manufacturer



Ollie Hardware is a professional production of construction decoration hardware company. products are exported around the world, special in UK, Russia, Spain, Italy, Poland, and Middle East.

Ollie hardware management products through user-friendly design to maximize the show to highlight the practicality and reliability as the representative of European-style hardware products, brings a breath of fresh air for the Chinese architectural hardware market.

Top products to create a top-class lifestyle.

Ollie hardware with a long cultural and artistic Europe continue to rise to creative inspiration, relying on its rich cultural heritage and outstanding ability to create the most professional international design for your home decor into a new design concept, the effort to build Perfect stylish living space.

Ollie hardware product range of diverse styles, can match different home decoration style, meticulous process from the design, function, materials, technology unique technology, the appearance of the product, such as modeling, to improving quality of service and no-not. Hardware products can lead the international revolutionary vanguard.

Ollie hardware dedicated to providing the best products and the most perfect service for professional users around the world, this is Kay processing hardware for many years committed to the pursuit of philosophy and guidelines for global operations.



Corporate Philosophy

Ollie hardware has specialized in manufacturing and exporting construction hardware for more than 10 years. Sourcing and supplying a wide range of hardware products for Building Industry, we supplying high quality level door handles, locks, cylinders, hinges, and other hardware accessories.

With years of experience in the hardware industry, our products are sold to over 20 countries and regions around the world. The stable production capacity, premium quality, reliable credit standing and 24-hour rapid response mechanism insure optimized services to customers. In over 10 years, our products have made great achievement in both domestic and overseas markets, and receive best trust from our buyers.

Quality and service are the way of our life. We don't sell just hardware, but perfect service and solution for you. Please contact us for any further discuss.

CONTENTS

01

STAINLESS STEEL HOLLOW ROSETTE SERIES

13

STAINLESS STEEL SOLID ROSETTE SERIES

35

STAINLESS STEEL DOOR KNOB SERIES

37

STAINLESS STEEL PLATE SERIES

41

STAINLESS STEEL PULL HANDLE SERIES

47

STAINLESS STEEL FURNITURE HANDLE SERIES

53

STAINLESS STEEL HINGE SERIES

59

QUICK INSTALL DOOR LOCK SERIES

OLLIE®

OLLIE®



Fine Work With Secure And Reliable Performance,
with A Wide Range Of Applications, Capable
Of Specific Customization.

products catalog



Stainless Steel Door Furniture

Introduction – Stainless Steel Door Furniture

Door handles are a prominent design feature in any project and Ollie appreciates the importance in choosing the right handle to suit your design, specification and budget.


The Ollie range of stainless steel door furniture is ideal for the majority of applications, suitable for use in contract, public, commercial, institutional and residential buildings.

The S and SA Series of lever furniture is a wide selection of excellent value stainless steel sprung and unsprung handles, ideal for low budget projects where design or quality cannot be compromised. The S and SA Series of lever furniture is a range of premium solid stainless steel furniture with metal spring cassette construction tested to 200,000 cycles.

Ollie also offer a range of stainless steel pull handles and stainless steel accessories.

Features and Functions

The following diagram gives an overview of the main features and functions of a Ollie stainless steel lever handle. For a full explanation of terminology,



Stainless Steel Door Furniture

Introduction – Stainless Steel Door Furniture

Ollie stainless steel door furniture is available in a variety of designs.

Please check each individual specification sheet for measurements.

If you require a product that assists in fulfilling the duties required under the Disability Discrimination Act (DDA), these products are denoted by the following symbol:



Finishes

Ollie stainless steel door furniture is available in Polished Stainless Steel (PSS), Satin Stainless Steel (SSS) and Physical Vapour Deposition (PVD). Antique Brass (AB) available upon request. See individual product pages for availability.

What is PVD:


PVD stands for physical vapour deposition which is a manufacturing process that creates a very durable film and is commonly used for bathroom fixtures and architectural ironmongery which needs to be highly tarnish resistant.

The process involves the deposition of zirconium nitride, titanium nitride, or other metallic ion combinations under low vacuum conditions to in effect seal and preserve the finish.

The PVD process provides an extremely hard wearing finish even though the coating is only 0.5microns thick to resist scratches, wear, discolouration and corrosion. In addition to this PVD finishes provide outstanding resistance to household cleaners and environmental factors.

The major benefit of PVD is that the original appearance is retained far into the future. Over time PVD will outlast traditional decorative finishes such as coloured lacquers and metal electroplated finishes.

S-10 SS



Application:

- For wooden doors between 32 and 50mm thick
- 19mm or 22mm diameter handle
- Sprung or un-sprung-please state when ordering
- Supplied with bolt-through fixings
- Concealed fixings

Operation:

- Lever handle

Accessories:

- OE-Oval-profile escutcheon
- EE-Euro-profile escutcheon
- ER-Emergency release
- T-Standard thumbturn

S-23 SS




Features:

- Manufactured from Grade 304&316 steel
- Cycle tested to 200,000 cycles
- En 1906 Testing Approved

Finishes:

- SS-Satin Stainless Steel
- PSS-Polished Stainless Steel
- PVD-Physical Vapour Deposition



SN-01

SN-02

SW02 SS

SW03 SS

The stylish handle design allows the knowing of the human designers. It also shows the pursuit of the space.

SF-15 SS



Application:

- For wooden doors between 32 and 50mm thick
- 19mm or 22mm diameter handle
- Sprung or un-sprung-please state when ordering
- Supplied with bolt-through fixings
- Concealed fixings

Operation:

- Lever handle

Accessories:

- OE-Oval-profile escutcheon
- EE-Euro-profile escutcheon
- ER-Emergency release
- T-Standard thumbturn

SF-22 SS



Features:

- Manufactured from Grade 304&316 steel
- Cycle tested to 200,000 cycles
- En 1906 Testing Approved

Finishes:

- SS-Satin Stainless Steel
- PSS-Polished Stainless Steel
- PVD-Physical Vapour Deposition



SN-04


SN-06

SW-07


SW-08




S-01 SS




S-02 SS




S-03 SS



S-04 SS




S-05 SS




The stylish handle design shows the technology of the human designers & also shows the beauty of the space.




S-06 SS




S-07 SS




S-08 SS



S-09 SS




S-10 SS







S-11 SS




S-13 SS




S-14 SS



SF-15 SS




SF-16 SS




The stylish handle design shows the technology of the human designers & also shows the beauty of the space.




SF-17 SS




SF-18 SS




SF-19 SS




SF-20 SS



SF-22 SS






S-K210 PSS (镜光)

Application:
For wooden doors between 32 and 50mm thick
19mm or 22mm diameter handle
Sprung or un-sprung-please state when ordering
Supplied with bolt-through fixings
Concealed fixings


Accessories:
OE-Oval-profile escutcheon
EE-Euro profile release
ER-Emergency release
T-Standard thumbturn



S-K210 PVD (镀金)

Features:
Manufactured from Grade 304&316 steel
Cycle tested to 100,000 cycles


Finishes:
SS-Satin stainless steel
PSS-polished stainless steel
PVD



S-K401 PSS (砂光)

Application:
For wooden doors between 32 and 50mm thick
19mm or 22mm diameter handle
Sprung or un-sprung-please state when ordering
Supplied with bolt-through fixings
Concealed fixings


Accessories:
OE-Oval-profile escutcheon
EE-Euro profile release
ER-Emergency release
T-Standard thumbturn



S-K401 SPVD (镀金拉丝)

Features:
Manufactured from Grade 304&316 steel
Cycle tested to 100,000 cycles


Finishes:
SS-Satin stainless steel
PSS-polished stainless steel
PVD



S-K210 SS (砂光)



S-K210 RG (玫瑰金)



S-K401 PSS (镜光)



S-K401 PVD (镀金)

S-K400 SS



Application:

For wooden doors between 32 and 50mm thick
19mm or 22mm diameter handle
Sprung or un-sprung—please state when ordering
Supplied with bolt-through fixings
Concealed fixings

Accessories:

OE—Oval-profile escutcheon
EE—Euro profile release
ER—Emergency release
T—Standard thumbturn

S-K400 PSS



Features:

Manufactured from Grade 304&316 steel
Cycle tested to 100,000 cycles

Finishes:

SS—Satin stainless steel
PSS—polished stainless steel
PVD



SN-01




SN-02



SW02 SS




SW03 SS



W-09 SS

- ② 表面处理：不锈钢拉丝
Finish:SS
- ③ 材质：不锈钢
Material:Stainless steel
- ④ 适配附件：8520/8525/8530
Install the door with lock:8520/8525/8530




W-10 SS

- ② 表面处理：不锈钢拉丝
Finish:SS
- ③ 材质：不锈钢
Material:Stainless steel
- ④ 适配附件：8520/8525/8530
Install the door with lock:8520/8525/8530

/ Window Handles

SW-01 SS

- ② 表面处理：不锈钢拉丝
Finish:SS
- ③ 材质：不锈钢
Material:Stainless steel



SW-09 SS

- ② 表面处理：不锈钢拉丝
Finish:SS
- ③ 材质：不锈钢
Material:Stainless steel



SA-201 SS



Application:

- For wooden doors between 32 and 50mm thick
- 19mm or 22mm diameter handle
- Sprung or un-sprung-please state when ordering
- Supplied with bolt-through fixings
- Concealed fixings

Operation:

- Lever handle

Accessories:

- OE-Oval-profile escutcheon
- EE-Euro-profile escutcheon
- ER-Emergency release
- T-Standard thumbturn

SA-207 SS




Features:

- Manufactured from Grade 304&316 steel
- Cycle tested to 200,000 cycles
- En 1906 Testing Approved

Finishes:

- SS-Satin Stainless Steel
- PSS-Polished Stainless Steel
- PVD-Physical Vapour Deposition



SA-210 SS



Application:

- For wooden doors between 32 and 50mm thick
- 19mm or 22mm diameter handle
- Sprung or un-sprung-please state when ordering
- Supplied with bolt-through fixings
- Concealed fixings

Operation:

- Lever handle

Accessories:

- OE-Oval-profile escutcheon
- EE-Euro-profile escutcheon
- ER-Emergency release
- T-Standard thumbturn

SA-219 SS




Features:

- Manufactured from Grade 304&316 steel
- Cycle tested to 200,000 cycles
- En 1906 Testing Approved

Finishes:

- SS-Satin Stainless Steel
- PSS-Polished Stainless Steel
- PVD-Physical Vapour Deposition



SA-220 SS



Application:

- For wooden doors between 32 and 50mm thick
- 19mm or 22mm diameter handle
- Sprung or un-sprung-please state when ordering
- Supplied with bolt-through fixings
- Concealed fixings

Operation:

- Lever handle

Accessories:

- OE-Oval-profile escutcheon
- EE-Euro-profile escutcheon
- ER-Emergency release
- T-Standard thumbturn

SA-236 SS




Features:

- Manufactured from Grade 304&316 steel
- Cycle tested to 200,000 cycles
- En 1906 Testing Approved

Finishes:

- SS-Satin Stainless Steel
- PSS-Polished Stainless Steel
- PVD-Physical Vapour Deposition



The solid handle design allows the knowing of the human designers. It also shows the pursuit of the space.

SA-238 SS



Application:

- For wooden doors between 32 and 50mm thick
- 19mm or 22mm diameter handle
- Sprung or un-sprung-please state when ordering
- Supplied with bolt-through fixings
- Concealed fixings

Operation:

- Lever handle

Accessories:

- OE-Oval-profile escutcheon
- EE-Euro-profile escutcheon
- ER-Emergency release
- T-Standard thumbturn

SA-241 SS




Features:

- Manufactured from Grade 304&316 steel
- Cycle tested to 200,000 cycles
- En 1906 Testing Approved


Finishes:

- SS-Satin Stainless Steel
- PSS-Polished Stainless Steel
- PVD-Physical Vapour Deposition







SA-201 SS




SA-202 SS



SA-203 SS




SA-204 SS




The stylish handle design shows the technology of the human designers & also shows the beauty of the space.




SA-205 SS




SA-206 SS



SA-207 SS




SA-208 SS







SA-209 SS




SA-210 SS




SA-211 SS




SA-212 SS




SA-213 SS




SA-214 SS



SA-215 SS




SA-216 SS







SA-217 SS




SA-218 SS




SA-219 SS




SA-220 SS




SA-221 SS




SA-222 SS



SA-223 SS




SA-224 SS







SA-225 SS




SA-226 SS




SA-227 SS




SA-228 SS




SA-229 SS




SA-230 SS



SA-231 SS




SA-232 SS







SA-233 SS




SA-234 SS



SA-235 SS




SA-236 SS




The stylish handle design shows the know-how of the Italian designers. It also shows the quality of the space.




SA-237 SS




SA-238 SS



SA-239 SS




SA-240 SS







SA-241 SS




SA-242 SS



SA-243 SS




SA-244 SS




The stylish handle design shows the technology of the human designers & also shows the beauty of the space.




SA-245 SS




SA-246 SS



SA-247 SS




SA-248 SS







SA-249 SS




SA-250 SS



SA-251 SS




SA-252 SS




The stylish handle design shows the technology of the human designers & also shows the beauty of the space.




SA-253 SS




SA-254 SS



SA-255 SS




SA-256 SS/PSS







SA-300 SS




SA-301 SS



SA-303 SS




SA-304 SS




The stylish handle design shows the technology of the human designers & also shows the beauty of the space.




SA-305 SS




SA-307 SS




SA-313 SS



SA-314 SS




SA-320 SS/PSS







SD-108 SS




SD-109 SS



SD-110 SS




SD-111 SS



The stylish handle design shows the technology of the master designers & also shows the beauty of the space.



SW01 SS



SW02 SS



SW03 SS



SW04 SS




SN-01



SN-02



SN-04




SN-05






SE100 SS




SE101 SS




SE102 SS




SE103 SS




SH-900 SS




SH-901 SS



SH-902 SS



SH-903 SS








22H03 SS



23H09 SS




BK23H10 SS




The right hand design shows the opening of the handle designers it also shows the position of the plate



P22H36 SS




P22H38 SS






SC-501 SS/PSS

- * Size:
A: 600 800
B: 380 500
C: 432 438
- * Finish: SS,PSS
- * Material:Stainless steel
- * Can be used for glass doors



SC-502 SS

- * Size:
A: 600 800 1000 1200
B: 400 600 800 1000
C: 425 432 438
- * Finish: SS,PSS
- * Material:Stainless steel
- * Can be used for glass doors




The right handle design shows the knowing
of the handle designers, it also shows the part
of the space




SC-601 SS

- * Size:
A: 600 800 1000 1200
B: 560 760 960 1160
C: 20X40
- * Finish: SS,PSS
- * Material:Stainless steel
- * Can be used for glass doors



SC-602 BL


- * Size:
A: 800 1000 1200
B: 775 975 1175
C: 25X38
- * Finish: SS,PSS,BL
- * Material:Stainless steel
- * Can be used for glass doors






SC-701 SS/PSS

- * Size:
A: 300 500
B: 275 468
C: $\varnothing 25$ $\varnothing 32$
- * Finish: SS, PSS
- * Material: Stainless steel
- * Can be used for glass doors




SC-702 PSS

- * Size:
A: 400 600
B: 240 440
C: $\varnothing 25$ $\varnothing 32$
- * Finish: SS, PSS
- * Material: Stainless steel
- * Can be used for glass doors



SC-703 PSS

- * Size:
A: 450 450
B: 418 425
C: $\varnothing 25$ $\varnothing 32$
- * Finish: SS, PSS
- * Material: Stainless steel
- * Can be used for glass doors



SC-704 PSS

- * Size:
A: 250X450
B: 225X425
C: $\varnothing 25$
- * Finish: SS, PSS
- * Material: Stainless steel
- * Can be used for glass doors




SC-705 SS/PSS

- * Size:
A: 250X450
B: 225X425
C: $\varnothing 25$
- * Finish: SS,PSS
- * Material: Stainless steel
- * Can be used for glass doors




SC-706 PSS

- * Size:
A: 300 400 480
B: 270 370 450
C: 35X12
- * Finish: SS,PSS
- * Material: Stainless steel
- * Can be used for glass doors




SC-707 SS

- * Size:
A: 300 600
B: 275 562
C: $\varnothing 25$ $\varnothing 32$
- * Finish: SS,PSS
- * Material: Stainless steel
- * Can be used for glass doors



SC-708 PSS


- * Size:
A: 450 500
B: 425 468
C: $\varnothing 25$ $\varnothing 32$
- * Finish: SS,PSS
- * Material: Stainless steel
- * Can be used for glass doors



C	96	128	160	192	224	256
H	35	35	35	35	35	35

SC-801 SS

Material: Stainless steel
 Diameter: $\varnothing 10\text{mm}$ / $\varnothing 12\text{mm}$
 Finishes: Sanding/Mirror polish



C	64	96	128	160	192	224	256	288
H	35	35	35	35	35	35	35	35
L	100	150	200	250	300	350	400	450

SC-802 SS

Material: Stainless steel
 Diameter: $\varnothing 10\text{mm}$ $\varnothing 12\text{mm}$ $\varnothing 14\text{mm}$
 Finishes: Sanding/Mirror polish




C	96	128	160	192	224	256
H	35	35	35	35	35	35

SC-803 SS


Material: Stainless steel
 Diameter: $\varnothing 8\text{mm}$ $\varnothing 10\text{mm}$ $\varnothing 12\text{mm}$
 Finishes: Sanding/Mirror polish

The scylot handle design shows the know-how of the handle designers, it also shows the quality of the space.




SC-901 SS

Finish: SS
 Material: Stainless steel




SC-902 SS

Finish: SS
 Material: Stainless steel



SC-903 SS

Finish: SS
 Material: Stainless steel



SC-100 SS

Material: Stainless Steel 304 or 316
Finishing: SS, PSS, DAB, PVD

The right handle design shows the drawing of the handle design, it also shows the part of the space.




SC-200 SS

Material: Stainless Steel 304 or 316
Finishing: SS, PSS, DAB, PVD




SC-201 SS


Material: Stainless Steel 304 or 316
Finishing: SS, PSS, DAB, PVD




SC-202 SS

Material: Stainless Steel 304 or 316
Finishing: SS, PSS, DAB, PVD







SB-100C-72 SS
Material: Stainless Steel 304 or 316
Finishing: SS, PSS, DAB, PVD




SB-100C-85 SS
Material: Stainless Steel 304 or 316
Finishing: SS, PSS, DAB, PVD




SC-101 SS
Material: Stainless Steel 304 or 316
Finishing: SS, PSS, DAB, PVD



SC-102 SS
Material: Stainless Steel 304 or 316
Finishing: SS, PSS, DAB, PVD



SB-300 SS
Material: Stainless Steel 304 or 316
Finishing: SS, PSS, DAB, PVD




SB-301 SS
Material: Stainless Steel 304 or 316
Finishing: SS, PSS, DAB, PVD



BEARING HINGE

SURFACE TREATMENT:
SS / PSS / AB / AC / PVD
MATERIAL:
Stainless steel (304 / 201)
AVAILABLE FOR:
All kinds of wooden gate door, room door
FEATURES:
Switching flexibility, No noise, Long life




Dimension(HxWxT)	Bearing
FHP8"x4"x3.5mm	688
FHP8"x5"x4.0mm	688


The stylized bearing design shows the accuracy of the bearing design. It also shows the parts of the hinge.

BEARING HINGE

SURFACE TREATMENT:
SS / PSS / AB / AC / PVD
MATERIAL:
Stainless steel (304 / 201)
AVAILABLE FOR:
All kinds of wooden gate door, room door
FEATURES:
Switching flexibility, No noise, Long life




Dimension(HxWxT)	Bearing
FHP3"x2.5"x2.0mm	288
FHP3"x2.5"x2.5mm	288
FHP3"x3"x2.5mm	288



BEARING HINGE

SURFACE TREATMENT:
SS / PSS / AB / AC / PVD
MATERIAL:
Stainless steel (304 / 201)
AVAILABLE FOR:
All kinds of wooden gate door, room door
FEATURES:
Switching flexibility, No noise, Long life


Dimension(HxWxT)	Bearing
FHP4"x3"x2.0mm	488/288
FHP4"x3"x2.5mm	488/288
FHP4"x3"x3.0mm	488/288
FHP4"x3"x3.5mm	488/288



BEARING HINGE

SURFACE TREATMENT:
SS / PSS / AB / AC / PVD
MATERIAL:
Stainless steel (304 / 201)
AVAILABLE FOR:
All kinds of wooden gate door, room door
FEATURES:
Switching flexibility, No noise, Long life


Dimension(HxWxT)	Bearing
FHP4"x3.5"x2.5mm	488/288
FHP4"x3.5"x3.0mm	488/288
FHP4"x3.5"x3.5mm	488/288



BEARING HINGE

SURFACE TREATMENT:
SS / PSS / AB / AC / PVD
MATERIAL:
Stainless steel (304 / 201)
AVAILABLE FOR:
All kinds of wooden gate door, room door
FEATURES:
Switching flexibility, No noise, Long life


Dimension(HxWxT)	Bearing
FHP4"x4"x2.5mm	48B/28B
FHP4"x4"x3.0mm	48B/28B
FHP4"x4"x3.5mm	48B/28B



BEARING HINGE

SURFACE TREATMENT:
SS / PSS / AB / AC / PVD
MATERIAL:
Stainless steel (304 / 201)
AVAILABLE FOR:
All kinds of wooden gate door, room door
FEATURES:
Switching flexibility, No noise, Long life

Dimension(HxWxT)	Bearing
FHP4.5"x4"x3.0mm	48B/28B
FHP4.5"x4"x3.5mm	48B/28B
FHP4.5"x4.5"x3.0mm	48B/28B
FHP4.5"x4.5"x3.5mm	48B/28B




BEARING HINGE

SURFACE TREATMENT:
SS / PSS / AB / AC / PVD
MATERIAL:
Stainless steel (304 / 201)
AVAILABLE FOR:
All kinds of wooden gate door, room door
FEATURES:
Switching flexibility, No noise, Long life

Dimension(HxWxT)	Bearing
FHP5"x3"x2.5mm	48B/28B
FHP5"x3"x3.0mm	48B/28B
FHP5"x3"x3.5mm	48B/28B


The stainless bearing design shows the strength of the bearing design, it also shows the purpose of the space.



BEARING HINGE

SURFACE TREATMENT:
SS / PSS / AB / AC / PVD
MATERIAL:
Stainless steel (304 / 201)
AVAILABLE FOR:
All kinds of wooden gate door, room door
FEATURES:
Switching flexibility, No noise, Long life


Dimension(HxWxT)	Bearing
FHP5"x3.5"x3.0mm	48B/28B
FHP5"x4"x3.0mm	48B/28B



BEARING HINGE

SURFACE TREATMENT:
SS / PSS / AB / AC / PVD
MATERIAL:
Stainless steel (304 / 201)
AVAILABLE FOR:
All kinds of wooden gate door, room door
FEATURES:
Switching flexibility, No noise, Long life


Dimension(HxWxT)	Bearing
FHP6"x3.5"x3.0mm	48B
FHP6"x3.5"x3.5mm	48B
FHP6"x4"x3.0mm	48B
FHP6"x4"x3.5mm	48B



BEARING HINGE

SURFACE TREATMENT:
SS / PSS / AB / AC / PVD
MATERIAL:
Stainless steel (304 / 201)
AVAILABLE FOR:
All kinds of wooden gate door, room door
FEATURES:
Switching flexibility, No noise, Long life


Dimension(HxWxT)	Bearing
FHP6"x6"x3.5mm	48B
FHP6"x6"x4.0mm	48B



FLUSH HINGE

SRUFACE TREATMENT:
SS / PSS / AB / AC / PVD
MATERIAL:
Stainless steel (304 / 201)
AVAILABLE FOR:
All kinds of folding screen, folding door
FEATURES:
Switching flexibility, No noise, Long life


Dimension(HxWxT)	Bearing
FHP101.6x75x2.0mm	2B8
FHP100x76x2.5mm	2B8
FHP100x76x3.0mm	2B8



FLUSH HINGE

SRUFACE TREATMENT:
SS / PSS / AB / AC / PVD
MATERIAL:
Stainless steel (304 / 201)
AVAILABLE FOR:
All kinds of folding screen, folding door
FEATURES:
Switching flexibility, No noise, Long life

Dimension(HxWxT)	Bearing
FHP100x72x2.5mm	2B8
FHP100x76x3.0mm	2B8




FLUSH HINGE

SRUFACE TREATMENT:
SS / PSS / AB / AC / PVD
MATERIAL:
Stainless steel (304 / 201)
AVAILABLE FOR:
All kinds of folding screen, folding door
FEATURES:
Switching flexibility, No noise, Long life

Dimension(HxWxT)	Bearing
FHP125x79x2.5mm	2B8
FHP125x82x3.0mm	2B8
FHP125x85x3.5mm	2B8


The stylish handle design shows the strength of the handle design, it also shows the pursuit of the space.



ASSEMBLE HINGE

SRUFACE TREATMENT:
SS / PSS / AB / AC / PVD
MATERIAL:
Stainless steel (304 / 201)
AVAILABLE FOR:
All kinds of room door, passage door
FEATURES:
Switching flexibility, No noise, Long life


Dimension(HxWxT)	Bearing
FHP4"x3"x2.5mm	1B8
FHP4"x3"x3.0mm	1B8



ROUND CORNER ASSEMBLE HINGE

SRUFACE TREATMENT:
SS / PSS / AB / AC / PVD
MATERIAL:
Stainless steel (304 / 201)
AVAILABLE FOR:
All kinds of room door, passage door
FEATURES:
Switching flexibility, No noise, Long life

Dimension(HxWxT)	Bearing
FHP100"x65"x2.5mm	1B8
FHP100"x65"x3.0mm	1B8



CRANK HINGE

SRUFACE TREATMENT:
SS / PSS / AB / AC / PVD
MATERIAL:
Stainless steel (304 / 201)
AVAILABLE FOR:
All kinds of wooden gate door, room door
FEATURES:
Switching flexibility, No noise, Long life

Dimension(HxWxT)	Bearing
FHP/TYPE4"x3"x3.0mm	
FHP/TYPE4"x3.9"x3.0mm	



Quick Install Door Lock Series

快装门锁系列



The quick handle design saves the time of the handle design and also saves the space of the space.

OLLIE®



A 冲击板扣板
Strike Plates For Flush Door

B 垫片
Adaptors for replacement market



A 安装工具
Installation key

C 锁舌管
Latch Bolt And Tube

B 锁舌
Lock tongue



A 钥匙锁芯
Key lock core

B 尼龙旋钮
Nylon knob




金属旋钮
Metal knob




ET5001 PB

- ② 表面处理: 磨精光
Finish: PB
- ③ 材质: 铜
Material: Brass
- ④ 锁舌: 玻璃纤维增强尼龙材质, 静音型
- ⑧ 安装中心距: 38~45mm, 可定制55mm




ET5002 BL

- ② 表面处理: 黑色
Finish: BL
- ③ 材质: 尼龙
Material: nylon
- ④ 锁舌: 玻璃纤维增强尼龙材质, 静音型
- ⑧ 安装中心距: 38~45mm, 可定制55mm




ET7001 CP

- ② 表面处理: 亮铬
Finish: CP
- ③ 材质: 铝合金
Material: Aluminum Alloy
- ④ 锁舌: 玻璃纤维增强尼龙材质, 静音型
- ⑧ 安装中心距: 38~45mm, 可定制55mm




BK7001 SN

- ② 表面处理: 拉丝镍
Finish: SN
- ③ 材质: 铝合金
Material: Aluminum Alloy
- ④ 锁舌: 玻璃纤维增强尼龙材质, 静音型
- ⑧ 安装中心距: 38~45mm, 可定制55mm




ET5003 CP

- ② 表面处理: 亮铬
Finish: CP
- ③ 材质: 锌合金
Material: Zinc alloy
- ④ 锁舌: 玻璃纤维增强尼龙材质, 静音型
- ⑧ 安装中心距: 38~45mm, 可定制55mm




ET5004 AB

- ② 表面处理: 仿古铜
Finish: AB
- ③ 材质: 铝合金
Material: Aluminum Alloy
- ④ 锁舌: 玻璃纤维增强尼龙材质, 静音型
- ⑧ 安装中心距: 38~45mm, 可定制55mm



ET6001 CP/W

- ② 表面处理: 亮铬
Finish: CP
- ③ 材质: 铜锌合金
Material: Brass/Zinc Alloy
- ④ 锁舌: 玻璃纤维增强尼龙材质, 静音型
- ⑧ 安装中心距: 38~45mm, 可定制55mm



ET8001 SN

- ② 表面处理: 拉丝镍
Finish: SN
- ③ 材质: 铝合金
Material: Aluminum Alloy
- ④ 锁舌: 玻璃纤维增强尼龙材质, 静音型
- ⑧ 安装中心距: 38~45mm, 可定制55mm

