



光谱图



SDCM



颜色参数:

坐标x: 0.4231 坐标y: 0.5529 坐标u: 0.1926 坐标v: 0.3775 坐标u': 0.1926 坐标v': 0.5662
红色比: 25.9 % 绿色比: 72.7 % 蓝色比: 1.4 % 光通量红色比: 11.1 % 光通量绿色比: 88.9 % 光通量蓝色比: 0.1 %


显色指数: 32.2 AvgR: 17.7
R1: 41.5 R2: 43.2 R3: 32.5 R4: 2.4 R5: 38.8 R6: 41.7 R7: 38.8 R8: 19.0
R9: -99.0 R10: -12.9 R11: -21.4 R12: 11.4 R13: 39.3 R14: 66.4 R15: 24.2

色温: 4069 K 光通量: 3902.189 lm 峰值波长: 556.5 nm 色容差: 67.1
明暗视觉比: 1.3 中心波长: 564.6 nm 主波长: 568.0 nm 质心波长: 573.3 nm
半宽度: 110.7 nm 色偏差: 0.05395 色纯度: 93.2 % 色质指数: 15.8
LER(TM-30): 475.8 辐射功率: 8201.0 mw 色域指数(Rg): 29.5 逼真度(Rf): 22.6
红光辐射功率: 2098.4 mw 近红辐射功率: 84.2 mw 远红辐射功率: 1.2 mw





电参数:

光效: 66.3 Lm/W 能效: 72.2 能效等级: G
电压: 220.3 V 电流: 0.433 A 功率: 58.880 W 功率因素: 0.616


Rf: 22.6 CCT: 4069K u': 0.1926
Rg: 29.5 LER: 475.8 Duv: 0.05395 v': 0.5662



	500		
Hue Bin	Rf	Chroma	Hue
1	43.3	-26.7%	1.9%
2	42.0	-24.6%	-15.4%
3	7.3	-42.1%	-24.4%
4	5.8	-57.5%	-17.7%
5	3.7	-73.6%	3.9%
6	1.1	-70.2%	33.5%
7	1.2	-54.8%	50.0%
8	14.8	-32.5%	36.9%
9	43.9	-20.8%	31.7%
10	48.2	-20.8%	19.8%
11	54.5	-25.3%	-3.0%
12	22.1	-40.8%	-10.0%
13	38.5	-48.3%	-6.8%
14	13.2	-46.0%	15.8%
15	25.7	-43.6%	18.8%
16	39.5	-29.7%	15.1%



Rf by Bue



Chroma by Bue

