



光谱图



SDCM



颜色参数:

坐标x: 0.4187 坐标y: 0.5193 坐标u: 0.1995 坐标v: 0.3712 坐标u': 0.1995 坐标v': 0.5568
红色比: 27.2 % 绿色比: 67.9 % 蓝色比: 4.8 % 光通量红色比: 11.7 % 光通量绿色比: 87.9 % 光通量蓝色比: 0.4 %


显色指数: 55.4 AvgR: 37.5
R1: 43.7 R2: 60.5 R3: 81.4 R4: 48.2 R5: 42.8 R6: 47.8 R7: 85.7 R8: 33.9
R9: -99.0 R10: 12.7 R11: 34.0 R12: 3.2 R13: 45.5 R14: 90.3 R15: 31.5

色温: 4000 K 光通量: 1340.467 lm 峰值波长: 556.5 nm 色容差: 55.2
明暗视觉比: 1.2 中心波长: 567.5 nm 主波长: 569.1 nm 质心波长: 572.8 nm
半宽度: 107.0 nm 色偏差: 0.04483 色纯度: 81.7 % 色质指数: 71.0
LER(TM-30): 454.6 辐射功率: 2948.6 mw 色域指数(Rg): 68.8 逼真度(Rf): 61.7
红光辐射功率: 794.5 mw 近红辐射功率: 31.4 mw 远红辐射功率: 0.3 mw





电参数:

光效: 17.9 Lm/W 能效: 19.5 能效等级: G
电压: 220.4 V 电流: 0.548 A 功率: 74.880 W 功率因素: 0.619


Rf: 61.7 CCT: 4000K u': 0.1995
Rg: 68.8 LER: 454.6 Duv: 0.04483 v': 0.5568



500			
Hue Bin	Rf	Chroma	Hue
1	51.4	-25.1%	-4.0%
2	58.3	-20.3%	-0.0%
3	53.8	-21.6%	4.1%
4	65.5	-18.9%	4.5%
5	67.4	-20.6%	5.5%
6	65.6	-20.8%	2.4%
7	61.8	-22.8%	3.4%
8	59.4	-22.4%	3.3%
9	62.2	-22.3%	11.8%
10	44.7	-21.2%	23.4%
11	63.1	-8.6%	20.5%
12	74.0	-3.8%	10.9%
13	80.5	-3.1%	-5.0%
14	75.8	-1.8%	-11.9%
15	61.7	-11.9%	-19.6%
16	57.0	-16.6%	-15.4%



Rf by Bue



Chroma by Bue

