




颜色参数:

坐标x: 0.3357
红色比: 33.3 %

坐标y: 0.3285
绿色比: 35.0 %

坐标u: 0.2141
蓝色比: 31.8 %

坐标v: 0.3143
光通量红色比: 22.2 %

坐标u': 0.2141
光通量绿色比: 72.1 %

坐标v': 0.4715
光通量蓝色比: 5.7 %

显色指数: 69.2

AvgR: 59.5

R1: 59.1

R2: 74.2

R3: 90.9

R4: 65.6

R5: 63.5

R6: 66.9

R7: 83.7

R8: 50.0

R9: -31.1

R10: 44.3

R11: 56.2

R12: 61.0

R13: 61.2

R14: 93.6

R15: 53.8

色温: 5342 K

光通量: 1776.829 lm

峰值波长: 633.5 nm

色容差: 10.8

明暗视觉比: 2.5

中心波长: 630.5 nm

主波长: 0.0 nm

质心波长: 552.3 nm

半宽度: 24.5 nm

色偏差: -0.00808

色纯度: 0.0 %

色质指数: 86.2

LER(TM-30): 268.9

辐射功率: 6607.4 mw

色域指数(Rg): 106.2

逼真度(Rf): 76.5

红光辐射功率: 2163.2 mw


近红辐射功率: 95.7 mw

远红辐射功率: 9.7 mw

电参数:			
光效: 6.0 Lm/W	能效: 6.6	能效等级: G	
电压: 219.1 V	电流: 1.867 A	功率: 293.700 W	功率因素: 0.718

产品型号:	制造厂商:Guangzhou Hotion Technology Co., Ltd
产品编号:	测试单位:
测试人员:	测试日期:03/19/14
备注:	

Rf: 76.5 CCT: 5342K u': 0.2141
Rg: 106.2 LER: 268.9 Duv: -0.00808 v': 0.4715



500			
Hue Bin	Rf	Chroma	Hue
1	68.9	13.9%	3.3%
2	74.5	12.6%	-7.0%
3	65.9	6.7%	-16.3%
4	70.2	-5.0%	-16.3%
5	78.4	-11.4%	-7.7%
6	87.0	-3.3%	6.7%
7	79.3	3.1%	11.6%
8	73.2	9.7%	10.7%
9	80.6	14.2%	5.2%
10	79.5	9.7%	-5.0%
11	77.8	7.4%	-9.1%
12	78.4	-0.3%	-13.2%
13	84.2	-4.3%	-5.9%
14	79.7	-4.4%	9.1%
15	75.8	8.5%	9.6%
16	75.7	9.1%	9.3%

