



光谱图



SDCM



颜色参数:

坐标x: 0.5686 坐标y: 0.4288 坐标u: 0.3245 坐标v: 0.3671 坐标u': 0.3245 坐标v': 0.5507
红色比: 60.5 % 绿色比: 39.5 % 蓝色比: 0.0 % 光通量红色比: 32.0 % 光通量绿色比: 68.0 % 光通量蓝色比: 0.0 %


显色指数: 51.9 AvgR: 39.6
R1: 46.3 R2: 71.0 R3: 82.8 R4: 35.4 R5: 40.5 R6: 58.7 R7: 65.4 R8: 15.5
R9: -69.6 R10: 40.4 R11: 15.6 R12: 14.5 R13: 48.2 R14: 90.7 R15: 39.0

色温: 1783 K 光通量: 386.018 lm 峰值波长: 607.7 nm 色容差: 6.9
明暗视觉比: 0.5 中心波长: 609.3 nm 主波长: 589.1 nm 质心波长: 615.0 nm
半宽度: 89.5 nm 色偏差: 0.00686 色纯度: 99.4 % 色质指数: 1.9
LER(TM-30): 331.9 辐射功率: 1163.0 mw 色域指数(Rg): 8.7 逼真度(Rf): 12.9
红光辐射功率: 676.8 mw 近红辐射功率: 43.6 mw 远红辐射功率: 0.1 mw







电参数:

光效: 6.1 Lm/W 能效: 6.6 能效等级: G
电压: 219.7 V 电流: 0.469 A 功率: 63.720 W 功率因素: 0.617

Rf: 12.9 CCT: 1783K u': 0.3245
Rg: 8.7 LER: 331.9 Duv: 0.00686 v': 0.5507



500			
Hue Bin	Rf	Chroma	Hue
1	36.0	-23.8%	-16.8%
2	6.7	-38.9%	-36.3%
3	0.0	-65.4%	-42.7%
4	1.8	-88.1%	-24.1%
5	23.1	-95.1%	9.0%
6	1.5	-66.9%	38.6%
7	10.1	-44.2%	35.6%
8	39.8	-33.6%	23.9%
9	41.6	-23.7%	-13.5%
10	11.2	-42.4%	-29.0%
11	1.7	-62.0%	-28.0%
12	0.8	-77.0%	0.1%
13	5.5	-82.4%	6.7%
14	20.7	-77.6%	22.1%
15	27.0	-40.3%	26.8%
16	47.2	-28.9%	8.3%



产品型号:
产品编号:
测试人员:
备注:

制造厂商:Guangzhou Hotion Technology Co., Ltd
测试单位:
测试日期:03/19/14

