



光谱图



SDCM



颜色参数:

坐标x: 0.6985 坐标y: 0.3011 坐标u: 0.5356 坐标v: 0.3463 坐标u': 0.5356 坐标v': 0.5195
红色比: 99.3 % 绿色比: 0.6 % 蓝色比: 0.0 % 光通量红色比: 98.0 % 光通量绿色比: 2.0 % 光通量蓝色比: 0.0 %


显色指数: 9.1 AvgR: 9.3
R1: -0.5 R2: 75.4 R3: 28.1 R4: -32.3 R5: -2.8 R6: 90.1 R7: -2.3 R8: -82.8
R9: -99.0 R10: 68.3 R11: -18.2 R12: 79.4 R13: 24.4 R14: 57.5 R15: -45.4

色温: 1000 K 光通量: 264.427 lm 峰值波长: 632.5 nm 色容差: 131.9
明暗视觉比: 0.0 中心波长: 631.3 nm 主波长: 623.9 nm 质心波长: 630.5 nm
半宽度: 18.3 nm 色偏差: 0.00206 色纯度: 99.9 % 色质指数: -nan(ind)
LER(TM-30): 186.5 辐射功率: 1417.6 mw 色域指数(Rg): 8.8 逼真度(Rf): 4.4
红光辐射功率: 1404.6 mw 近红辐射功率: 1.7 mw 远红辐射功率: 0.8 mw







电参数:

光效: 4.3 Lm/W 能效: 4.7 能效等级: G
电压: 219.8 V 电流: 0.457 A 功率: 61.690 W 功率因素: 0.613

Rf: 4.4 CCT: 1000K u': 0.5356
Rg: 8.8 LER: 186.5 DuV: 00206 v': 0.5195



500			
Hue Bin	Rf	Chroma	Hue
1	1.9	-81.0%	11.5%
2	47.8	-82.8%	11.9%
3	73.6	-75.1%	21.2%
4	100.0	nan%	-nan(ind)%
5	81.1	-69.5%	8.2%
6	100.0	nan%	-nan(ind)%
7	57.8	-46.9%	13.0%
8	0.7	-71.8%	-7.1%
9	0.2	-78.9%	5.3%
10	3.8	-89.6%	13.8%
11	49.3	-80.1%	17.0%
12	40.3	-80.2%	-77.9%
13	10.0	-98.2%	-34.2%
14	13.8	-73.0%	-2.4%
15	51.5	-5.5%	-0.0%
16	1.0	-7.7%	-7.7%



ERROR: undefined
OFFENDING COMMAND: -214747870rp

STACK:

-2.14748e+010
3266