



光谱图



SDCM



颜色参数:

坐标x: 0.1588 坐标y: 0.0363 坐标u: 0.2037 坐标v: 0.0699 坐标u': 0.2037 坐标v': 0.1048
红色比: 1.6 % 绿色比: 2.4 % 蓝色比: 96.0 % 光通量红色比: 5.7 % 光通量绿色比: 29.9 % 光通量蓝色比: 64.4 %


显色指数: -39.0 AvgR: -35.9
R1: 59.5 R2: -40.1 R3: -99.0 R4: -85.2 R5: 57.2 R6: -33.8 R7: -59.8 R8: -35.1
R9: -50.8 R10: -99.0 R11: -98.8 R12: -94.5 R13: 22.3 R14: -38.4 R15: 56.5

色温: 99999 K 光通量: 416.789 lm 峰值波长: 450.6 nm 色容差: 115.6
明暗视觉比: 16.6 中心波长: 450.2 nm 主波长: 455.1 nm 质心波长: 456.8 nm
半宽度: 24.5 nm 色偏差: 0.15047 色纯度: 95.7 % 色质指数: 0.3
LER(TM-30): 46.9 辐射功率: 8890.9 mw 色域指数(Rg): nan 逼真度(Rf): -nan(ind)
红光辐射功率: 137.4 mw 近红辐射功率: 11.6 mw 远红辐射功率: 0.5 mw


电参数:

光效: 4.1 Lm/W 能效: 4.5 能效等级: G
电压: 219.4 V 电流: 0.708 A 功率: 100.900 W 功率因素: 0.649

Rf: -nan(ind) CCT: 99999K u': 0.2037
Rg: nan LER: 46.9 Duv: 0.15047 v': 0.1048



500			
Hue Bin	Rf	Chroma	Hue
1	0.0	-128.9%	63.3%
2	0.0	53.6%	-49.6%
3	-nan(ind)	nan%	-nan(ind)%
4	-nan(ind)	nan%	-nan(ind)%
5	-nan(ind)	nan%	-nan(ind)%
6	-nan(ind)	nan%	-nan(ind)%
7	-nan(ind)	nan%	-nan(ind)%
8	-nan(ind)	nan%	-nan(ind)%
9	-nan(ind)	nan%	-nan(ind)%
10	-nan(ind)	nan%	-nan(ind)%
11	0.0	29.6%	-240.7%
12	0.0	-64.4%	-370.0%
13	0.0	-215.1%	-334.3%
14	0.0	-324.4%	-250.3%
15	0.0	-434.1%	-155.2%
16	0.0	-347.9%	13.4%



ERROR: rangecheck
OFFENDING COMMAND: roll

STACK:

2
4
-2.14748e+011
-2.14748e+012