



光谱图



SDCM



颜色参数:

坐标x: 0.4629 坐标y: 0.4107 坐标u: 0.2644 坐标v: 0.3519 坐标u': 0.2644 坐标v': 0.5279
红色比: 50.8 % 绿色比: 38.5 % 蓝色比: 10.7 % 光通量红色比: 26.2 % 光通量绿色比: 72.4 % 光通量蓝色比: 1.4 %

显色指数: 92.8 AvgR: 90.8
R1: 93.4 R2: 97.6 R3: 98.1 R4: 94.4 R5: 94.5 R6: 97.5 R7: 89.5 R8: 77.6
R9: 52.5 R10: 94.6 R11: 97.2 R12: 93.4 R13: 94.7 R14: 99.6 R15: 87.3


色温: 2659 K 光通量: 1238.718 lm 峰值波长: 630.5 nm 色容差: 3.1
明暗视觉比: 1.3 中心波长: 610.8 nm 主波长: 584.5 nm 质心波长: 598.1 nm
半宽度: 125.4 nm 色偏差: -0.00020 色纯度: 62.2 % 色质指数: 88.2
LER(TM-30): 288.9 辐射功率: 4288.1 mw 色域指数(Rg): 99.1 逼真度(Rf): 92.3
红光辐射功率: 2048.1 mw 近红辐射功率: 236.2 mw 远红辐射功率: 21.3 mw

电参数:





光效: 42.3 Lm/W 能效: 46.1 能效等级: G
电压: 221.5 V 电流: 0.134 A 功率: 29.260 W 功率因素: 0.981

产品型号: 制造厂商:
产品编号: 测试单位:
测试人员: 测试日期:10/31/23
备注:


Rf: 92.3 CCT: 2659K u': 0.2644
Rg: 99.1 LER: 288.9 Duv: -0.00020 v': 0.5279




500			
Hue Bin	Rf	Chroma	Hue
1	88.9	-5.6%	-0.1%
2	91.0	-3.4%	3.0%
3	90.1	-1.2%	4.5%
4	95.3	0.2%	1.9%
5	96.6	1.2%	2.1%
6	94.9	2.5%	1.0%
7	94.8	-0.3%	-2.6%
8	97.8	0.6%	-0.5%
9	96.8	-1.3%	0.3%
10	95.1	-0.6%	1.9%
11	94.2	0.7%	3.1%
12	89.3	4.0%	-2.7%
13	87.9	2.7%	-8.1%
14	85.7	1.7%	-10.6%
15	90.0	-1.9%	-5.3%
16	85.2	-5.2%	-8.9%



Rf by Bue






Chroma by Bue



产品型号:
产品编号:
测试人员:
备注:


制造厂商:
测试单位:
测试日期:10/31/23




产品型号:
产品编号:
测试人员:
备注:

制造厂商:
测试单位:
测试日期:10/31/23

光谱图



SDCM



颜色参数:

坐标x: 0.3751 坐标y: 0.3671 坐标u: 0.02255 坐标v: 0.3310 坐标u': 0.02255 坐标v': 0.4965
红色比: 35.5 % 绿色比: 41.8 % 蓝色比: 22.7 % 光通量红色比: 19.6 % 光通量绿色比: 77.5 % 光通量蓝色比: 2.9 %

显色指数: 95.1 AvgR: 92.7
R1: 96.5 R2: 97.5 R3: 96.5 R4: 96.4 R5: 96.6 R6: 94.8 R7: 94.1 R8: 88.4
R9: 71.5 R10: 93.0 R11: 96.2 R12: 79.4 R13: 97.1 R14: 97.5 R15: 94.5


色温: 4076 K 光通量: 1429.675 lm 峰值波长: 630.5 nm 色容差: 4.8
明暗视觉比: 1.8 中心波长: 576.0 nm 主波长: 580.7 nm 质心波长: 566.3 nm
半宽度: 156.2 nm 色偏差: -0.00301 色纯度: 22.7 % 色质指数: 87.8
LER(TM-30): 301.8 辐射功率: 4737.0 mw 色域指数(Rg): 100.4 逼真度(Rf): 91.4
红光辐射功率: 1634.9 mw 近红辐射功率: 122.1 mw 远红辐射功率: 7.0 mw

电参数:





光效: 48.5 Lm/W 能效: 52.9 能效等级: G
电压: 221.6 V 电流: 0.135 A 功率: 29.450 W 功率因素: 0.981

产品型号: 制造厂商:
产品编号: 测试单位:
测试人员: 测试日期:10/31/23
备注:


Rf: 91.4 CCT: 4076K u': 0.2255
Rg: 100.4 LER: 301.8 Duv: -0.00301 v': 0.4965




500			
Hue Bin	Rf	Chroma	Hue
1	91.5	-3.9%	-0.2%
2	94.4	-1.8%	1.8%
3	90.5	-0.9%	4.1%
4	93.7	-0.7%	1.9%
5	93.1	-1.0%	1.6%
6	95.7	1.8%	0.7%
7	96.4	-0.6%	0.1%
8	95.3	-1.0%	1.3%
9	92.9	-1.1%	4.3%
10	89.3	-1.6%	5.7%
11	85.5	3.4%	7.9%
12	89.4	4.3%	2.5%
13	89.6	5.4%	-5.0%
14	94.8	2.1%	-1.3%
15	87.1	1.3%	-8.0%
16	86.7	-0.3%	-7.4%



Rf by Bue






Chroma by Bue



产品型号:
产品编号:
测试人员:
备注:


制造厂商:
测试单位:
测试日期:10/31/23




产品型号:
产品编号:
测试人员:
备注:

制造厂商:
测试单位:
测试日期:10/31/23

光谱图



SDCM



颜色参数:

坐标x: 0.3271 坐标y: 0.3401 坐标u: 0.2036 坐标v: 0.3175 坐标u': 0.2036 坐标v': 0.4762
红色比: 26.1 % 绿色比: 43.0 % 蓝色比: 31.0 % 光通量红色比: 15.5 % 光通量绿色比: 80.5 % 光通量蓝色比: 4.0 %

显色指数: 92.9 AvgR: 89.7
R1: 93.3 R2: 94.6 R3: 94.1 R4: 94.0 R5: 93.3 R6: 91.9 R7: 94.8 R8: 87.9
R9: 64.6 R10: 86.4 R11: 94.0 R12: 73.9 R13: 93.8 R14: 96.6 R15: 91.8


色温: 5740 K 光通量: 1562.906 lm 峰值波长: 451.6 nm 色容差: 1.1
明暗视觉比: 2.2 中心波长: 453.3 nm 主波长: 506.8 nm 质心波长: 547.8 nm
半宽度: 26.3 nm 色偏差: 0.00190 色纯度: 1.9 % 色质指数: 90.5
LER(TM-30): 300.0 辐射功率: 5209.3 mw 色域指数(Rg): 99.1 逼真度(Rf): 89.9
红光辐射功率: 1330.8 mw 近红辐射功率: 97.2 mw 远红辐射功率: 5.7 mw

电参数:





光效: 53.3 Lm/W 能效: 58.0 能效等级: G
电压: 221.5 V 电流: 0.135 A 功率: 29.330 W 功率因素: 0.981

产品型号: 制造厂商:
产品编号: 测试单位:
测试人员: 测试日期:10/31/23
备注:


Rf: 89.9 CCT: 5740K u': 0.2036
Rg: 99.1 LER: 300.0 Duv: 0.00190 v': 0.4762




500			
Hue Bin	Rf	Chroma	Hue
1	87.6	-5.4%	-0.4%
2	92.9	-2.8%	2.4%
3	89.4	-1.9%	4.6%
4	92.0	-0.8%	2.8%
5	90.8	-1.1%	1.9%
6	96.4	1.2%	0.5%
7	95.9	-1.7%	-0.3%
8	92.7	-3.3%	1.4%
9	90.2	-3.8%	6.6%
10	84.1	-2.0%	8.6%
11	81.8	2.6%	9.7%
12	92.9	3.4%	1.8%
13	90.1	5.5%	-3.5%
14	90.9	2.7%	-3.7%
15	80.9	6.0%	-13.9%
16	93.2	-2.0%	-2.7%



Rf by Bue






Chroma by Bue



产品型号:
产品编号:
测试人员:
备注:

制造厂商:
测试单位:
测试日期:10/31/23



产品型号:
产品编号:
测试人员:
备注:

制造厂商:
测试单位:
测试日期:10/31/23