



光谱图



SDCM



颜色参数:

坐标x: 0.4672 坐标y: 0.4124 坐标u: 0.2664 坐标v: 0.3528 坐标u': 0.2664 坐标v': 0.5292
红色比: 51.8 % 绿色比: 38.2 % 蓝色比: 10.1 % 光通量红色比: 26.3 % 光通量绿色比: 72.2 % 光通量蓝色比: 1.4 %


显色指数: 92.0 AvgR: 89.6
R1: 92.2 R2: 97.0 R3: 98.3 R4: 92.3 R5: 92.5 R6: 97.3 R7: 89.5 R8: 76.9
R9: 50.9 R10: 92.6 R11: 94.3 R12: 89.9 R13: 93.6 R14: 99.7 R15: 86.5

色温: 2614 K 光通量: 351.458 lm 峰值波长: 622.6 nm 色容差: 5.3
明暗视觉比: 1.2 中心波长: 611.2 nm 主波长: 584.6 nm 质心波长: 598.8 nm
半宽度: 129.5 nm 色偏差: 0.00015 色纯度: 64.0 % 色质指数: 86.8
LER(TM-30): 290.3 辐射功率: 1210.9 mw 色域指数(Rg): 98.4 逼真度(Rf): 91.5
红光辐射功率: 593.4 mw 近红辐射功率: 63.0 mw 远红辐射功率: 1.7 mw





电参数:

光效: 8.1 Lm/W 能效: 8.8 能效等级: G
电压: 221.4 V 电流: 0.333 A 功率: 43.370 W 功率因素: 0.587


Rf: 91.5 CCT: 2614K u': 0.2664
Rg: 98.4 LER: 290.3 Duv: 0.00015 v': 0.5292




500			
Hue Bin	Rf	Chroma	Hue
1	88.1	-5.9%	0.2%
2	90.1	-3.8%	3.2%
3	89.2	-1.6%	4.8%
4	94.9	-0.6%	1.9%
5	96.2	0.7%	2.2%
6	95.5	1.8%	0.9%
7	94.8	-1.2%	-2.4%
8	97.8	-0.6%	-0.0%
9	95.0	-1.9%	1.5%
10	92.5	-0.9%	3.9%
11	91.7	1.4%	4.7%
12	90.0	3.8%	-1.4%
13	88.2	2.6%	-7.9%
14	85.6	2.0%	-10.5%
15	89.8	-2.3%	-5.1%
16	84.5	-5.2%	-9.2%



Rf by Bue






Chroma by Bue




产品型号:P19
产品编号:
测试人员:
备注:


制造厂商:Guangzhou Hotion Technology Co., Ltd
测试单位:
测试日期:08/11/12



光谱图



SDCM



颜色参数:

坐标x: 0.3860 坐标y: 0.3716 坐标u: 0.2309 坐标v: 0.3334 坐标u': 0.2309 坐标v': 0.5001
红色比: 39.2 % 绿色比: 40.2 % 蓝色比: 20.6 % 光通量红色比: 20.4 % 光通量绿色比: 76.9 % 光通量蓝色比: 2.7 %


显色指数: 95.2 AvgR: 93.2
R1: 96.5 R2: 97.5 R3: 96.3 R4: 95.9 R5: 96.7 R6: 95.2 R7: 94.5 R8: 89.6
R9: 75.5 R10: 93.1 R11: 95.6 R12: 81.4 R13: 97.1 R14: 97.4 R15: 95.3

色温: 3809 K 光通量: 359.698 lm 峰值波长: 616.6 nm 色容差: 6.2
明暗视觉比: 1.7 中心波长: 585.7 nm 主波长: 582.0 nm 质心波长: 574.9 nm
半宽度: 181.2 nm 色偏差: -0.00402 色纯度: 27.4 % 色质指数: 86.6
LER(TM-30): 289.4 辐射功率: 1243.1 mw 色域指数(Rg): 101.0 逼真度(Rf): 91.7
红光辐射功率: 467.5 mw 近红辐射功率: 49.2 mw 远红辐射功率: 1.3 mw





电参数:

光效: 9.8 Lm/W 能效: 10.6 能效等级: G
电压: 221.4 V 电流: 0.288 A 功率: 36.880 W 功率因素: 0.577


Rf: 91.7 CCT: 3809K u': 0.2309
Rg: 101.0 LER: 289.4 Duv: -0.00402 v': 0.5001




500			
Hue Bin	Rf	Chroma	Hue
1	92.4	-3.4%	-0.2%
2	94.2	-1.8%	2.0%
3	90.0	-0.7%	4.5%
4	93.2	-0.2%	2.6%
5	92.9	-0.1%	1.9%
6	95.4	2.3%	0.3%
7	96.7	-0.4%	-0.5%
8	95.2	-1.0%	0.8%
9	93.3	-1.4%	3.8%
10	89.2	-1.8%	5.6%
11	85.4	2.7%	8.5%
12	88.1	4.7%	3.3%
13	93.5	3.3%	-1.8%
14	89.1	5.8%	-5.0%
15	90.6	1.5%	-5.5%
16	88.1	0.1%	-6.7%



Rf by Bue






Chroma by Bue




产品型号:P19
产品编号:
测试人员:
备注:


制造厂商:Guangzhou Hotion Technology Co., Ltd
测试单位:
测试日期:08/11/12



光谱图



SDCM



颜色参数:

坐标x: 0.3332 坐标y: 0.3424 坐标u: 0.2069 坐标v: 0.3189 坐标u': 0.2069 坐标v': 0.4783
红色比: 29.7 % 绿色比: 41.2 % 蓝色比: 29.1 % 光通量红色比: 15.9 % 光通量绿色比: 80.2 % 光通量蓝色比: 3.9 %


显色指数: 93.4 AvgR: 90.6
R1: 93.9 R2: 94.8 R3: 93.5 R4: 94.2 R5: 93.8 R6: 91.5 R7: 95.3 R8: 90.3
R9: 72.7 R10: 86.6 R11: 93.9 R12: 75.0 R13: 94.3 R14: 96.2 R15: 93.7

色温: 5466 K 光通量: 443.315 lm 峰值波长: 452.3 nm 色容差: 3.9
明暗视觉比: 2.1 中心波长: 454.3 nm 主波长: 553.9 nm 质心波长: 556.6 nm
半宽度: 28.8 nm 色偏差: 0.00034 色纯度: 2.7 % 色质指数: 89.3
LER(TM-30): 285.9 辐射功率: 1550.7 mw 色域指数(Rg): 99.8 逼真度(Rf): 90.2
红光辐射功率: 446.0 mw 近红辐射功率: 49.1 mw 远红辐射功率: 1.5 mw







电参数:

光效: 10.2 Lm/W 能效: 11.1 能效等级: G
电压: 221.3 V 电流: 0.334 A 功率: 43.490 W 功率因素: 0.587

Rf: 90.2 CCT: 5466K u': 0.2069
Rg: 99.8 LER: 285.9 Duv: 0.00034 v': 0.4783



500			
Hue Bin	Rf	Chroma	Hue
1	89.7	-4.2%	-0.3%
2	92.8	-2.6%	2.5%
3	89.5	-1.5%	4.7%
4	91.4	-0.4%	3.5%
5	91.5	-0.4%	2.3%
6	95.9	1.6%	0.1%
7	95.9	-1.5%	-0.6%
8	92.9	-3.2%	1.3%
9	90.1	-4.1%	6.5%
10	83.7	-2.1%	8.8%
11	81.2	2.2%	10.2%
12	91.8	3.0%	3.7%
13	92.1	5.6%	-0.5%
14	91.9	3.1%	-2.6%
15	83.7	6.9%	-11.1%
16	94.2	-1.5%	-2.4%



产品型号:P19
产品编号:
测试人员:
备注:

制造厂商:Guangzhou Hotion Technology Co., Ltd
测试单位:
测试日期:08/11/12

