



光谱图



SDCM



颜色参数:

坐标x: 0.3250 坐标y: 0.3339 坐标u: 0.2045 坐标v: 0.3152 坐标u': 0.2045 坐标v': 0.4728
红色比: 28.1 % 绿色比: 41.1 % 蓝色比: 30.8 % 光通量红色比: 15.3 % 光通量绿色比: 80.9 % 光通量蓝色比: 3.8 %

显色指数: 92.0 AvgR: 89.3

R1: 93.4	R2: 93.0	R3: 90.8	R4: 92.9	R5: 93.3	R6: 89.2	R7: 93.5	R8: 90.1
R9: 70.3	R10: 82.4	R11: 93.2	R12: 76.1	R13: 93.2	R14: 94.7	R15: 93.2	


色温: 5848 K	光通量: 674.660 lm	峰值波长: 449.6 nm	色容差: 4.0
明暗视觉比: 2.2	中心波长: 450.2 nm	主波长: 492.6 nm	质心波长: 551.4 nm
半宽度: 29.0 nm	色偏差: -0.00026	色纯度: 2.8 %	色质指数: 88.0
LER(TM-30): 284.3	辐射功率: 2372.9 mw	色域指数(Rg): 101.1	逼真度(Rf): 89.3
红光辐射功率: 649.0 mw	近红辐射功率: 60.2 mw	远红辐射功率: 1.0 mw	

电参数:





光效: 21.0 Lm/W	能效: 22.9	能效等级: G	
电压: 220.6 V	电流: 0.256 A	功率: 32.130 W	功率因素: 0.568

产品型号:	制造厂商:
产品编号:	测试单位:
测试人员:	测试日期:10/12/23
备注:	


Rf: 89.3 CCT: 5848K u': 0.2045
Rg: 101.1 LER: 284.3 Duv: -0.00026 v': 0.4728




500			
Hue Bin	Rf	Chroma	Hue
1	89.8	-4.3%	-1.1%
2	92.1	-3.1%	2.8%
3	86.9	-1.4%	6.5%
4	89.0	1.0%	5.9%
5	88.6	2.4%	4.0%
6	94.0	3.4%	0.3%
7	96.4	0.9%	-1.7%
8	94.0	-2.4%	-1.1%
9	91.8	-4.6%	3.7%
10	84.5	-3.2%	7.8%
11	79.4	0.9%	11.5%
12	88.3	2.9%	6.4%
13	90.9	6.5%	2.1%
14	90.2	4.8%	-1.4%
15	84.5	7.9%	-10.2%
16	93.1	-0.6%	-3.6%



Rf by Bue






Chroma by Bue



产品型号:
产品编号:
测试人员:
备注:


制造厂商:
测试单位:
测试日期:10/12/23




产品型号:
产品编号:
测试人员:
备注:

制造厂商:
测试单位:
测试日期:10/12/23

光谱图



SDCM



颜色参数:

坐标x: 0.4602 坐标y: 0.4176 坐标u: 0.2596 坐标v: 0.3534 坐标u': 0.2596 坐标v': 0.5301
红色比: 50.0 % 绿色比: 39.9 % 蓝色比: 10.1 % 光通量红色比: 24.7 % 光通量绿色比: 74.1 % 光通量蓝色比: 1.2 %

显色指数: 89.4 AvgR: 85.7
R1: 88.7 R2: 92.8 R3: 96.7 R4: 90.7 R5: 88.5 R6: 92.0 R7: 90.8 R8: 75.7
R9: 44.3 R10: 83.3 R11: 91.6 R12: 80.8 R13: 89.4 R14: 97.4 R15: 83.3


色温: 2749 K 光通量: 540.875 lm 峰值波长: 615.6 nm 色容差: 1.6
明暗视觉比: 1.2 中心波长: 604.5 nm 主波长: 583.2 nm 质心波长: 598.7 nm
半宽度: 148.5 nm 色偏差: 0.00258 色纯度: 63.5 % 色质指数: 88.3
LER(TM-30): 292.8 辐射功率: 1847.5 mw 色域指数(Rg): 98.6 逼真度(Rf): 89.8
红光辐射功率: 864.7 mw 近红辐射功率: 113.0 mw 远红辐射功率: 5.5 mw

电参数:





光效: 16.8 Lm/W 能效: 18.3 能效等级: G
电压: 220.7 V 电流: 0.257 A 功率: 32.160 W 功率因素: 0.567

产品型号: 制造厂商:
产品编号: 测试单位:
测试人员: 测试日期:10/12/23
备注:


Rf: 89.8 CCT: 2749K u': 0.2596
Rg: 98.6 LER: 292.8 Duv: 0.00258 v': 0.5301




500			
Hue Bin	Rf	Chroma	Hue
1	86.8	-6.4%	-1.4%
2	88.2	-4.9%	3.4%
3	85.7	-2.2%	6.5%
4	91.1	1.5%	5.1%
5	93.1	3.3%	4.0%
6	93.6	3.3%	-0.6%
7	89.0	0.3%	-6.2%
8	95.5	-0.6%	-2.4%
9	92.5	-3.5%	-1.8%
10	91.6	-3.8%	2.4%
11	89.1	-2.2%	6.3%
12	89.1	3.1%	1.6%
13	90.9	3.6%	-4.5%
14	87.2	3.1%	-8.7%
15	87.8	-0.3%	-6.7%
16	85.5	-4.9%	-8.8%






Rf by Bue



Chroma by Bue




产品型号: 制造厂商:
产品编号: 测试单位:
测试人员: 测试日期:10/12/23
备注:




产品型号:
产品编号:
测试人员:
备注:

制造厂商:
测试单位:
测试日期:10/12/23

光谱图



SDCM



颜色参数:

坐标x: 0.3782 坐标y: 0.3692 坐标u: 0.2267 坐标v: 0.3319 坐标u': 0.2267 坐标v': 0.4979
红色比: 37.4 % 绿色比: 41.1 % 蓝色比: 21.5 % 光通量红色比: 19.3 % 光通量绿色比: 78.1 % 光通量蓝色比: 2.6 %

显色指数: 92.6 AvgR: 89.9
R1: 93.6 R2: 94.2 R3: 93.3 R4: 93.4 R5: 93.8 R6: 92.3 R7: 93.6 R8: 87.3
R9: 67.3 R10: 85.9 R11: 93.6 R12: 79.2 R13: 93.6 R14: 95.8 R15: 92.0


色温: 4005 K 光通量: 558.836 lm 峰值波长: 448.6 nm 色容差: 4.2
明暗视觉比: 1.8 中心波长: 449.8 nm 主波长: 580.8 nm 质心波长: 571.1 nm
半宽度: 27.4 nm 色偏差: -0.00296 色纯度: 24.3 % 色质指数: 85.5
LER(TM-30): 292.9 辐射功率: 1907.8 mw 色域指数(Rg): 101.5 逼真度(Rf): 90.0
红光辐射功率: 688.2 mw 近红辐射功率: 67.0 mw 远红辐射功率: 0.4 mw

电参数:





光效: 20.5 Lm/W 能效: 22.3 能效等级: G
电压: 220.6 V 电流: 0.221 A 功率: 27.290 W 功率因素: 0.559

产品型号: 制造厂商:
产品编号: 测试单位:
测试人员: 测试日期:10/12/23
备注:


Rf: 90.0 CCT: 4005K u': 0.2267
Rg: 101.5 LER: 292.9 Duv: -0.00296 v': 0.4979



500			
Hue Bin	Rf	Chroma	Hue
1	91.3	-4.2%	-1.2%
2	92.6	-2.9%	2.6%
3	86.1	-1.1%	6.5%
4	90.1	1.1%	5.2%
5	90.8	2.7%	3.6%
6	92.7	4.4%	0.1%
7	95.4	1.0%	-2.4%
8	94.8	-1.1%	-1.6%
9	93.9	-2.7%	1.2%
10	88.1	-3.8%	5.0%
11	83.7	1.4%	9.7%
12	84.8	4.1%	6.4%
13	90.5	5.8%	-0.6%
14	92.2	5.4%	-0.9%
15	88.0	2.9%	-7.6%
16	86.8	0.4%	-7.8%






Rf by Bue



Chroma by Bue



产品型号: 制造厂商:
产品编号: 测试单位:
测试人员: 测试日期:10/12/23
备注:



产品型号:
产品编号:
测试人员:
备注:

制造厂商:
测试单位:
测试日期:10/12/23