


光谱图



颜色参数:

坐标x: 0.3235 坐标y: 0.2915 坐标u: 0.2212 坐标v: 0.2989 坐标u': 0.2212 坐标v': 0.4484
红色比: 33.0 % 绿色比: 34.6 % 蓝色比: 32.4 % 光通量红色比: 21.5 % 光通量绿色比: 74.3 % 光通量蓝色比: 4.2 %

显色指数: 68.0 AvgR: 59.3
R1: 62.9 R2: 88.6 R3: 65.4 R4: 59.6 R5: 71.1 R6: 87.6 R7: 75.5 R8: 34.0
R9: -62.1 R10: 87.0 R11: 53.9 R12: 75.0 R13: 69.6 R14: 76.5 R15: 45.4


色温: 6090 K 光通量: 2440.717 lm 峰值波长: 451.9 nm 色容差: 23.9
明暗视觉比: 2.3 中心波长: 452.1 nm 主波长: 0.0 nm 质心波长: 547.8 nm
半宽度: 22.8 nm 色偏差: -0.02349 色纯度: 0.0 % 色质指数: 79.2
LER(TM-30): 265.0 辐射功率: 9209.4 mw 色域指数(Rg): 119.0 逼真度(Rf): 75.1
红光辐射功率: 3001.7 mw 近红辐射功率: 98.4 mw 远红辐射功率: 8.5 mw

电参数:







光效: 23.7 Lm/W 能效: 25.8 能效等级: G
电压: 220.8 V 电流: 0.728 A 功率: 102.900 W 功率因素: 0.639




产品型号: 制造厂商:Guangzhou Hotion Technology Co., Ltd
产品编号: 测试单位:
测试人员: 测试日期:03/17/14
备注:

Rf: 75.1 CCT: 6090K u': 0.2212
Rg: 119.0 LER: 265.0 Duv: -0.02349 v': 0.4484




500			
Hue Bin	Rf	Chroma	Hue
1	65.7	15.7%	1.3%
2	80.0	9.8%	-3.4%
3	80.9	7.2%	-0.9%
4	83.5	2.5%	8.0%
5	78.0	4.6%	8.4%
6	76.4	11.7%	9.5%
7	81.4	11.5%	1.8%
8	80.2	9.5%	2.7%
9	87.7	3.1%	4.1%
10	81.2	-0.2%	8.3%
11	68.8	2.1%	17.1%
12	70.1	1.3%	18.7%
13	69.4	7.2%	23.6%
14	58.3	10.9%	21.6%
15	58.9	29.0%	18.5%
16	69.3	15.3%	4.7%






光谱图



SDCM



颜色参数:

坐标x: 0.3589 坐标y: 0.3091 坐标u: 0.2396 坐标v: 0.3095 坐标u': 0.2396 坐标v': 0.4643
红色比: 40.4 % 绿色比: 33.0 % 蓝色比: 26.5 % 光通量红色比: 25.8 % 光通量绿色比: 70.8 % 光通量蓝色比: 3.4 %

显色指数: 65.2 AvgR: 56.9
R1: 58.1 R2: 83.7 R3: 71.9 R4: 57.8 R5: 64.4 R6: 81.9 R7: 75.8 R8: 28.3
R9: -59.5 R10: 77.7 R11: 51.1 R12: 77.3 R13: 63.7 R14: 79.5 R15: 41.1


色温: 4136 K 光通量: 2429.930 lm 峰值波长: 635.5 nm 色容差: 28.0
明暗视觉比: 2.0 中心波长: 633.7 nm 主波长: 0.0 nm 质心波长: 560.1 nm
半宽度: 21.3 nm 色偏差: -0.02870 色纯度: 0.0 % 色质指数: 73.6
LER(TM-30): 265.9 辐射功率: 9137.2 mw 色域指数(Rg): 121.2 逼真度(Rf): 76.4
红光辐射功率: 3645.0 mw 近红辐射功率: 105.7 mw 远红辐射功率: 9.5 mw

电参数:







光效: 23.5 Lm/W 能效: 25.6 能效等级: G
电压: 220.7 V 电流: 0.730 A 功率: 103.300 W 功率因素: 0.641




产品型号: 制造厂商:Guangzhou Hotion Technology Co., Ltd
产品编号: 测试单位:
测试人员: 测试日期:03/17/14
备注:

Rf: 76.4 CCT: 4136K u': 0.2396
Rg: 121.2 LER: 265.9 Duv: -0.02870 v': 0.4643




500			
Hue Bin	Rf	Chroma	Hue
1	68.6	16.2%	-0.3%
2	75.4	10.7%	-5.4%
3	81.9	7.7%	-1.4%
4	88.1	3.1%	5.1%
5	79.2	6.8%	8.4%
6	71.5	15.2%	9.8%
7	73.9	14.9%	3.0%
8	74.3	13.4%	-0.0%
9	84.2	8.5%	-2.1%
10	90.3	2.3%	0.8%
11	79.0	2.6%	12.0%
12	72.5	3.9%	14.1%
13	73.7	6.2%	19.8%
14	57.0	9.8%	22.0%
15	64.8	18.9%	14.7%
16	63.7	20.9%	1.9%





光谱图



颜色参数:

坐标x: 0.3889 坐标y: 0.3160 坐标u: 0.2587 坐标v: 0.3153 坐标u': 0.2587 坐标v': 0.4729
红色比: 44.4 % 绿色比: 32.1 % 蓝色比: 23.5 % 光通量红色比: 28.3 % 光通量绿色比: 68.8 % 光通量蓝色比: 2.9 %


显色指数: 76.1 AvgR: 70.2
R1: 70.9 R2: 85.5 R3: 78.9 R4: 75.9 R5: 75.5 R6: 83.1 R7: 87.1 R8: 52.4
R9: -3.5 R10: 83.8 R11: 74.8 R12: 75.8 R13: 73.2 R14: 83.2 R15: 56.1

色温: 3138 K 光通量: 1871.914 lm 峰值波长: 635.5 nm 色容差: 32.4
明暗视觉比: 1.6 中心波长: 633.1 nm 主波长: 0.0 nm 质心波长: 567.1 nm
半宽度: 21.5 nm 色偏差: -0.03300 色纯度: 0.0 % 色质指数: 63.2
LER(TM-30): 274.4 辐射功率: 6822.8 mw 色域指数(Rg): 121.0 逼真度(Rf): 76.4
红光辐射功率: 2998.2 mw 近红辐射功率: 61.6 mw 远红辐射功率: 3.6 mw





电参数:

光效: 22.3 Lm/W 能效: 24.3 能效等级: G
电压: 220.9 V 电流: 0.606 A 功率: 83.990 W 功率因素: 0.627


Rf: 76.4 CCT: 3138K u': 0.2587
Rg: 121.0 LER: 274.4 Duv: -0.03300 v': 0.4729




500			
Hue Bin	Rf	Chroma	Hue
1	77.4	9.5%	-1.3%
2	85.4	6.3%	-0.1%
3	75.6	6.1%	8.4%
4	74.1	7.7%	12.7%
5	74.1	13.7%	12.1%
6	65.5	20.0%	6.4%
7	67.5	17.8%	-0.8%
8	78.6	8.1%	-9.7%
9	87.1	4.9%	-4.3%
10	86.6	-1.2%	4.4%
11	72.5	0.1%	16.6%
12	73.9	8.1%	13.6%
13	78.7	10.5%	10.4%
14	69.2	16.5%	16.5%
15	71.1	15.5%	6.7%
16	73.7	18.6%	-5.2%



Rf by Bue



Chroma by Bue



产品型号:
产品编号:
测试人员:
备注:

制造厂商:Guangzhou Hotion Technology Co., Ltd
测试单位:
测试日期:03/17/14

