



光谱图



SDCM



颜色参数:

坐标x: 0.4682	坐标y: 0.4140	坐标u: 0.2663	坐标v: 0.3533	坐标u': 0.2663	坐标v': 0.5300
红色比: 52.6 %	绿色比: 37.8 %	蓝色比: 9.6 %	光通量红色比: 26.5 %	光通量绿色比: 72.1 %	光通量蓝色比: 1.4 %


显色指数: 93.2	AvgR: 90.9						
R1: 93.5	R2: 97.3	R3: 99.2	R4: 94.3	R5: 94.0	R6: 97.7	R7: 90.7	R8: 79.6
R9: 56.4	R10: 93.4	R11: 96.6	R12: 89.7	R13: 94.6	R14: 99.2	R15: 88.0	

色温: 2613 K	光通量: 903.368 lm	峰值波长: 621.6 nm	色容差: 5.6
明暗视觉比: 1.2	中心波长: 612.6 nm	主波长: 584.5 nm	质心波长: 598.9 nm
半宽度: 132.8 nm	色偏差: 0.00066	色纯度: 64.8 %	色质指数: 87.8
LER(TM-30): 290.0	辐射功率: 3115.4 mw	色域指数(Rg): 98.5	逼真度(Rf): 92.3
红光辐射功率: 1565.1 mw	近红辐射功率: 140.9 mw	远红辐射功率: 0.6 mw	







电参数:

光效: 21.2 Lm/W	能效: 23.1	能效等级: G	
电压: 221.1 V	电流: 0.327 A	功率: 42.530 W	功率因素: 0.587

Rf: 92.3 CCT: 2613K u': 0.2663
Rg: 98.5 LER: 290.0 Duv: 0.00066 v': 0.5300






500			
Hue Bin	Rf	Chroma	Hue
1	89.5	-5.2%	0.1%
2	91.8	-3.3%	2.4%
3	91.4	-1.6%	3.7%
4	95.5	-1.5%	0.9%
5	96.4	-0.3%	2.0%
6	96.0	1.2%	1.4%
7	95.9	-1.3%	-1.4%
8	98.0	-0.1%	0.6%
9	95.5	-1.4%	1.7%
10	93.0	-0.4%	3.7%
11	92.0	1.7%	4.5%
12	90.4	3.9%	-1.5%
13	88.9	2.2%	-7.5%
14	86.3	2.2%	-9.9%
15	90.8	-2.3%	-4.3%
16	85.0	-4.2%	-9.2%




产品型号:P19
产品编号:
测试人员:
备注:


制造厂商:Guangzhou Hotion Technology Co., Ltd
测试单位:
测试日期:08/11/12



光谱图



SDCM



颜色参数:

坐标x: 0.3305 坐标y: 0.3382 坐标u: 0.2066 坐标v: 0.3172 坐标u': 0.2066 坐标v': 0.4758
红色比: 30.1 % 绿色比: 40.5 % 蓝色比: 29.4 % 光通量红色比: 16.0 % 光通量绿色比: 80.1 % 光通量蓝色比: 3.9 %


显色指数: 94.2 AvgR: 92.0
R1: 95.6 R2: 95.1 R3: 92.4 R4: 94.8 R5: 94.9 R6: 91.2 R7: 95.8 R8: 93.8
R9: 81.4 R10: 87.1 R11: 94.4 R12: 75.7 R13: 95.7 R14: 95.6 R15: 96.4

色温: 5589 K 光通量: 1086.023 lm 峰值波长: 450.6 nm 色容差: 3.7
明暗视觉比: 2.2 中心波长: 452.3 nm 主波长: 517.0 nm 质心波长: 558.2 nm
半宽度: 26.3 nm 色偏差: -0.00057 色纯度: 1.0 % 色质指数: 89.1
LER(TM-30): 277.6 辐射功率: 3912.8 mw 色域指数(Rg): 101.0 逼真度(Rf): 90.6
红光辐射功率: 1126.3 mw 近红辐射功率: 155.4 mw 远红辐射功率: 11.4 mw







电参数:

光效: 25.5 Lm/W 能效: 27.8 能效等级: G
电压: 221.1 V 电流: 0.327 A 功率: 42.550 W 功率因素: 0.587

Rf: 90.6 CCT: 5589K u': 0.2066
Rg: 101.0 LER: 277.6 Duv: -0.00057 v': 0.4758






500			
Hue Bin	Rf	Chroma	Hue
1	91.8	-3.1%	-0.5%
2	93.7	-2.1%	2.2%
3	89.8	-1.0%	4.7%
4	91.2	0.1%	4.0%
5	89.8	0.5%	2.8%
6	95.6	2.4%	0.5%
7	96.8	-0.4%	-0.8%
8	94.2	-2.4%	0.6%
9	91.3	-3.8%	5.5%
10	84.7	-2.2%	8.2%
11	80.6	1.8%	10.7%
12	90.4	2.8%	5.1%
13	92.1	5.8%	1.4%
14	91.9	3.9%	-1.2%
15	85.0	8.3%	-9.3%
16	95.0	-0.5%	-2.4%




产品型号:P19
产品编号:
测试人员:
备注:


制造厂商:Guangzhou Hotion Technology Co., Ltd
测试单位:
测试日期:08/11/12



光谱图



SDCM



颜色参数:

坐标x: 0.3852 坐标y: 0.3696 坐标u: 0.2312 坐标v: 0.3327 坐标u': 0.2312 坐标v': 0.4991
红色比: 40.0 % 绿色比: 39.5 % 蓝色比: 20.5 % 光通量红色比: 20.6 % 光通量绿色比: 76.7 % 光通量蓝色比: 2.7 %


显色指数: 96.2 AvgR: 94.6
R1: 98.0 R2: 97.8 R3: 95.8 R4: 96.3 R5: 98.1 R6: 95.6 R7: 95.7 R8: 93.0
R9: 83.3 R10: 94.4 R11: 95.4 R12: 82.7 R13: 98.3 R14: 97.1 R15: 97.8

色温: 3815 K 光通量: 889.745 lm 峰值波长: 450.6 nm 色容差: 6.8
明暗视觉比: 1.7 中心波长: 452.1 nm 主波长: 582.5 nm 质心波长: 576.3 nm
半宽度: 24.7 nm 色偏差: -0.00477 色纯度: 26.5 % 色质指数: 86.7
LER(TM-30): 284.4 辐射功率: 3128.3 mw 色域指数(Rg): 102.0 逼真度(Rf): 92.2
红光辐射功率: 1197.1 mw 近红辐射功率: 130.0 mw 远红辐射功率: 4.4 mw







电参数:

光效: 24.7 Lm/W 能效: 26.9 能效等级: G
电压: 221.2 V 电流: 0.281 A 功率: 35.970 W 功率因素: 0.578

Rf: 92.2 CCT: 3815K u': 0.2312
Rg: 102.0 LER: 284.4 Duv: -0.00477 v': 0.4991



500			
Hue Bin	Rf	Chroma	Hue
1	94.1	-2.4%	-0.4%
2	95.3	-1.2%	1.6%
3	90.8	-0.2%	4.2%
4	93.5	0.1%	2.6%
5	92.5	0.4%	2.1%
6	94.8	3.0%	0.5%
7	96.9	0.5%	-0.6%
8	95.3	-0.3%	0.5%
9	94.4	-0.9%	3.1%
10	90.7	-1.6%	4.6%
11	85.8	2.6%	8.3%
12	87.9	4.6%	3.9%
13	93.9	3.4%	-0.9%
14	89.8	6.3%	-3.7%
15	91.5	2.3%	-4.6%
16	88.8	1.1%	-6.4%



产品型号:P19
产品编号:
测试人员:
备注:

制造厂商:Guangzhou Hotion Technology Co., Ltd
测试单位:
测试日期:08/11/12

