



光谱图



SDCM



颜色参数:

坐标x: 0.4651 坐标y: 0.4176 坐标u: 0.2627 坐标v: 0.3538 坐标u': 0.2627 坐标v': 0.5307
红色比: 51.4 % 绿色比: 39.2 % 蓝色比: 9.4 % 光通量红色比: 25.8 % 光通量绿色比: 72.9 % 光通量蓝色比: 1.3 %

显色指数: 92.5 AvgR: 89.3
R1: 92.5 R2: 95.4 R3: 98.1 R4: 94.7 R5: 93.0 R6: 97.2 R7: 91.2 R8: 78.3
R9: 51.4 R10: 89.2 R11: 97.0 R12: 84.5 R13: 93.2 R14: 97.9 R15: 86.2


色温: 2682 K 光通量: 1781.800 lm 峰值波长: 616.6 nm 色容差: 2.3
明暗视觉比: 1.2 中心波长: 608.3 nm 主波长: 583.6 nm 质心波长: 600.4 nm
半宽度: 136.4 nm 色偏差: 0.00209 色纯度: 65.0 % 色质指数: 89.1
LER(TM-30): 289.3 辐射功率: 6158.2 mw 色域指数(Rg): 98.2 逼真度(Rf): 91.7
红光辐射功率: 2956.7 mw 近红辐射功率: 377.4 mw 远红辐射功率: 22.8 mw

电参数:





光效: 30.4 Lm/W 能效: 33.1 能效等级: G
电压: 219.8 V 电流: 0.439 A 功率: 58.640 W 功率因素: 0.606

产品型号: 制造厂商:Guangzhou Hotion Technology Co., Ltd
产品编号: 测试单位:
测试人员: 测试日期:04/30/14
备注:


Rf: 91.7 CCT: 2682K u': 0.2627
Rg: 98.2 LER: 289.3 Duv: 0.00209 v': 0.5307




500			
Hue Bin	Rf	Chroma	Hue
1	88.8	-5.5%	-0.2%
2	91.4	-3.7%	2.2%
3	90.8	-2.0%	3.7%
4	94.6	-1.9%	1.2%
5	95.5	-0.5%	2.7%
6	95.5	1.5%	2.0%
7	95.7	-1.0%	-1.4%
8	98.1	0.2%	0.3%
9	95.3	-1.8%	1.3%
10	92.1	-1.2%	4.1%
11	90.5	0.6%	6.0%
12	89.1	4.3%	-0.8%
13	89.7	2.4%	-6.6%
14	86.1	2.6%	-9.9%
15	91.0	-2.0%	-4.3%
16	84.0	-4.0%	-10.2%



Rf by Bue






Chroma by Bue




产品型号:
产品编号:
测试人员:
备注:


制造厂商:Guangzhou Hotion Technology Co., Ltd
测试单位:
测试日期:04/30/14



光谱图



SDCM



颜色参数:

坐标x: 0.3962 坐标y: 0.3869 坐标u: 0.2313 坐标v: 0.3389 坐标u': 0.2313 坐标v': 0.5084
红色比: 40.9 % 绿色比: 41.5 % 蓝色比: 17.6 % 光通量红色比: 20.7 % 光通量绿色比: 77.1 % 光通量蓝色比: 2.3 %


显色指数: 94.5 AvgR: 91.5
R1: 96.4 R2: 95.8 R3: 93.8 R4: 95.9 R5: 94.9 R6: 93.6 R7: 96.1 R8: 89.9
R9: 72.1 R10: 88.5 R11: 95.1 R12: 74.8 R13: 96.5 R14: 95.8 R15: 93.7

色温: 3678 K 光通量: 1699.816 lm 峰值波长: 616.6 nm 色容差: 5.8
明暗视觉比: 1.7 中心波长: 588.7 nm 主波长: 580.0 nm 质心波长: 580.1 nm
半宽度: 175.4 nm 色偏差: 0.00046 色纯度: 35.0 % 色质指数: 90.2
LER(TM-30): 294.6 辐射功率: 5769.2 mw 色域指数(Rg): 100.9 逼真度(Rf): 91.3
红光辐射功率: 2241.1 mw 近红辐射功率: 266.7 mw 远红辐射功率: 13.0 mw







电参数:




光效: 34.6 Lm/W 能效: 37.7 能效等级: G
电压: 219.7 V 电流: 0.374 A 功率: 49.130 W 功率因素: 0.598

Rf: 91.3 CCT: 3678K u': 0.2313
Rg: 100.9 LER: 294.6 Duv: 0.00046 v': 0.5084




500			
Hue Bin	Rf	Chroma	Hue
1	92.4	-3.4%	-0.8%
2	94.5	-2.2%	1.3%
3	91.2	-0.7%	3.7%
4	93.2	-0.9%	2.4%
5	92.0	-0.6%	2.4%
6	94.8	2.6%	0.9%
7	96.4	-0.2%	-0.4%
8	95.3	-0.2%	-0.4%
9	94.7	-1.6%	2.2%
10	88.2	-2.4%	6.6%
11	84.4	2.2%	9.3%
12	87.6	4.7%	3.9%
13	93.4	3.3%	-1.3%
14	88.7	6.2%	-5.1%
15	89.9	1.8%	-5.6%
16	86.8	0.6%	-7.4%






光谱图



SDCM



颜色参数:

坐标x: 0.3315 坐标y: 0.3554 坐标u: 0.2009 坐标v: 0.3230 坐标u': 0.2009 坐标v': 0.4845
红色比: 29.4 % 绿色比: 43.5 % 蓝色比: 27.1 % 光通量红色比: 15.2 % 光通量绿色比: 81.3 % 光通量蓝色比: 3.5 %

显色指数: 90.7 AvgR: 86.5
R1: 90.9 R2: 91.0 R3: 90.3 R4: 91.9 R5: 89.9 R6: 87.6 R7: 95.7 R8: 88.7
R9: 63.5 R10: 78.2 R11: 90.5 R12: 65.2 R13: 90.6 R14: 94.5 R15: 89.2


色温: 5542 K 光通量: 2125.352 lm 峰值波长: 450.6 nm 色容差: 7.8
明暗视觉比: 2.1 中心波长: 452.7 nm 主波长: 550.4 nm 质心波长: 557.6 nm
半宽度: 23.5 nm 色偏差: 0.00754 色纯度: 6.2 % 色质指数: 92.9
LER(TM-30): 296.0 辐射功率: 7179.2 mw 色域指数(Rg): 99.1 逼真度(Rf): 89.0
红光辐射功率: 2041.5 mw 近红辐射功率: 226.1 mw 远红辐射功率: 14.0 mw

电参数:





光效: 35.6 Lm/W 能效: 38.8 能效等级: G
电压: 219.8 V 电流: 0.446 A 功率: 59.640 W 功率因素: 0.608

产品型号: 制造厂商:Guangzhou Hotion Technology Co., Ltd
产品编号: 测试单位:
测试人员: 测试日期:04/30/14
备注:


Rf: 89.0 CCT: 5542K u': 0.2009
Rg: 99.1 LER: 296.0 Duv: 0.00754 v': 0.4845




500			
Hue Bin	Rf	Chroma	Hue
1	88.3	-4.6%	-1.3%
2	93.4	-3.0%	1.2%
3	89.7	-2.3%	4.0%
4	90.9	-1.3%	3.4%
5	90.4	-1.2%	2.5%
6	94.5	1.9%	0.3%
7	94.9	-1.4%	-1.5%
8	91.0	-4.2%	-0.2%
9	89.1	-5.8%	6.1%
10	82.3	-3.6%	9.3%
11	78.5	1.4%	12.0%
12	91.1	2.6%	4.7%
13	91.7	5.8%	-0.2%
14	90.5	3.6%	-3.0%
15	81.1	8.1%	-12.8%
16	91.6	-1.2%	-3.9%



Rf by Bue



Chroma by Bue



产品型号:
产品编号:
测试人员:
备注:

制造厂商:Guangzhou Hotion Technology Co., Ltd
测试单位:
测试日期:04/30/14

