



光谱图



SDCM



颜色参数:

坐标x: 0.4522 坐标y: 0.4132 坐标u: 0.2564 坐标v: 0.3515 坐标u': 0.2564 坐标v': 0.5272
红色比: 52.1 % 绿色比: 36.9 % 蓝色比: 11.1 % 光通量红色比: 25.5 % 光通量绿色比: 72.7 % 光通量蓝色比: 1.8 %

显色指数: 97.1 AvgR: 96.0
R1: 99.0 R2: 98.9 R3: 98.9 R4: 97.5 R5: 98.2 R6: 95.9 R7: 95.8 R8: 93.0
R9: 84.8 R10: 98.3 R11: 94.9 R12: 90.5 R13: 98.6 R14: 98.5 R15: 96.5


色温: 2831 K 光通量: 3477.966 lm 峰值波长: 629.5 nm 色容差: 4.7
明暗视觉比: 1.4 中心波长: 608.5 nm 主波长: 583.0 nm 质心波长: 601.2 nm
半宽度: 157.7 nm 色偏差: 0.00173 色纯度: 59.8 % 色质指数: 91.1
LER(TM-30): 271.7 辐射功率: 12802.4 mw 色域指数(Rg): 97.9 逼真度(Rf): 92.7
红光辐射功率: 6192.3 mw 近红辐射功率: 865.5 mw 远红辐射功率: 39.0 mw

电参数:





光效: 35.8 Lm/W 能效: 39.0 能效等级: G
电压: 219.9 V 电流: 0.678 A 功率: 97.050 W 功率因素: 0.650

产品型号: 制造厂商:
产品编号: 测试单位:
测试人员: 测试日期:10/23/23
备注:


Rf: 92.7 CCT: 2831K u': 0.2564
Rg: 97.9 LER: 271.7 Duv: 0.00173 v': 0.5272



500			
Hue Bin	Rf	Chroma	Hue
1	94.1	-1.7%	1.0%
2	97.2	-0.4%	-0.7%
3	95.0	-1.0%	-1.8%
4	90.2	-4.8%	-3.9%
5	93.3	-5.0%	-0.1%
6	93.9	-2.7%	2.4%
7	89.3	-3.9%	4.8%
8	93.3	0.7%	3.9%
9	92.4	1.1%	4.2%
10	92.7	2.3%	3.7%
11	94.1	3.4%	2.0%
12	91.1	3.1%	-3.9%
13	90.9	-0.7%	-6.4%
14	91.2	0.3%	-6.2%
15	91.6	-3.3%	0.5%
16	89.9	-1.2%	-6.4%



Rf by Bue






Chroma by Bue



产品型号:
产品编号:
测试人员:
备注:


制造厂商:
测试单位:
测试日期:10/23/23




产品型号:
产品编号:
测试人员:
备注:

制造厂商:
测试单位:
测试日期:10/23/23

光谱图



SDCM



颜色参数:

坐标x: 0.3203 坐标y: 0.3342 坐标u: 0.2011 坐标v: 0.3148 坐标u': 0.2011 坐标v': 0.4722
红色比: 27.4 % 绿色比: 40.6 % 蓝色比: 31.9 % 光通量红色比: 15.2 % 光通量绿色比: 80.2 % 光通量蓝色比: 4.6 %

显色指数: 95.5 AvgR: 93.6
R1: 96.1 R2: 98.4 R3: 98.1 R4: 95.2 R5: 95.3 R6: 95.1 R7: 95.5 R8: 91.1
R9: 76.6 R10: 95.6 R11: 96.4 R12: 78.6 R13: 97.7 R14: 99.3 R15: 94.9


色温: 6083 K 光通量: 4994.544 lm 峰值波长: 453.3 nm 色容差: 1.3
明暗视觉比: 2.3 中心波长: 457.0 nm 主波长: 492.6 nm 质心波长: 551.3 nm
半宽度: 37.8 nm 色偏差: 0.00213 色纯度: 4.3 % 色质指数: 93.1
LER(TM-30): 280.9 辐射功率: 17779.5 mw 色域指数(Rg): 98.5 逼真度(Rf): 91.6
红光辐射功率: 4723.1 mw 近红辐射功率: 495.3 mw 远红辐射功率: 32.0 mw

电参数:





光效: 48.7 Lm/W 能效: 53.1 能效等级: G
电压: 219.8 V 电流: 0.715 A 功率: 102.500 W 功率因素: 0.652

产品型号: 制造厂商:
产品编号: 测试单位:
测试人员: 测试日期:10/23/23
备注:


Rf: 91.6 CCT: 6083K u': 0.2011
Rg: 98.5 LER: 280.9 Duv: 0.00213 v': 0.4722




500			
Hue Bin	Rf	Chroma	Hue
1	90.1	-3.6%	0.3%
2	95.2	-1.5%	1.7%
3	94.2	-1.3%	1.4%
4	95.0	-1.2%	0.1%
5	91.3	-4.4%	-0.8%
6	95.9	-2.3%	-0.1%
7	95.8	-2.2%	0.8%
8	91.2	-3.0%	3.7%
9	89.9	-2.1%	8.0%
10	86.7	-0.0%	7.6%
11	86.4	3.4%	6.9%
12	95.2	2.6%	-0.6%
13	91.5	3.6%	-3.9%
14	92.5	0.6%	-3.7%
15	82.8	5.4%	-11.8%
16	94.8	-2.2%	-0.9%






Rf by Bue



Chroma by Bue




产品型号: 制造厂商:
产品编号: 测试单位:
测试人员: 测试日期:10/23/23
备注:




产品型号:
产品编号:
测试人员:
备注:

制造厂商:
测试单位:
测试日期:10/23/23

光谱图



SDCM



颜色参数:

坐标x: 0.3724 坐标y: 0.3644 坐标u: 0.2247 坐标v: 0.3299 坐标u': 0.2247 坐标v': 0.4948
红色比: 38.6 % 绿色比: 38.6 % 蓝色比: 22.7 % 光通量红色比: 19.9 % 光通量绿色比: 76.7 % 光通量蓝色比: 3.4 %

显色指数: 96.9 AvgR: 96.0
R1: 96.4 R2: 97.0 R3: 98.9 R4: 98.5 R5: 97.0 R6: 94.9 R7: 96.3 R8: 96.9
R9: 96.8 R10: 95.2 R11: 96.8 R12: 82.8 R13: 96.3 R14: 99.3 R15: 96.9


色温: 4140 K 光通量: 4969.121 lm 峰值波长: 454.5 nm 色容差: 5.8
明暗视觉比: 1.9 中心波长: 560.6 nm 主波长: 580.9 nm 质心波长: 576.3 nm
半宽度: 243.4 nm 色偏差: -0.00343 色纯度: 21.1 % 色质指数: 91.6
LER(TM-30): 272.7 辐射功率: 18218.8 mw 色域指数(Rg): 100.1 逼真度(Rf): 92.9
红光辐射功率: 6630.8 mw 近红辐射功率: 1002.5 mw 远红辐射功率: 59.2 mw

电参数:





光效: 47.5 Lm/W 能效: 51.7 能效等级: G
电压: 219.9 V 电流: 0.729 A 功率: 104.600 W 功率因素: 0.652

产品型号: 制造厂商:
产品编号: 测试单位:
测试人员: 测试日期:10/23/23
备注:


Rf: 92.9 CCT: 4140K u': 0.2247
Rg: 100.1 LER: 272.7 Duv: -0.00343 v': 0.4948




500			
Hue Bin	Rf	Chroma	Hue
1	94.5	-0.7%	0.8%
2	96.3	0.5%	0.1%
3	96.4	0.1%	-0.3%
4	93.8	-2.3%	-2.3%
5	92.7	-4.5%	-1.1%
6	96.7	-1.5%	0.9%
7	94.2	-2.1%	2.7%
8	92.4	-0.5%	4.3%
9	90.1	0.9%	6.7%
10	91.0	1.4%	5.0%
11	89.5	4.4%	4.6%
12	92.7	3.2%	-0.6%
13	92.2	2.7%	-4.0%
14	95.1	-0.3%	-0.4%
15	89.9	0.9%	-3.9%
16	89.9	1.0%	-4.2%



Rf by Bue






Chroma by Bue



产品型号:
产品编号:
测试人员:
备注:

制造厂商:
测试单位:
测试日期:10/23/23



产品型号:
产品编号:
测试人员:
备注:

制造厂商:
测试单位:
测试日期:10/23/23