



光谱图



SDCM



颜色参数:

坐标x: 0.4696 坐标y: 0.4207 坐标u: 0.2642 坐标v: 0.3551 坐标u': 0.2642 坐标v': 0.5326
红色比: 51.7 % 绿色比: 39.1 % 蓝色比: 9.2 % 光通量红色比: 25.9 % 光通量绿色比: 72.8 % 光通量蓝色比: 1.3 %

显色指数: 92.0 AvgR: 89.0
R1: 91.5 R2: 95.7 R3: 99.5 R4: 92.8 R5: 91.9 R6: 97.1 R7: 90.5 R8: 77.1
R9: 49.7 R10: 90.3 R11: 94.8 R12: 86.8 R13: 92.5 R14: 99.0 R15: 85.2


色温: 2645 K 光通量: 595.506 lm 峰值波长: 619.6 nm 色容差: 4.2
明暗视觉比: 1.2 中心波长: 609.1 nm 主波长: 583.6 nm 质心波长: 597.5 nm
半宽度: 135.7 nm 色偏差: 0.00294 色纯度: 67.3 % 色质指数: 87.7
LER(TM-30): 299.1 辐射功率: 1991.2 mw 色域指数(Rg): 96.1 逼真度(Rf): 91.2
红光辐射功率: 989.0 mw 近红辐射功率: 78.6 mw 远红辐射功率: 0.0 mw

电参数:





光效: 19.3 Lm/W 能效: 21.0 能效等级: G
电压: 221.3 V 电流: 0.248 A 功率: 30.910 W 功率因素: 0.563

产品型号: 制造厂商:
产品编号: 测试单位:
测试人员: 测试日期:09/26/23
备注:


Rf: 91.2 CCT: 2645K u': 0.2642
Rg: 96.1 LER: 299.1 Duv: 0.00294 v': 0.5326




500			
Hue Bin	Rf	Chroma	Hue
1	87.7	-5.9%	0.3%
2	91.0	-4.0%	2.0%
3	91.8	-2.8%	2.7%
4	94.0	-3.4%	-0.1%
5	95.5	-2.6%	1.7%
6	94.8	-1.3%	2.2%
7	94.2	-3.3%	0.1%
8	94.8	-1.1%	2.7%
9	93.2	-1.9%	3.0%
10	91.5	-0.6%	4.7%
11	92.3	1.1%	4.9%
12	89.9	3.7%	-2.4%
13	88.7	1.0%	-7.8%
14	86.0	1.1%	-10.3%
15	89.9	-3.5%	-3.7%
16	84.2	-5.3%	-9.1%






Rf by Bue



Chroma by Bue




产品型号: 制造厂商:
产品编号: 测试单位:
测试人员: 测试日期:09/26/23
备注:




产品型号:
产品编号:
测试人员:
备注:

制造厂商:
测试单位:
测试日期:09/26/23

光谱图



SDCM



颜色参数:

坐标x: 0.3824 坐标y: 0.3725 坐标u: 0.2281 坐标v: 0.3333 坐标u': 0.2281 坐标v': 0.4999
红色比: 38.3 % 绿色比: 40.9 % 蓝色比: 20.8 % 光通量红色比: 19.8 % 光通量绿色比: 77.6 % 光通量蓝色比: 2.6 %

显色指数: 94.5 AvgR: 92.2
R1: 95.8 R2: 96.2 R3: 95.1 R4: 94.9 R5: 95.3 R6: 94.2 R7: 95.0 R8: 89.5
R9: 72.9 R10: 90.3 R11: 95.0 R12: 81.3 R13: 96.0 R14: 96.8 R15: 94.2


色温: 3915 K 光通量: 630.649 lm 峰值波长: 449.6 nm 色容差: 3.9
明暗视觉比: 1.7 中心波长: 450.8 nm 主波长: 580.9 nm 质心波长: 573.0 nm
半宽度: 25.7 nm 色偏差: -0.00259 色纯度: 26.6 % 色质指数: 87.4
LER(TM-30): 292.5 辐射功率: 2155.8 mw 色域指数(Rg): 101.4 逼真度(Rf): 91.5
红光辐射功率: 796.6 mw 近红辐射功率: 76.9 mw 远红辐射功率: 1.4 mw

电参数:





光效: 23.0 Lm/W 能效: 25.0 能效等级: G
电压: 221.3 V 电流: 0.222 A 功率: 27.430 W 功率因素: 0.558

产品型号: 制造厂商:
产品编号: 测试单位:
测试人员: 测试日期:09/26/23
备注:


Rf: 91.5 CCT: 3915K u': 0.2281
Rg: 101.4 LER: 292.5 Duv: -0.00259 v': 0.4999




500			
Hue Bin	Rf	Chroma	Hue
1	92.4	-3.6%	-0.9%
2	94.3	-2.1%	1.9%
3	89.2	-0.8%	5.0%
4	92.9	0.4%	3.5%
5	92.2	1.1%	2.6%
6	94.5	3.3%	0.3%
7	96.8	0.5%	-1.3%
8	95.5	-0.8%	-0.4%
9	94.5	-1.8%	2.2%
10	90.0	-2.6%	4.6%
11	85.7	2.1%	8.3%
12	87.5	3.9%	4.7%
13	91.2	5.1%	-1.9%
14	92.0	6.8%	-1.3%
15	90.5	2.0%	-5.7%
16	87.6	0.4%	-7.2%






Rf by Bue



Chroma by Bue




产品型号: 制造厂商:
产品编号: 测试单位:
测试人员: 测试日期:09/26/23
备注:




产品型号:
产品编号:
测试人员:
备注:

制造厂商:
测试单位:
测试日期:09/26/23

光谱图



SDCM



颜色参数:

坐标x: 0.3295 坐标y: 0.3417 坐标u: 0.2046 坐标v: 0.3183 坐标u': 0.2046 坐标v': 0.4775
红色比: 28.6 % 绿色比: 41.9 % 蓝色比: 29.5 % 光通量红色比: 15.4 % 光通量绿色比: 80.9 % 光通量蓝色比: 3.7 %

显色指数: 91.6 AvgR: 88.5
R1: 92.3 R2: 92.9 R3: 91.9 R4: 92.4 R5: 91.9 R6: 89.1 R7: 94.1 R8: 88.7
R9: 65.7 R10: 82.3 R11: 92.4 R12: 74.4 R13: 92.5 R14: 95.4 R15: 91.5


色温: 5631 K 光通量: 730.075 lm 峰值波长: 449.6 nm 色容差: 0.7
明暗视觉比: 2.1 中心波长: 451.0 nm 主波长: 524.4 nm 质心波长: 553.9 nm
半宽度: 27.0 nm 色偏差: 0.00166 色纯度: 1.7 % 色质指数: 89.3
LER(TM-30): 288.9 辐射功率: 2527.2 mw 色域指数(Rg): 100.2 逼真度(Rf): 89.4
红光辐射功率: 701.5 mw 近红辐射功率: 70.2 mw 远红辐射功率: 2.6 mw

电参数:





光效: 24.3 Lm/W 能效: 26.5 能效等级: G
电压: 221.3 V 电流: 0.240 A 功率: 30.050 W 功率因素: 0.564

产品型号: 制造厂商:
产品编号: 测试单位:
测试人员: 测试日期:09/26/23
备注:


Rf: 89.4 CCT: 5631K u': 0.2046
Rg: 100.2 LER: 288.9 Duv: 0.00166 v': 0.4775




500			
Hue Bin	Rf	Chroma	Hue
1	88.8	-4.8%	-1.1%
2	92.1	-3.3%	2.6%
3	87.4	-1.8%	6.0%
4	90.2	0.4%	5.1%
5	89.4	1.5%	3.4%
6	94.9	3.0%	0.3%
7	96.2	-0.3%	-1.7%
8	93.2	-3.1%	-0.7%
9	91.3	-4.8%	4.4%
10	84.2	-3.2%	8.1%
11	80.0	1.2%	11.1%
12	89.8	3.0%	5.3%
13	91.4	6.2%	0.6%
14	90.4	4.2%	-2.5%
15	83.4	7.2%	-11.5%
16	92.4	-1.2%	-3.7%






Rf by Bue



Chroma by Bue



产品型号: 制造厂商:
产品编号: 测试单位:
测试人员: 测试日期:09/26/23
备注:



产品型号:
产品编号:
测试人员:
备注:

制造厂商:
测试单位:
测试日期:09/26/23