



光谱图



SDCM



颜色参数:

坐标x: 0.3049 坐标y: 0.3192 坐标u: 0.1961 坐标v: 0.3079 坐标u': 0.1961 坐标v': 0.4619
红色比: 25.6 % 绿色比: 39.9 % 蓝色比: 34.5 % 光通量红色比: 14.3 % 光通量绿色比: 80.9 % 光通量蓝色比: 4.8 %

显色指数: 95.6 AvgR: 93.4
R1: 96.0 R2: 96.7 R3: 95.4 R4: 96.7 R5: 95.8 R6: 93.4 R7: 97.3 R8: 94.0
R9: 82.8 R10: 91.8 R11: 96.1 R12: 74.8 R13: 96.9 R14: 97.6 R15: 95.6


色温: 7054 K 光通量: 9107.585 lm 峰值波长: 450.6 nm 色容差: 5.5
明暗视觉比: 2.5 中心波长: 452.3 nm 主波长: 485.1 nm 质心波长: 548.6 nm
半宽度: 26.3 nm 色偏差: 0.00215 色纯度: 10.7 % 色质指数: 92.8
LER(TM-30): 269.2 辐射功率: 33833.5 mw 色域指数(Rg): 99.6 逼真度(Rf): 91.7
红光辐射功率: 8293.1 mw 近红辐射功率: 1206.7 mw 远红辐射功率: 138.4 mw

电参数:







光效: 49.7 Lm/W 能效: 54.1 能效等级: G
电压: 219.7 V 电流: 1.216 A 功率: 183.400 W 功率因素: 0.686

产品型号: 制造厂商:
产品编号: 测试单位:
测试人员: 测试日期:10/21/23
备注:




Rf: 91.7 CCT: 7054K u': 0.1961
Rg: 99.6 LER: 269.2 Duv: 0.00215 v': 0.4619



500			
Hue Bin	Rf	Chroma	Hue
1	91.7	-2.6%	-0.2%
2	95.5	-1.4%	1.7%
3	94.1	-1.1%	1.6%
4	94.4	-1.0%	1.1%
5	91.2	-3.4%	-0.2%
6	96.4	-0.9%	-0.1%
7	97.2	-1.6%	0.8%
8	92.8	-2.8%	2.5%
9	90.1	-3.1%	7.1%
10	85.6	-0.4%	9.4%
11	81.2	2.4%	8.3%
12	94.3	2.2%	0.5%
13	92.5	5.6%	-0.3%
14	84.1	11.0%	-4.8%
15	86.6	4.2%	-7.8%
16	95.4	-1.1%	-1.6%




产品型号: 制造厂商:
产品编号: 测试单位:
测试人员: 测试日期:10/21/23
备注:




产品型号:
产品编号:
测试人员:
备注:

制造厂商:
测试单位:
测试日期:10/21/23

光谱图



SDCM



颜色参数:

坐标x: 0.3606 坐标y: 0.3553 坐标u: 0.2205 坐标v: 0.3258 坐标u': 0.2205 坐标v': 0.4887
红色比: 37.1 % 绿色比: 38.8 % 蓝色比: 24.1 % 光通量红色比: 19.1 % 光通量绿色比: 77.5 % 光通量蓝色比: 3.4 %

显色指数: 97.5 AvgR: 96.2
R1: 96.8 R2: 98.5 R3: 96.7 R4: 97.0 R5: 97.7 R6: 95.9 R7: 98.8 R8: 99.0
R9: 97.2 R10: 98.2 R11: 94.1 R12: 81.7 R13: 97.4 R14: 97.6 R15: 96.7


色温: 4457 K 光通量: 6834.544 lm 峰值波长: 450.6 nm 色容差: 5.1
明暗视觉比: 2.0 中心波长: 452.5 nm 主波长: 580.7 nm 质心波长: 571.5 nm
半宽度: 25.9 nm 色偏差: -0.00410 色纯度: 14.8 % 色质指数: 90.5
LER(TM-30): 272.9 辐射功率: 25041.6 mw 色域指数(Rg): 102.0 逼真度(Rf): 93.5
红光辐射功率: 8840.1 mw 近红辐射功率: 1173.6 mw 远红辐射功率: 47.8 mw

电参数:







光效: 44.4 Lm/W 能效: 48.4 能效等级: G
电压: 220.0 V 电流: 1.038 A 功率: 153.900 W 功率因素: 0.673

产品型号: 制造厂商:
产品编号: 测试单位:
测试人员: 测试日期:10/21/23
备注:

Rf: 93.5 CCT: 4457K u': 0.2205
Rg: 102.0 LER: 272.9 Duv: -0.00410 v': 0.4887






500			
Hue Bin	Rf	Chroma	Hue
1	95.5	-0.2%	0.1%
2	97.0	0.5%	-0.2%
3	96.1	0.4%	0.9%
4	95.2	-1.3%	-0.5%
5	93.8	-2.5%	0.2%
6	96.6	0.8%	1.0%
7	95.9	-0.4%	1.6%
8	94.8	0.2%	2.6%
9	93.1	0.1%	4.7%
10	90.5	0.4%	5.3%
11	87.3	3.5%	6.6%
12	91.7	3.5%	2.5%
13	94.0	4.0%	-0.9%
14	94.6	1.5%	0.8%
15	90.4	3.2%	-3.5%
16	89.4	2.8%	-5.2%



产品型号:
产品编号:
测试人员:
备注:


制造厂商:
测试单位:
测试日期:10/21/23




产品型号:
产品编号:
测试人员:
备注:

制造厂商:
测试单位:
测试日期:10/21/23

光谱图



SDCM



颜色参数:

坐标x: 0.4663 坐标y: 0.4179 坐标u: 0.2634 坐标v: 0.3540 坐标u': 0.2634 坐标v': 0.5310
红色比: 54.6 % 绿色比: 36.1 % 蓝色比: 9.3 % 光通量红色比: 26.6 % 光通量绿色比: 71.9 % 光通量蓝色比: 1.5 %

显色指数: 97.3 AvgR: 95.8
R1: 99.1 R2: 99.4 R3: 98.5 R4: 98.4 R5: 99.2 R6: 97.1 R7: 95.5 R8: 91.3
R9: 80.7 R10: 98.0 R11: 96.0 R12: 91.3 R13: 99.5 R14: 98.1 R15: 95.1


色温: 2667 K 光通量: 6254.991 lm 峰值波长: 629.5 nm 色容差: 2.9
明暗视觉比: 1.3 中心波长: 615.4 nm 主波长: 583.7 nm 质心波长: 607.8 nm
半宽度: 146.4 nm 色偏差: 0.00209 色纯度: 65.4 % 色质指数: 88.9
LER(TM-30): 264.6 辐射功率: 23641.4 mw 色域指数(Rg): 97.5 逼真度(Rf): 92.9
红光辐射功率: 11744.3 mw 近红辐射功率: 1969.2 mw 远红辐射功率: 128.8 mw

电参数:





光效: 33.6 Lm/W 能效: 36.6 能效等级: G
电压: 219.8 V 电流: 1.232 A 功率: 186.100 W 功率因素: 0.687

产品型号: 制造厂商:
产品编号: 测试单位:
测试人员: 测试日期:10/21/23
备注:


Rf: 92.9 CCT: 2667K u': 0.2634
Rg: 97.5 LER: 264.6 Duv: 0.00209 v': 0.5310




500			
Hue Bin	Rf	Chroma	Hue
1	93.7	-2.1%	0.9%
2	97.1	-1.0%	-0.5%
3	95.1	-1.5%	-1.3%
4	90.2	-5.2%	-3.5%
5	93.9	-4.7%	0.4%
6	93.5	-2.5%	3.3%
7	92.0	-3.0%	3.5%
8	93.4	0.5%	3.9%
9	92.6	0.5%	3.9%
10	93.0	1.8%	3.8%
11	94.3	2.9%	2.5%
12	91.6	3.1%	-3.5%
13	91.0	-0.5%	-6.3%
14	91.2	0.4%	-6.2%
15	91.7	-3.3%	0.2%
16	89.8	-1.7%	-6.3%






Rf by Bue



Chroma by Bue



产品型号: 制造厂商:
产品编号: 测试单位:
测试人员: 测试日期:10/21/23
备注:



产品型号:
产品编号:
测试人员:
备注:

制造厂商:
测试单位:
测试日期:10/21/23