



光谱图



SDCM



颜色参数:

坐标x: 0.4645 坐标y: 0.4202 坐标u: 0.2612 坐标v: 0.3544 坐标u': 0.2612 坐标v': 0.5316
红色比: 53.2 % 绿色比: 37.9 % 蓝色比: 8.8 % 光通量红色比: 25.5 % 光通量绿色比: 73.2 % 光通量蓝色比: 1.3 %

显色指数: 93.5 AvgR: 90.5
R1: 93.5 R2: 95.4 R3: 96.3 R4: 94.6 R5: 92.8 R6: 95.2 R7: 94.8 R8: 85.4
R9: 66.0 R10: 88.6 R11: 95.6 R12: 78.8 R13: 93.8 R14: 96.9 R15: 89.7


色温: 2709 K 光通量: 1233.856 lm 峰值波长: 626.6 nm 色容差: 0.9
明暗视觉比: 1.2 中心波长: 610.8 nm 主波长: 583.2 nm 质心波长: 602.2 nm
半宽度: 153.4 nm 色偏差: 0.00308 色纯度: 65.6 % 色质指数: 89.0
LER(TM-30): 284.2 辐射功率: 4341.1 mw 色域指数(Rg): 97.4 逼真度(Rf): 91.2
红光辐射功率: 2181.3 mw 近红辐射功率: 239.7 mw 远红辐射功率: 2.2 mw

电参数:





光效: 72.1 Lm/W 能效: 78.5 能效等级: G
电压: 220.1 V 电流: 0.079 A 功率: 17.110 W 功率因素: 0.984

产品型号: 制造厂商:
产品编号: 测试单位:
测试人员: 测试日期:10/12/23
备注:


Rf: 91.2 CCT: 2709K u': 0.2612
Rg: 97.4 LER: 284.2 Duv: 0.00308 v': 0.5316



500			
Hue Bin	Rf	Chroma	Hue
1	90.7	-4.1%	0.3%
2	93.2	-3.0%	0.9%
3	92.7	-2.3%	2.1%
4	91.8	-4.5%	-0.4%
5	93.7	-3.5%	2.1%
6	96.2	-1.0%	1.8%
7	93.5	-3.5%	1.0%
8	95.3	-1.4%	2.3%
9	91.8	-1.9%	3.9%
10	88.0	-0.7%	7.1%
11	87.7	1.8%	8.1%
12	90.0	4.4%	0.7%
13	92.6	1.4%	-4.5%
14	88.6	3.3%	-7.2%
15	91.6	-2.5%	-1.9%
16	85.5	-1.7%	-9.7%






Rf by Bue



Chroma by Bue



产品型号: 制造厂商:
产品编号: 测试单位:
测试人员: 测试日期:10/12/23
备注:



产品型号:
产品编号:
测试人员:
备注:

制造厂商:
测试单位:
测试日期:10/12/23