



光谱图



SDCM



颜色参数:

坐标x: 0.3307 坐标y: 0.3397 坐标u: 0.2062 坐标v: 0.3177 坐标u': 0.2062 坐标v': 0.4765
红色比: 26.5 % 绿色比: 43.0 % 蓝色比: 30.5 % 光通量红色比: 15.8 % 光通量绿色比: 80.4 % 光通量蓝色比: 3.8 %


显色指数: 92.4 AvgR: 89.2
R1: 93.3 R2: 94.0 R3: 92.9 R4: 93.4 R5: 93.2 R6: 90.8 R7: 94.1 R8: 87.9
R9: 64.3 R10: 84.7 R11: 93.5 R12: 74.3 R13: 93.5 R14: 95.8 R15: 92.2

色温: 5579 K 光通量: 950.704 lm 峰值波长: 450.6 nm 色容差: 2.9
明暗视觉比: 2.1 中心波长: 451.6 nm 主波长: 527.8 nm 质心波长: 547.5 nm
半宽度: 23.9 nm 色偏差: 0.00006 色纯度: 1.3 % 色质指数: 88.4
LER(TM-30): 302.7 辐射功率: 3140.9 mw 色域指数(Rg): 100.0 逼真度(Rf): 89.1
红光辐射功率: 821.0 mw 近红辐射功率: 44.4 mw 远红辐射功率: 0.9 mw





电参数:

光效: 31.8 Lm/W 能效: 34.6 能效等级: G
电压: 221.4 V 电流: 0.137 A 功率: 29.900 W 功率因素: 0.981


Rf: 89.1 CCT: 5579K u': 0.2062
Rg: 100.0 LER: 302.7 Duv: 0.00006 v': 0.4765




500			
Hue Bin	Rf	Chroma	Hue
1	87.5	-5.5%	-0.6%
2	91.9	-3.1%	2.9%
3	87.2	-1.8%	6.0%
4	90.6	0.1%	4.5%
5	90.3	0.6%	3.0%
6	94.8	2.7%	0.6%
7	96.3	-0.6%	-0.9%
8	93.4	-2.9%	0.5%
9	90.7	-4.2%	5.6%
10	83.6	-2.6%	8.6%
11	80.1	2.2%	10.8%
12	91.2	3.7%	3.3%
13	90.0	6.4%	-2.2%
14	90.2	3.8%	-3.0%
15	81.4	6.5%	-13.5%
16	92.9	-1.6%	-3.2%






Rf by Bue




Chroma by Bue






光谱图



SDCM



颜色参数:

坐标x: 0.4650 坐标y: 0.4077 坐标u: 0.2671 坐标v: 0.3513 坐标u': 0.2671 坐标v': 0.5270
红色比: 51.3 % 绿色比: 38.0 % 蓝色比: 10.7 % 光通量红色比: 26.7 % 光通量绿色比: 71.8 % 光通量蓝色比: 1.5 %

显色指数: 92.4 AvgR: 90.7
R1: 93.6 R2: 98.2 R3: 96.9 R4: 93.6 R5: 94.5 R6: 97.0 R7: 88.7 R8: 77.1
R9: 52.5 R10: 95.9 R11: 96.3 R12: 93.8 R13: 95.1 R14: 99.2 R15: 87.6


色温: 2608 K 光通量: 739.004 lm 峰值波长: 630.5 nm 色容差: 5.4
明暗视觉比: 1.2 中心波长: 612.2 nm 主波长: 585.2 nm 质心波长: 597.5 nm
半宽度: 119.2 nm 色偏差: -0.00148 色纯度: 62.0 % 色质指数: 86.8
LER(TM-30): 289.6 辐射功率: 2552.1 mw 色域指数(Rg): 99.7 逼真度(Rf): 91.6
红光辐射功率: 1239.3 mw 近红辐射功率: 131.7 mw 远红辐射功率: 5.5 mw

电参数:







光效: 24.9 Lm/W 能效: 27.1 能效等级: G
电压: 221.4 V 电流: 0.136 A 功率: 29.720 W 功率因素: 0.981

产品型号: 制造厂商:Guangzhou Hotion Technology Co., Ltd
产品编号: 测试单位:
测试人员: 测试日期:02/12/13
备注:

Rf: 91.6 CCT: 2608K u': 0.2671
Rg: 99.7 LER: 289.6 Duv: -0.00148 v': 0.5270






500			
Hue Bin	Rf	Chroma	Hue
1	88.6	-5.7%	0.1%
2	90.3	-3.4%	3.5%
3	88.7	-0.9%	5.3%
4	94.4	0.7%	2.2%
5	96.0	1.9%	2.1%
6	93.8	3.2%	0.6%
7	93.8	-0.0%	-3.2%
8	97.3	0.5%	-1.0%
9	96.5	-1.3%	0.4%
10	94.6	-0.4%	2.3%
11	93.3	1.6%	3.6%
12	89.5	3.8%	-2.5%
13	86.9	3.2%	-8.7%
14	84.9	2.1%	-11.2%
15	89.4	-1.9%	-5.6%
16	84.4	-5.3%	-9.3%




产品型号:
产品编号:
测试人员:
备注:


制造厂商:Guangzhou Hotion Technology Co., Ltd
测试单位:
测试日期:02/12/13



光谱图



SDCM



颜色参数:

坐标x: 0.3803 坐标y: 0.3650 坐标u: 0.2298 坐标v: 0.3308 坐标u': 0.2298 坐标v': 0.4962
红色比: 36.8 % 绿色比: 40.9 % 蓝色比: 22.3 % 光通量红色比: 20.3 % 光通量绿色比: 76.9 % 光通量蓝色比: 2.8 %


显色指数: 95.3 AvgR: 93.3
R1: 97.2 R2: 97.5 R3: 96.2 R4: 95.7 R5: 97.5 R6: 95.0 R7: 94.0 R8: 89.5
R9: 74.7 R10: 93.8 R11: 95.2 R12: 82.8 R13: 97.6 R14: 97.4 R15: 96.1

色温: 3914 K 光通量: 867.304 lm 峰值波长: 631.5 nm 色容差: 6.9
明暗视觉比: 1.8 中心波长: 579.0 nm 主波长: 583.0 nm 质心波长: 569.3 nm
半宽度: 151.9 nm 色偏差: -0.00561 色纯度: 23.7 % 色质指数: 85.3
LER(TM-30): 295.1 辐射功率: 2938.7 mw 色域指数(Rg): 101.8 逼真度(Rf): 91.3
红光辐射功率: 1042.4 mw 近红辐射功率: 99.6 mw 远红辐射功率: 6.0 mw

电参数:

光效: 29.0 Lm/W 能效: 31.6 能效等级: G
电压: 221.5 V 电流: 0.137 A 功率: 29.930 W 功率因素: 0.981

Rf: 91.3 CCT: 3914K u': 0.2298
Rg: 101.8 LER: 295.1 Duv: -0.00561 v': 0.4962



500			
Hue Bin	Rf	Chroma	Hue
1	92.3	-3.7%	-0.3%
2	94.0	-1.8%	2.2%
3	88.6	-0.5%	5.3%
4	92.9	0.5%	3.2%
5	92.0	1.0%	2.5%
6	94.0	3.5%	0.6%
7	96.6	0.7%	-0.7%
8	95.3	-0.3%	0.3%
9	94.3	-1.0%	2.9%
10	90.2	-1.9%	4.7%
11	85.6	3.0%	7.9%
12	87.2	4.4%	3.9%
13	89.7	5.4%	-3.6%
14	92.0	6.9%	-0.9%
15	90.3	1.7%	-5.9%
16	87.5	0.1%	-7.1%

