



光谱图



SDCM



颜色参数:

坐标x: 0.3810 坐标y: 0.3653 坐标u: 0.2302 坐标v: 0.3310 坐标u': 0.2302 坐标v': 0.4965
红色比: 36.9 % 绿色比: 40.9 % 蓝色比: 22.2 % 光通量红色比: 20.4 % 光通量绿色比: 76.8 % 光通量蓝色比: 2.8 %

显色指数: 95.3 AvgR: 93.4
R1: 97.2 R2: 97.8 R3: 96.7 R4: 95.9 R5: 97.4 R6: 95.0 R7: 93.7 R8: 89.0
R9: 74.1 R10: 94.4 R11: 95.5 R12: 82.8 R13: 97.7 R14: 97.7 R15: 96.0


色温: 3892 K 光通量: 840.490 lm 峰值波长: 631.5 nm 色容差: 7.0
明暗视觉比: 1.8 中心波长: 579.4 nm 主波长: 583.0 nm 质心波长: 569.4 nm
半宽度: 150.2 nm 色偏差: -0.00566 色纯度: 24.0 % 色质指数: 85.3
LER(TM-30): 296.0 辐射功率: 2839.6 mw 色域指数(Rg): 101.6 逼真度(Rf): 91.3
红光辐射功率: 1010.9 mw 近红辐射功率: 94.3 mw 远红辐射功率: 4.4 mw

电参数:





光效: 28.4 Lm/W 能效: 31.0 能效等级: G
电压: 221.6 V 电流: 0.135 A 功率: 29.550 W 功率因素: 0.982

产品型号: 制造厂商:Guangzhou Hotion Technology Co., Ltd
产品编号: 测试单位:
测试人员: 测试日期:02/12/13
备注:


Rf: 91.3 CCT: 3892K u': 0.2302
Rg: 101.6 LER: 296.0 Duv: -0.00566 v': 0.4965




500			
Hue Bin	Rf	Chroma	Hue
1	92.0	-3.8%	-0.2%
2	93.9	-1.8%	2.3%
3	88.8	-0.6%	5.1%
4	93.0	0.3%	2.9%
5	92.4	0.6%	2.3%
6	94.4	3.1%	0.6%
7	96.6	0.3%	-0.6%
8	95.2	-0.5%	0.6%
9	93.9	-0.9%	3.4%
10	89.9	-1.7%	5.0%
11	85.6	2.8%	8.3%
12	87.4	5.1%	2.8%
13	89.5	5.2%	-4.0%
14	92.2	6.6%	-1.2%
15	90.2	1.4%	-6.0%
16	87.6	-0.2%	-7.0%






Rf by Bue




Chroma by Bue






光谱图



SDCM



颜色参数:

坐标x: 0.3312 坐标y: 0.3393 坐标u: 0.2067 坐标v: 0.3176 坐标u': 0.2067 坐标v': 0.4764
红色比: 26.7 % 绿色比: 42.6 % 蓝色比: 30.6 % 光通量红色比: 16.0 % 光通量绿色比: 80.2 % 光通量蓝色比: 3.9 %


显色指数: 93.0 AvgR: 89.9
R1: 93.9 R2: 94.6 R3: 93.4 R4: 93.9 R5: 93.7 R6: 91.5 R7: 94.5 R8: 88.5
R9: 66.5 R10: 86.1 R11: 93.9 R12: 75.2 R13: 94.2 R14: 96.1 R15: 93.1

色温: 5558 K 光通量: 916.029 lm 峰值波长: 451.6 nm 色容差: 3.6
明暗视觉比: 2.1 中心波长: 452.7 nm 主波长: 532.2 nm 质心波长: 548.9 nm
半宽度: 25.7 nm 色偏差: -0.00038 色纯度: 1.3 % 色质指数: 88.4
LER(TM-30): 298.7 辐射功率: 3066.6 mw 色域指数(Rg): 99.9 逼真度(Rf): 89.5
红光辐射功率: 801.5 mw 近红辐射功率: 62.1 mw 远红辐射功率: 4.6 mw







电参数:




光效: 31.1 Lm/W 能效: 33.9 能效等级: G
电压: 221.6 V 电流: 0.135 A 功率: 29.450 W 功率因素: 0.981

Rf: 89.5 CCT: 5558K u': 0.2067
Rg: 99.9 LER: 298.7 Duv: -0.00038 v': 0.4764




500			
Hue Bin	Rf	Chroma	Hue
1	87.8	-5.4%	-0.3%
2	92.1	-2.9%	2.9%
3	87.8	-1.6%	5.7%
4	90.9	-0.0%	4.1%
5	90.8	0.3%	2.8%
6	95.2	2.3%	0.6%
7	96.3	-0.9%	-0.6%
8	93.3	-2.9%	0.9%
9	90.5	-3.9%	6.0%
10	83.7	-2.3%	8.7%
11	80.8	2.4%	10.3%
12	91.7	3.7%	2.9%
13	90.1	6.1%	-2.5%
14	90.8	3.5%	-3.0%
15	81.9	6.2%	-13.1%
16	93.5	-1.7%	-2.8%






光谱图



SDCM



颜色参数:

坐标x: 0.4653 坐标y: 0.4075 坐标u: 0.2674 坐标v: 0.3513 坐标u': 0.2674 坐标v': 0.5270
红色比: 51.3 % 绿色比: 38.0 % 蓝色比: 10.7 % 光通量红色比: 26.7 % 光通量绿色比: 71.8 % 光通量蓝色比: 1.5 %

显色指数: 92.0 AvgR: 90.2
R1: 93.1 R2: 98.1 R3: 96.5 R4: 93.2 R5: 94.4 R6: 96.6 R7: 88.0 R8: 76.1
R9: 51.0 R10: 95.8 R11: 95.9 R12: 93.4 R13: 94.6 R14: 99.0 R15: 87.0


色温: 2602 K 光通量: 715.272 lm 峰值波长: 630.5 nm 色容差: 5.7
明暗视觉比: 1.2 中心波长: 612.0 nm 主波长: 585.2 nm 质心波长: 597.5 nm
半宽度: 119.4 nm 色偏差: -0.00156 色纯度: 62.0 % 色质指数: 86.4
LER(TM-30): 289.9 辐射功率: 2467.5 mw 色域指数(Rg): 99.3 逼真度(Rf): 91.4
红光辐射功率: 1197.0 mw 近红辐射功率: 128.6 mw 远红辐射功率: 4.2 mw

电参数:





光效: 24.4 Lm/W 能效: 26.6 能效等级: G
电压: 221.6 V 电流: 0.134 A 功率: 29.310 W 功率因素: 0.981

产品型号: 制造厂商:Guangzhou Hotion Technology Co., Ltd
产品编号: 测试单位:
测试人员: 测试日期:02/12/13
备注:


Rf: 91.4 CCT: 2602K u': 0.2674
Rg: 99.3 LER: 289.9 Duv: -0.00156 v': 0.5270




500			
Hue Bin	Rf	Chroma	Hue
1	88.1	-5.9%	0.2%
2	89.9	-3.5%	3.7%
3	88.5	-0.9%	5.3%
4	94.7	0.5%	2.1%
5	96.0	1.7%	2.0%
6	94.0	3.0%	0.6%
7	93.9	-0.4%	-3.1%
8	97.5	0.3%	-0.8%
9	96.2	-1.4%	0.8%
10	94.1	-0.3%	2.7%
11	93.1	1.8%	3.7%
12	89.5	4.0%	-2.6%
13	86.6	3.1%	-9.0%
14	84.5	1.9%	-11.5%
15	89.1	-2.2%	-5.7%
16	84.1	-5.6%	-9.4%



Rf by Bue



Chroma by Bue



产品型号:
产品编号:
测试人员:
备注:

制造厂商:Guangzhou Hotion Technology Co., Ltd
测试单位:
测试日期:02/12/13

