



光谱图



SDCM



颜色参数:

坐标x: 0.3107 坐标y: 0.3230 坐标u: 0.1987 坐标v: 0.3099 坐标u': 0.1987 坐标v': 0.4648
红色比: 26.4 % 绿色比: 40.2 % 蓝色比: 33.4 % 光通量红色比: 14.1 % 光通量绿色比: 81.1 % 光通量蓝色比: 4.8 %


显色指数: 91.7 AvgR: 88.3
R1: 92.0 R2: 94.3 R3: 92.6 R4: 90.7 R5: 90.3 R6: 88.6 R7: 95.5 R8: 89.8
R9: 70.5 R10: 83.7 R11: 89.4 R12: 66.3 R13: 93.2 R14: 95.8 R15: 92.4

色温: 6664 K 光通量: 22294.463 lm 峰值波长: 453.3 nm 色容差: 2.8
明暗视觉比: 2.3 中心波长: 456.2 nm 主波长: 485.6 nm 质心波长: 552.5 nm
半宽度: 30.2 nm 色偏差: 0.00113 色纯度: 8.4 % 色质指数: 86.9
LER(TM-30): 272.6 辐射功率: 81799.1 mw 色域指数(Rg): 97.8 逼真度(Rf): 87.3
红光辐射功率: 20542.6 mw 近红辐射功率: 3529.0 mw 远红辐射功率: 254.0 mw







电参数:

光效: 32786.0 Lm/W 能效: 35703.9 能效等级: G
电压: 221.0 V 电流: 0.038 A 功率: 0.680 W 功率因素: 0.078

Rf: 87.3 CCT: 6664K u': 0.1987
Rg: 97.8 LER: 272.6 Duv: 0.00113 v': 0.4648



500			
Hue Bin	Rf	Chroma	Hue
1	87.0	-5.0%	0.4%
2	90.3	-3.3%	3.5%
3	89.4	-2.1%	3.9%
4	89.8	-0.7%	4.0%
5	87.6	-3.4%	1.1%
6	94.0	-1.8%	-0.8%
7	92.9	-3.8%	-1.0%
8	87.3	-5.7%	3.4%
9	84.3	-6.0%	11.2%
10	76.3	-2.2%	15.0%
11	76.8	2.4%	11.6%
12	90.8	3.2%	4.4%
13	91.1	5.7%	-0.2%
14	82.1	11.6%	-6.3%
15	83.8	4.2%	-9.9%
16	92.6	-2.8%	-2.1%



产品型号:
产品编号:
测试人员:
备注:

制造厂商:Guangzhou Hotion Technology Co., Ltd
测试单位:
测试日期:07/15/14

