



光谱图



SDCM



颜色参数:

坐标x: 0.4464 坐标y: 0.3846 坐标u: 0.2656 坐标v: 0.3433 坐标u': 0.2656 坐标v': 0.5150
红色比: 51.9 % 绿色比: 34.7 % 蓝色比: 13.4 % 光通量红色比: 27.2 % 光通量绿色比: 70.8 % 光通量蓝色比: 2.0 %

显色指数: 93.4 AvgR: 92.5
R1: 97.7 R2: 95.2 R3: 94.7 R4: 96.4 R5: 96.3 R6: 89.2 R7: 90.0 R8: 87.9
R9: 79.7 R10: 91.0 R11: 93.1 R12: 83.6 R13: 96.1 R14: 98.2 R15: 97.9


色温: 2684 K	光通量: 1548.839 lm	峰值波长: 622.6 nm	色容差: 11.0
明暗视觉比: 1.4	中心波长: 617.6 nm	主波长: 587.8 nm	质心波长: 598.6 nm
半宽度: 130.5 nm	色偏差: -0.00880	色纯度: 49.4 %	色质指数: 85.1
LER(TM-30): 263.5	辐射功率: 5877.9 mw	色域指数(Rg): 104.7	逼真度(Rf): 91.9
红光辐射功率: 2841.6 mw	近红辐射功率: 388.8 mw	远红辐射功率: 18.4 mw	

电参数:





光效: 8.3 Lm/W	能效: 9.1	能效等级: G	
电压: 220.5 V	电流: 1.226 A	功率: 185.800 W	功率因素: 0.687

产品型号:	制造厂商:
产品编号:	测试单位:
测试人员:	测试日期:09/23/23
备注:	


Rf: 91.9 CCT: 2684K u': 0.2656
Rg: 104.7 LER: 263.5 Duv: -0.00880 v': 0.5150




500			
Hue Bin	Rf	Chroma	Hue
1	94.1	-2.5%	0.1%
2	93.1	-0.7%	3.2%
3	88.1	2.0%	5.2%
4	92.0	3.0%	2.3%
5	93.3	4.9%	1.9%
6	88.8	7.2%	-0.2%
7	90.6	3.7%	-3.7%
8	91.8	3.1%	-3.7%
9	95.5	1.1%	-1.2%
10	96.3	1.3%	0.2%
11	93.5	2.5%	1.9%
12	88.8	5.3%	-2.2%
13	88.9	4.4%	-6.5%
14	87.8	3.9%	-8.2%
15	92.3	0.3%	-4.2%
16	87.5	-1.2%	-8.6%






Rf by Bue



Chroma by Bue




产品型号: 制造厂商:
产品编号: 测试单位:
测试人员: 测试日期:09/23/23
备注:




产品型号:
产品编号:
测试人员:
备注:

制造厂商:
测试单位:
测试日期:09/23/23

光谱图



SDCM



颜色参数:

坐标x: 0.3750 坐标y: 0.3509 坐标u: 0.2322 坐标v: 0.3259 坐标u': 0.2322 坐标v': 0.4888
红色比: 39.6 % 绿色比: 37.3 % 蓝色比: 23.1 % 光通量红色比: 21.2 % 光通量绿色比: 75.6 % 光通量蓝色比: 3.2 %

显色指数: 95.4 AvgR: 94.4
R1: 94.5 R2: 95.5 R3: 97.0 R4: 94.8 R5: 94.8 R6: 92.3 R7: 95.9 R8: 98.5
R9: 96.2 R10: 93.5 R11: 91.7 R12: 85.3 R13: 94.2 R14: 97.7 R15: 94.2


色温: 3946 K 光通量: 1774.366 lm 峰值波长: 451.6 nm 色容差: 12.2
明暗视觉比: 1.8 中心波长: 453.3 nm 主波长: 588.7 nm 质心波长: 575.2 nm
半宽度: 28.2 nm 色偏差: -0.01102 色纯度: 17.8 % 色质指数: 83.4
LER(TM-30): 268.6 辐射功率: 6606.8 mw 色域指数(Rg): 104.1 逼真度(Rf): 92.7
红光辐射功率: 2478.8 mw 近红辐射功率: 332.5 mw 远红辐射功率: 15.6 mw

电参数:







光效: 10.0 Lm/W 能效: 10.9 能效等级: G
电压: 220.7 V 电流: 1.172 A 功率: 177.000 W 功率因素: 0.684

产品型号: 制造厂商:
产品编号: 测试单位:
测试人员: 测试日期:09/23/23
备注:




Rf: 92.7 CCT: 3946K u': 0.2322
Rg: 104.1 LER: 268.6 Duv: -0.01102 v': 0.4888



500			
Hue Bin	Rf	Chroma	Hue
1	95.5	-0.5%	0.2%
2	94.9	0.3%	1.5%
3	91.9	1.1%	3.4%
4	94.1	0.7%	1.9%
5	92.5	0.9%	1.8%
6	93.4	3.9%	1.2%
7	95.5	1.9%	0.3%
8	93.6	1.6%	1.3%
9	94.0	1.1%	3.0%
10	93.2	-0.0%	3.2%
11	87.5	3.4%	6.7%
12	88.9	4.2%	3.6%
13	92.8	4.8%	-0.7%
14	93.3	4.0%	2.0%
15	90.6	3.7%	-3.6%
16	89.8	2.6%	-4.8%




产品型号: 制造厂商:
产品编号: 测试单位:
测试人员: 测试日期:09/23/23
备注:




产品型号:
产品编号:
测试人员:
备注:

制造厂商:
测试单位:
测试日期:09/23/23

光谱图



SDCM



颜色参数:

坐标x: 0.3108 坐标y: 0.3198 坐标u: 0.2000 坐标v: 0.3087 坐标u': 0.2000 坐标v': 0.4631
红色比: 26.0 % 绿色比: 40.1 % 蓝色比: 33.8 % 光通量红色比: 14.7 % 光通量绿色比: 80.8 % 光通量蓝色比: 4.5 %

显色指数: 94.1 AvgR: 91.7
R1: 95.3 R2: 95.1 R3: 92.2 R4: 95.6 R5: 95.0 R6: 91.1 R7: 96.0 R8: 93.1
R9: 79.0 R10: 86.9 R11: 95.0 R12: 74.5 R13: 95.7 R14: 95.5 R15: 96.0


色温: 6692 K 光通量: 1986.407 lm 峰值波长: 450.6 nm 色容差: 4.9
明暗视觉比: 2.4 中心波长: 452.7 nm 主波长: 483.6 nm 质心波长: 547.5 nm
半宽度: 29.6 nm 色偏差: -0.00062 色纯度: 8.7 % 色质指数: 89.1
LER(TM-30): 276.2 辐射功率: 7192.0 mw 色域指数(Rg): 100.5 逼真度(Rf): 90.2
红光辐射功率: 1818.3 mw 近红辐射功率: 197.2 mw 远红辐射功率: 9.8 mw

电参数:





光效: 10.3 Lm/W 能效: 11.2 能效等级: G
电压: 220.4 V 电流: 1.273 A 功率: 193.600 W 功率因素: 0.689

产品型号: 制造厂商:
产品编号: 测试单位:
测试人员: 测试日期:09/23/23
备注:


Rf: 90.2 CCT: 6692K u': 0.2000
Rg: 100.5 LER: 276.2 Duv: -0.00062 v': 0.4631




500			
Hue Bin	Rf	Chroma	Hue
1	90.7	-3.5%	-0.3%
2	92.8	-2.2%	2.8%
3	90.9	-1.2%	4.0%
4	90.9	-0.0%	4.0%
5	90.5	-0.9%	1.9%
6	95.7	0.8%	0.3%
7	97.1	-0.6%	-0.5%
8	93.2	-2.8%	1.6%
9	90.0	-3.8%	6.8%
10	82.9	-1.8%	10.7%
11	79.3	1.9%	10.4%
12	90.8	2.9%	4.6%
13	91.6	5.7%	1.2%
14	85.0	11.4%	-3.8%
15	86.8	5.0%	-7.9%
16	95.1	-0.9%	-2.1%






Rf by Bue



Chroma by Bue



产品型号: 制造厂商:
产品编号: 测试单位:
测试人员: 测试日期:09/23/23
备注:



产品型号:
产品编号:
测试人员:
备注:

制造厂商:
测试单位:
测试日期:09/23/23