



光谱图



SDCM



颜色参数:

坐标x: 0.4653 坐标y: 0.4159 坐标u: 0.2636 坐标v: 0.3534 坐标u': 0.2636 坐标v': 0.5301
红色比: 50.7 % 绿色比: 39.3 % 蓝色比: 10.0 % 光通量红色比: 25.9 % 光通量绿色比: 72.7 % 光通量蓝色比: 1.4 %

显色指数: 92.4 AvgR: 89.8
R1: 92.3 R2: 96.6 R3: 99.0 R4: 93.7 R5: 93.1 R6: 98.2 R7: 89.9 R8: 76.9
R9: 49.9 R10: 92.3 R11: 96.3 R12: 90.5 R13: 93.4 R14: 99.5 R15: 85.9


色温: 2666 K	光通量: 358.030 lm	峰值波长: 630.5 nm	色容差: 3.2
明暗视觉比: 1.2	中心波长: 609.5 nm	主波长: 583.9 nm	质心波长: 596.0 nm
半宽度: 123.7 nm	色偏差: 0.00146	色纯度: 64.5 %	色质指数: 88.4
LER(TM-30): 298.7	辐射功率: 1198.5 mw	色域指数(Rg): 97.6	逼真度(Rf): 92.1
红光辐射功率: 580.7 mw	近红辐射功率: 51.8 mw	远红辐射功率: 1.2 mw	

电参数:





光效: 36.0 Lm/W	能效: 39.2	能效等级: G	
电压: 221.2 V	电流: 0.048 A	功率: 9.940 W	功率因素: 0.919

产品型号:	制造厂商:
产品编号:	测试单位:
测试人员:	测试日期:10/31/23
备注:	


Rf: 92.1 CCT: 2666K u': 0.2636
Rg: 97.6 LER: 298.7 Duv: 0.00146 v': 0.5301




500			
Hue Bin	Rf	Chroma	Hue
1	88.2	-5.9%	0.0%
2	91.0	-3.8%	2.5%
3	91.1	-2.0%	3.7%
4	95.9	-1.5%	1.0%
5	96.7	-0.6%	1.9%
6	95.9	0.7%	1.7%
7	95.9	-1.7%	-1.4%
8	97.5	-0.1%	1.1%
9	95.5	-1.6%	1.5%
10	93.5	-0.6%	3.2%
11	93.4	0.9%	4.0%
12	89.4	3.9%	-2.7%
13	87.9	1.9%	-8.3%
14	85.5	1.4%	-10.8%
15	90.0	-2.7%	-4.7%
16	84.4	-5.4%	-9.2%



Rf by Bue






Chroma by Bue



产品型号:
产品编号:
测试人员:
备注:


制造厂商:
测试单位:
测试日期:10/31/23




产品型号:
产品编号:
测试人员:
备注:

制造厂商:
测试单位:
测试日期:10/31/23

光谱图



SDCM



颜色参数:

坐标x: 0.3766 坐标y: 0.3683 坐标u: 0.2260 坐标v: 0.3315 坐标u': 0.2260 坐标v': 0.4972
红色比: 35.8 % 绿色比: 41.7 % 蓝色比: 22.5 % 光通量红色比: 19.7 % 光通量绿色比: 77.5 % 光通量蓝色比: 2.8 %

显色指数: 95.2 AvgR: 92.9
R1: 96.5 R2: 97.2 R3: 96.1 R4: 96.3 R5: 96.8 R6: 95.2 R7: 94.5 R8: 89.0
R9: 72.6 R10: 92.5 R11: 96.0 R12: 81.4 R13: 96.9 R14: 97.3 R15: 94.6


色温: 4042 K 光通量: 424.041 lm 峰值波长: 631.5 nm 色容差: 4.4
明暗视觉比: 1.8 中心波长: 576.0 nm 主波长: 580.7 nm 质心波长: 567.9 nm
半宽度: 153.8 nm 色偏差: -0.00289 色纯度: 23.5 % 色质指数: 88.1
LER(TM-30): 299.0 辐射功率: 1418.4 mw 色域指数(Rg): 100.8 逼真度(Rf): 91.8
红光辐射功率: 491.1 mw 近红辐射功率: 46.5 mw 远红辐射功率: 1.7 mw

电参数:





光效: 42.5 Lm/W 能效: 46.3 能效等级: G
电压: 221.1 V 电流: 0.049 A 功率: 9.980 W 功率因素: 0.920

产品型号: 制造厂商:
产品编号: 测试单位:
测试人员: 测试日期:10/31/23
备注:


Rf: 91.8 CCT: 4042K u': 0.2260
Rg: 100.8 LER: 299.0 Duv: -0.00289 v': 0.4972




500			
Hue Bin	Rf	Chroma	Hue
1	92.1	-3.8%	-0.4%
2	94.7	-1.7%	1.7%
3	90.4	-0.9%	4.3%
4	93.9	-0.3%	2.2%
5	93.1	-0.2%	1.9%
6	95.4	2.3%	0.7%
7	96.8	-0.1%	-0.2%
8	95.7	-0.7%	0.8%
9	94.0	-1.1%	3.4%
10	90.3	-1.8%	4.9%
11	86.4	3.0%	7.4%
12	88.2	4.1%	3.1%
13	89.8	4.7%	-4.2%
14	94.5	3.6%	-1.2%
15	88.0	1.5%	-7.7%
16	87.4	-0.2%	-7.1%






Rf by Bue



Chroma by Bue




产品型号: 制造厂商:
产品编号: 测试单位:
测试人员: 测试日期:10/31/23
备注:




产品型号:
产品编号:
测试人员:
备注:

制造厂商:
测试单位:
测试日期:10/31/23

光谱图



SDCM



颜色参数:

坐标x: 0.3278 坐标y: 0.3430 坐标u: 0.2030 坐标v: 0.3186 坐标u': 0.2030 坐标v': 0.4779
红色比: 25.5 % 绿色比: 43.7 % 蓝色比: 30.8 % 光通量红色比: 15.4 % 光通量绿色比: 80.7 % 光通量蓝色比: 3.9 %

显色指数: 92.1 AvgR: 88.5
R1: 92.2 R2: 93.9 R3: 94.1 R4: 93.3 R5: 92.3 R6: 91.2 R7: 94.2 R8: 86.2
R9: 59.7 R10: 84.9 R11: 93.3 R12: 73.4 R13: 92.7 R14: 96.6 R15: 90.1


色温: 5700 K 光通量: 453.344 lm 峰值波长: 451.6 nm 色容差: 1.5
明暗视觉比: 2.2 中心波长: 453.1 nm 主波长: 517.2 nm 质心波长: 546.0 nm
半宽度: 26.9 nm 色偏差: 0.00307 色纯度: 2.0 % 色质指数: 91.1
LER(TM-30): 306.0 辐射功率: 1481.5 mw 色域指数(Rg): 98.8 逼真度(Rf): 89.6
红光辐射功率: 372.3 mw 近红辐射功率: 20.1 mw 远红辐射功率: 0.7 mw

电参数:





光效: 45.8 Lm/W 能效: 49.9 能效等级: G
电压: 221.2 V 电流: 0.048 A 功率: 9.890 W 功率因素: 0.918

产品型号: 制造厂商:
产品编号: 测试单位:
测试人员: 测试日期:10/31/23
备注:


Rf: 89.6 CCT: 5700K u': 0.2030
Rg: 98.8 LER: 306.0 Duv: 0.00307 v': 0.4779




500			
Hue Bin	Rf	Chroma	Hue
1	86.6	-5.9%	-0.6%
2	92.6	-3.1%	2.4%
3	88.9	-2.1%	4.8%
4	92.0	-0.8%	2.9%
5	90.9	-1.0%	2.0%
6	96.3	1.2%	0.4%
7	95.8	-1.7%	-0.5%
8	92.5	-3.5%	1.0%
9	90.3	-4.0%	6.3%
10	84.3	-2.2%	8.5%
11	82.0	2.5%	9.6%
12	93.0	3.5%	1.5%
13	89.6	5.5%	-4.2%
14	90.2	2.7%	-4.2%
15	80.1	5.4%	-14.8%
16	92.4	-2.3%	-3.1%



Rf by Bue






Chroma by Bue



产品型号:
产品编号:
测试人员:
备注:

制造厂商:
测试单位:
测试日期:10/31/23



产品型号:
产品编号:
测试人员:
备注:

制造厂商:
测试单位:
测试日期:10/31/23