



光谱图



SDCM



颜色参数:

坐标x: 0.6997 坐标y: 0.2998 坐标u: 0.5384 坐标v: 0.3460 坐标u': 0.5384 坐标v': 0.5190
红色比: 98.6 % 绿色比: 1.4 % 蓝色比: 0.0 % 光通量红色比: 95.2 % 光通量绿色比: 4.8 % 光通量蓝色比: 0.0 %


显色指数: 20.5 AvgR: 18.3
R1: 7.7 R2: 75.2 R3: 40.6 R4: -16.8 R5: 9.7 R6: 88.5 R7: 13.8 R8: -53.9
R9: -99.0 R10: 68.6 R11: -7.3 R12: 80.2 R13: 28.2 R14: 64.8 R15: -25.9

色温: 1000 K 光通量: 294.643 lm 峰值波长: 637.5 nm 色容差: 133.2
明暗视觉比: 0.0 中心波长: 635.9 nm 主波长: 624.7 nm 质心波长: 634.4 nm
半宽度: 20.6 nm 色偏差: -0.01474 色纯度: 99.9 % 色质指数: -nan(ind)
LER(TM-30): 163.1 辐射功率: 1807.0 mw 色域指数(Rg): 23.2 逼真度(Rf): 17.9
红光辐射功率: 1778.4 mw 近红辐射功率: 1.8 mw 远红辐射功率: 0.1 mw





电参数:

光效: 4.5 Lm/W 能效: 4.8 能效等级: G
电压: 222.2 V 电流: 0.483 A 功率: 66.170 W 功率因素: 0.616


Rf: 17.9 CCT: 1000K u': 0.5384
Rg: 23.2 LER: 163.1 Duva: 01474 v': 0.5190




500			
Hue Bin	Rf	Chroma	Hue
1	10.0	-65.8%	7.6%
2	53.8	-72.7%	12.0%
3	75.3	-68.2%	26.8%
4	100.0	nan%	-nan(ind)%
5	84.8	-52.5%	20.3%
6	100.0	nan%	-nan(ind)%
7	64.3	-18.7%	20.1%
8	9.6	-52.6%	-8.2%
9	1.8	-63.6%	1.6%
10	5.7	-84.1%	20.3%
11	5.8	-67.5%	30.9%
12		-62.1%	-94.9%
13	1.7	-80.6%	-44.6%
14	42.1	1.9%	3.9%
15	71.5		8.2%
16	13.3		-7.6%



Rf by Bue



Chroma by Bue



ERROR: undefined
OFFENDING COMMAND: -214747841rp

STACK:

-2.14748e+010
3173