



光谱图



SDCM



颜色参数:

坐标x: 0.7006 坐标y: 0.2992 坐标u: 0.5400 坐标v: 0.3459 坐标u': 0.5400 坐标v': 0.5188
红色比: 98.7 % 绿色比: 1.3 % 蓝色比: 0.0 % 光通量红色比: 95.6 % 光通量绿色比: 4.4 % 光通量蓝色比: 0.0 %


显色指数: 18.7 AvgR: 16.7
R1: 5.4 R2: 74.2 R3: 39.7 R4: -18.9 R5: 8.0 R6: 88.1 R7: 11.6 R8: -57.8
R9: -99.0 R10: 67.2 R11: -9.4 R12: 80.1 R13: 26.2 R14: 64.2 R15: -29.1

色温: 1000 K 光通量: 356.744 lm 峰值波长: 637.5 nm 色容差: 134.0
明暗视觉比: 0.0 中心波长: 636.1 nm 主波长: 625.1 nm 质心波长: 634.7 nm
半宽度: 20.6 nm 色偏差: -0.01467 色纯度: 100.0 % 色质指数: -nan(ind)
LER(TM-30): 162.1 辐射功率: 2200.9 mw 色域指数(Rg): 7.9 逼真度(Rf): 14.6
红光辐射功率: 2171.2 mw 近红辐射功率: 1.6 mw 远红辐射功率: 0.2 mw





电参数:

光效: 5.4 Lm/W 能效: 5.8 能效等级: G
电压: 222.1 V 电流: 0.486 A 功率: 66.570 W 功率因素: 0.616


Rf: 14.6 CCT: 1000K u': 0.5400
Rg: 7.9 LER: 162.1 Du: 0.01467 v': 0.5188




500			
Hue Bin	Rf	Chroma	Hue
1	9.4	-66.6%	2.1%
2	50.6	-78.4%	-4.6%
3	69.7	-88.2%	10.2%
4	100.0	nan%	-nan(ind)%
5	78.8	-74.4%	24.5%
6	100.0	nan%	-nan(ind)%
7	59.6	-24.7%	28.4%
8	7.5	-55.0%	-5.2%
9	1.0	-67.0%	-3.2%
10	3.0	-92.8%	7.6%
11	45.7	-86.7%	14.1%
12	29.4	-86.3%	-100.8%
13	5.5	-106.6%	-40.1%
14	14.2	-69.6%	16.1%
15	67.7	2.2%	11.3%
16	11.9	1.8%	-7.9%



Rf by Bue



Chroma by Bue



ERROR: undefined
OFFENDING COMMAND: -214747841rp

STACK:

-2.14748e+010
3173