



光谱图



SDCM



颜色参数:

坐标x: 0.4228 坐标y: 0.5369 坐标u: 0.1967 坐标v: 0.3747 坐标u': 0.1967 坐标v': 0.5620
红色比: 25.9 % 绿色比: 71.2 % 蓝色比: 2.9 % 光通量红色比: 11.2 % 光通量绿色比: 88.6 % 光通量蓝色比: 0.2 %


显色指数: 49.4 AvgR: 32.1
R1: 40.5 R2: 56.9 R3: 71.7 R4: 36.7 R5: 39.4 R6: 46.4 R7: 75.2 R8: 28.6
R9: -99.0 R10: 6.6 R11: 19.4 R12: 3.2 R13: 42.2 R14: 85.9 R15: 27.1

色温: 4012 K 光通量: 1078.306 lm 峰值波长: 556.5 nm 色容差: 61.2
明暗视觉比: 1.2 中心波长: 566.2 nm 主波长: 568.7 nm 质心波长: 572.6 nm
半宽度: 104.0 nm 色偏差: 0.04931 色纯度: 88.3 % 色质指数: 55.2
LER(TM-30): 474.5 辐射功率: 2272.3 mw 色域指数(Rg): 57.5 逼真度(Rf): 51.5
红光辐射功率: 584.8 mw 近红辐射功率: 17.7 mw 远红辐射功率: 0.0 mw

电参数:

光效: 14.9 lm/W 能效: 16.3 能效等级: G
电压: 222.1 V 电流: 0.522 A 功率: 72.130 W 功率因素: 0.621

Rf: 51.5 CCT: 4012K u': 0.1967
Rg: 57.5 LER: 474.5 Duv: 0.04931 v': 0.5620



500			
Hue Bin	Rf	Chroma	Hue
1	47.2	-26.9%	-2.7%
2	52.6	-22.7%	-4.8%
3	39.0	-29.1%	-4.5%
4	45.2	-31.7%	-2.1%
5	44.7	-37.2%	4.9%
6	41.6	-35.7%	9.8%
7	40.6	-32.4%	16.2%
8	47.0	-26.1%	13.4%
9	56.2	-23.0%	18.4%
10	43.0	-22.2%	23.8%
11	64.1	-12.7%	16.4%
12	68.1	-11.4%	7.7%
13	71.3	-14.2%	-4.6%
14	72.7	-10.9%	-6.6%
15	59.3	-19.2%	-11.2%
16	54.8	-20.5%	-8.4%

