



光谱图



SDCM



颜色参数:

坐标x: 0.6989 坐标y: 0.2997 坐标u: 0.5378 坐标v: 0.3459 坐标u': 0.5378 坐标v': 0.5188
红色比: 98.5 % 绿色比: 1.4 % 蓝色比: 0.1 % 光通量红色比: 95.1 % 光通量绿色比: 4.8 % 光通量蓝色比: 0.0 %


显色指数: 23.4 AvgR: 20.8
R1: 10.7 R2: 76.6 R3: 42.0 R4: -11.3 R5: 14.7 R6: 91.7 R7: 14.4 R8: -51.4
R9: -99.0 R10: 71.1 R11: 0.3 R12: 78.8 R13: 31.0 R14: 65.9 R15: -23.2

色温: 1000 K 光通量: 377.556 lm 峰值波长: 637.5 nm 色容差: 132.7
明暗视觉比: 0.1 中心波长: 636.1 nm 主波长: 624.8 nm 质心波长: 634.3 nm
半宽度: 20.6 nm 色偏差: -0.01442 色纯度: 99.6 % 色质指数: -nan(ind)
LER(TM-30): 162.1 辐射功率: 2328.9 mw 色域指数(Rg): 55.8 逼真度(Rf): 21.7
红光辐射功率: 2283.2 mw 近红辐射功率: 6.4 mw 远红辐射功率: 1.3 mw





电参数:

光效: 5.7 Lm/W 能效: 6.2 能效等级: G
电压: 222.2 V 电流: 0.484 A 功率: 66.370 W 功率因素: 0.616


Rf: 21.7 CCT: 1000K u': 0.5378
Rg: 55.8 LER: 162.1 Duv: 0.042 v': 0.5188




500			
Hue Bin	Rf	Chroma	Hue
1	8.7	-63.9%	23.0%
2	54.5	-51.5%	51.4%
3	71.9	-8.7%	73.5%
4	100.0	nan%	-nan(ind)%
5	97.2	2.9%	10.1%
6	100.0	nan%	-nan(ind)%
7	69.9	-5.2%	-2.2%
8	13.8	-47.0%	-15.7%
9	5.9	-53.7%	12.8%
10	15.4	-61.3%	38.7%
11	63.6	-1.7%	46.8%
12	53.7	1.2%	-85.5%
13	38.2	1.5%	-54.6%
14	66.9	1.7%	7.7%
15	74.1	1.7%	7.7%
16	13.7	-46.8%	12.8%



Rf by Bue



Chroma by Bue



ERROR: undefined
OFFENDING COMMAND: -214747841rp

STACK:

-2.14748e+010
3173