


光谱图



颜色参数:

坐标x: 0.1512 坐标y: 0.7112 坐标u: 0.0538 坐标v: 0.3799 坐标u': 0.0538 坐标v': 0.5699
红色比: 0.4 % 绿色比: 89.2 % 蓝色比: 10.4 % 光通量红色比: 0.2 % 光通量绿色比: 98.9 % 光通量蓝色比: 0.9 %


显色指数: -22.5 AvgR: -35.2
R1: -34.6 R2: -6.5 R3: -19.1 R4: -64.6 R5: -9.7 R6: -13.3 R7: -3.4 R8: -29.4
R9: -99.0 R10: -99.0 R11: -91.9 R12: -26.3 R13: -40.7 R14: 40.6 R15: -31.7

色温: 8280 K 光通量: 978.898 lm 峰值波长: 517.7 nm 色容差: 282.1
明暗视觉比: 3.1 中心波长: 518.9 nm 主波长: 522.3 nm 质心波长: 522.0 nm
半宽度: 35.4 nm 色偏差: 0.16118 色纯度: 75.7 % 色质指数: 0.3
LER(TM-30): 456.8 辐射功率: 2142.7 mw 色域指数(Rg): 8.3 逼真度(Rf): 0.9
红光辐射功率: 8.7 mw 近红辐射功率: 0.9 mw 远红辐射功率: 0.5 mw





电参数:

光效: 12.6 Lm/W 能效: 13.8 能效等级: G
电压: 222.1 V 电流: 0.558 A 功率: 77.470 W 功率因素: 0.635

Rf: 0.9 CCT: 8280K u': 0.0538
Rg: 8.3 LER: 456.8 Duv: 0.16118 v': 0.5699



500			
Hue Bin	Rf	Chroma	Hue
1	0.0	-85.9%	-0.8%
2	0.0	-72.5%	4.9%
3	0.3	-74.4%	-1.6%
4	3.3	-57.0%	-8.2%
5	1.3	-71.5%	-2.7%
6	0.7	-78.4%	-2.6%
7	0.4	-74.3%	0.9%
8	0.1	-79.1%	11.2%
9	14.3	-63.9%	30.5%
10	10.8	-49.8%	21.3%
11	3.2	-45.9%	5.4%
12	27.3	-43.3%	-19.9%
13	22.8	-52.8%	-26.1%
14	0.2	-65.3%	-42.0%
15	2.8	-79.2%	-50.7%
16	0.0	-83.1%	-21.9%



产品型号:P19
产品编号:
测试人员:
备注:

制造厂商:Guangzhou Hotion Technology Co., Ltd
测试单位:
测试日期:08/10/12

