



光谱图



SDCM



颜色参数:

坐标x: 0.6998 坐标y: 0.3000 坐标u: 0.5383 坐标v: 0.3461 坐标u': 0.5383 坐标v': 0.5192
红色比: 98.5 % 绿色比: 1.5 % 蓝色比: 0.0 % 光通量红色比: 94.9 % 光通量绿色比: 5.1 % 光通量蓝色比: 0.0 %


显色指数: 20.2 AvgR: 17.7
R1: 6.3 R2: 73.8 R3: 41.2 R4: -17.2 R5: 9.4 R6: 87.6 R7: 14.0 R8: -53.5
R9: -99.0 R10: 66.7 R11: -8.9 R12: 80.0 R13: 26.2 R14: 65.1 R15: -26.3

色温: 1000 K 光通量: 421.653 lm 峰值波长: 637.5 nm 色容差: 133.1
明暗视觉比: 0.0 中心波长: 635.9 nm 主波长: 624.6 nm 质心波长: 634.7 nm
半宽度: 20.6 nm 色偏差: -0.01757 色纯度: 100.0 % 色质指数: -nan(ind)
LER(TM-30): 162.9 辐射功率: 2588.4 mw 色域指数(Rg): 4.9 逼真度(Rf): 14.9
红光辐射功率: 2547.9 mw 近红辐射功率: 1.7 mw 远红辐射功率: 0.1 mw





电参数:

光效: 6.3 Lm/W 能效: 6.9 能效等级: G
电压: 221.9 V 电流: 0.485 A 功率: 66.530 W 功率因素: 0.617


Rf: 14.9 CCT: 1000K u': 0.5383
Rg: 4.9 LER: 162.9 Du': 0.01757 v': 0.5192




500			
Hue Bin	Rf	Chroma	Hue
1	10.2	-65.6%	0.5%
2	49.5	-79.7%	-8.1%
3	68.1	-92.8%	7.8%
4	100.0	nan%	-nan(ind)%
5	77.5	-78.6%	27.6%
6	100.0	nan%	-nan(ind)%
7	59.2	-24.4%	30.7%
8	8.6	-54.0%	-4.7%
9	1.0	-66.9%	-4.8%
10	2.2	-95.7%	5.1%
11	43.1	-91.6%	12.2%
12	26.8	-91.4%	-103.4%
13	4.2	-111.6%	-38.5%
14	10.8	-72.6%	21.0%
15	69.2	0.4%	13.4%
16	13.2	0.0%	-8.0%



Rf by Bue



Chroma by Bue



ERROR: undefined
OFFENDING COMMAND: -214747841rp

STACK:

-2.14748e+010
3173