



光谱图



SDCM



颜色参数:

坐标x: 0.3130 坐标y: 0.3189 坐标u: 0.2019 坐标v: 0.3086 坐标u': 0.2019 坐标v': 0.4629
红色比: 28.8 % 绿色比: 38.0 % 蓝色比: 33.2 % 光通量红色比: 15.6 % 光通量绿色比: 79.4 % 光通量蓝色比: 5.0 %


显色指数: 96.9 AvgR: 95.1
R1: 96.0 R2: 97.9 R3: 96.1 R4: 98.6 R5: 96.5 R6: 94.2 R7: 98.8 R8: 97.3
R9: 91.2 R10: 97.1 R11: 96.7 R12: 77.5 R13: 96.9 R14: 97.5 R15: 94.6

色温: 6569 K 光通量: 16279.008 lm 峰值波长: 453.3 nm 色容差: 6.7
明暗视觉比: 2.4 中心波长: 455.1 nm 主波长: 481.9 nm 质心波长: 555.1 nm
半宽度: 29.2 nm 色偏差: -0.00223 色纯度: 8.1 % 色质指数: 91.3
LER(TM-30): 260.5 辐射功率: 62493.0 mw 色域指数(Rg): 100.6 逼真度(Rf): 92.0
红光辐射功率: 17086.1 mw 近红辐射功率: 2797.2 mw 远红辐射功率: 197.3 mw





电参数:

光效: 44.1 Lm/W 能效: 48.0 能效等级: G
电压: 220.8 V 电流: 1.689 A 功率: 369.000 W 功率因素: 0.988


Rf: 92.0 CCT: 6569K u': 0.2019
Rg: 100.6 LER: 260.5 Duv: -0.00223 v': 0.4629




500			
Hue Bin	Rf	Chroma	Hue
1	93.2	-0.1%	0.9%
2	95.7	0.3%	1.4%
3	94.8	0.3%	0.1%
4	94.5	-0.8%	0.3%
5	90.3	-4.1%	-0.5%
6	95.7	-1.5%	0.6%
7	96.6	-1.4%	1.1%
8	91.1	-1.5%	4.4%
9	89.5	-1.2%	8.4%
10	85.2	0.8%	9.4%
11	84.8	3.1%	7.1%
12	95.0	2.3%	1.9%
13	94.0	3.8%	0.8%
14	95.6	0.4%	-0.1%
15	85.1	9.6%	-6.4%
16	96.2	0.1%	0.6%



Rf by Bue



Chroma by Bue



产品型号:
产品编号:
测试人员:
备注:

制造厂商:Guangzhou Hotion Technology Co., Ltd
测试单位:
测试日期:07/16/14

