



光谱图



SDCM



颜色参数:

坐标x: 0.3314 坐标y: 0.3429 坐标u: 0.2055 坐标v: 0.3189 坐标u': 0.2055 坐标v': 0.4783
红色比: 28.9 % 绿色比: 42.1 % 蓝色比: 29.0 % 光通量红色比: 15.4 % 光通量绿色比: 81.1 % 光通量蓝色比: 3.5 %

显色指数: 90.4 AvgR: 87.3

R1: 91.4	R2: 91.1	R3: 89.8	R4: 91.3	R5: 91.8	R6: 88.2	R7: 92.3	R8: 87.8
R9: 63.9	R10: 78.9	R11: 91.9	R12: 75.7	R13: 90.8	R14: 94.2	R15: 90.2	


色温: 5543 K	光通量: 470.972 lm	峰值波长: 447.7 nm	色容差: 2.1
明暗视觉比: 2.1	中心波长: 448.4 nm	主波长: 543.4 nm	质心波长: 553.9 nm
半宽度: 26.5 nm	色偏差: 0.00138	色纯度: 2.4 %	色质指数: 88.4
LER(TM-30): 289.8	辐射功率: 1625.3 mw	色域指数(Rg): 101.2	逼真度(Rf): 88.5
红光辐射功率: 457.2 mw	近红辐射功率: 42.3 mw	远红辐射功率: 1.1 mw	

电参数:







光效: 11.7 Lm/W	能效: 12.7	能效等级: G	
电压: 220.8 V	电流: 0.310 A	功率: 40.410 W	功率因素: 0.589

产品型号:	制造厂商:
产品编号:	测试单位:
测试人员:	测试日期:10/13/23
备注:	




Rf: 88.5 CCT: 5543K u': 0.2055
Rg: 101.2 LER: 289.8 Duv: 0.00138 v': 0.4783



500			
Hue Bin	Rf	Chroma	Hue
1	88.8	-4.8%	-1.8%
2	91.8	-3.7%	2.7%
3	85.4	-1.7%	7.3%
4	87.5	1.5%	6.8%
5	88.8	3.6%	4.6%
6	91.8	4.9%	0.5%
7	94.7	1.4%	-2.8%
8	92.6	-2.4%	-2.7%
9	92.2	-5.2%	1.8%
10	85.3	-4.0%	6.9%
11	79.3	0.2%	11.6%
12	87.6	2.9%	6.9%
13	90.5	6.8%	2.1%
14	89.0	5.4%	-1.8%
15	84.2	7.4%	-10.6%
16	91.2	-0.5%	-4.7%




产品型号: 制造厂商:
产品编号: 测试单位:
测试人员: 测试日期:10/13/23
备注:




产品型号:
产品编号:
测试人员:
备注:

制造厂商:
测试单位:
测试日期:10/13/23

光谱图



SDCM



颜色参数:

坐标x: 0.4644 坐标y: 0.4200 坐标u: 0.2612 坐标v: 0.3544 坐标u': 0.2612 坐标v': 0.5316
红色比: 50.5 % 绿色比: 40.0 % 蓝色比: 9.5 % 光通量红色比: 24.8 % 光通量绿色比: 74.0 % 光通量蓝色比: 1.1 %

显色指数: 89.0 AvgR: 85.2
R1: 88.2 R2: 92.5 R3: 96.7 R4: 90.2 R5: 87.8 R6: 91.5 R7: 90.8 R8: 75.0
R9: 42.6 R10: 82.6 R11: 91.0 R12: 79.8 R13: 88.9 R14: 97.4 R15: 82.6


色温: 2709 K 光通量: 390.568 lm 峰值波长: 616.6 nm 色容差: 0.9
明暗视觉比: 1.2 中心波长: 605.9 nm 主波长: 583.2 nm 质心波长: 599.7 nm
半宽度: 145.7 nm 色偏差: 0.00308 色纯度: 65.5 % 色质指数: 88.3
LER(TM-30): 293.9 辐射功率: 1328.8 mw 色域指数(Rg): 98.1 逼真度(Rf): 89.6
红光辐射功率: 628.9 mw 近红辐射功率: 81.5 mw 远红辐射功率: 3.1 mw

电参数:





光效: 9.0 Lm/W 能效: 9.8 能效等级: G
电压: 220.8 V 电流: 0.330 A 功率: 43.360 W 功率因素: 0.593

产品型号: 制造厂商:
产品编号: 测试单位:
测试人员: 测试日期:10/13/23
备注:


Rf: 89.6 CCT: 2709K u': 0.2612
Rg: 98.1 LER: 293.9 Duv: 0.00308 v': 0.5316




500			
Hue Bin	Rf	Chroma	Hue
1	86.3	-6.7%	-1.5%
2	87.9	-5.1%	3.4%
3	85.6	-2.5%	6.4%
4	91.1	1.3%	5.1%
5	93.2	3.0%	4.0%
6	94.4	3.0%	0.2%
7	89.9	0.3%	-6.0%
8	95.8	-0.8%	-2.2%
9	92.2	-3.7%	-1.8%
10	91.3	-4.0%	2.4%
11	88.9	-2.4%	6.3%
12	89.0	3.0%	1.5%
13	90.8	3.5%	-4.7%
14	86.9	3.0%	-8.9%
15	87.6	-0.4%	-6.9%
16	85.3	-5.1%	-8.9%



Rf by Bue






Chroma by Bue



产品型号:
产品编号:
测试人员:
备注:


制造厂商:
测试单位:
测试日期:10/13/23




产品型号:
产品编号:
测试人员:
备注:

制造厂商:
测试单位:
测试日期:10/13/23

光谱图



SDCM



颜色参数:

坐标x: 0.3799 坐标y: 0.3723 坐标u: 0.2265 坐标v: 0.3330 坐标u': 0.2265 坐标v': 0.4995
红色比: 37.5 % 绿色比: 41.4 % 蓝色比: 21.0 % 光通量红色比: 19.2 % 光通量绿色比: 78.4 % 光通量蓝色比: 2.4 %

显色指数: 91.9 AvgR: 89.1
R1: 93.0 R2: 93.4 R3: 92.7 R4: 92.5 R5: 92.6 R6: 91.1 R7: 93.4 R8: 86.9
R9: 65.1 R10: 84.0 R11: 93.0 R12: 78.9 R13: 92.9 R14: 95.5 R15: 91.1


色温: 3983 K 光通量: 403.690 lm 峰值波长: 447.7 nm 色容差: 3.1
明暗视觉比: 1.7 中心波长: 448.2 nm 主波长: 580.3 nm 质心波长: 573.5 nm
半宽度: 25.5 nm 色偏差: -0.00194 色纯度: 25.7 % 色质指数: 85.7
LER(TM-30): 290.8 辐射功率: 1388.3 mw 色域指数(Rg): 101.7 逼真度(Rf): 89.5
红光辐射功率: 496.8 mw 近红辐射功率: 62.2 mw 远红辐射功率: 2.1 mw

电参数:





光效: 10.8 Lm/W 能效: 11.8 能效等级: G
电压: 220.9 V 电流: 0.289 A 功率: 37.320 W 功率因素: 0.584

产品型号: 制造厂商:
产品编号: 测试单位:
测试人员: 测试日期:10/13/23
备注:


Rf: 89.5 CCT: 3983K u': 0.2265
Rg: 101.7 LER: 290.8 Duv: -0.00194 v': 0.4995




500			
Hue Bin	Rf	Chroma	Hue
1	91.0	-4.4%	-1.6%
2	92.3	-3.1%	2.6%
3	85.3	-1.2%	6.9%
4	88.9	1.6%	5.9%
5	90.0	3.7%	4.1%
6	91.6	5.1%	0.0%
7	94.2	1.6%	-3.0%
8	94.2	-1.0%	-2.6%
9	93.8	-3.0%	-0.1%
10	88.2	-4.4%	4.2%
11	83.9	0.7%	9.6%
12	84.1	3.9%	7.0%
13	90.3	6.0%	-0.1%
14	91.8	5.7%	-0.9%
15	87.8	3.1%	-7.7%
16	86.6	0.4%	-7.9%






Rf by Bue



Chroma by Bue



产品型号: 制造厂商:
产品编号: 测试单位:
测试人员: 测试日期:10/13/23
备注:



产品型号:
产品编号:
测试人员:
备注:

制造厂商:
测试单位:
测试日期:10/13/23