



光谱图



SDCM



颜色参数:

坐标x: 0.3797 坐标y: 0.3661 坐标u: 0.2289 坐标v: 0.3311 坐标u': 0.2289 坐标v': 0.4966
红色比: 39.9 % 绿色比: 39.3 % 蓝色比: 20.8 % 光通量红色比: 20.1 % 光通量绿色比: 77.4 % 光通量蓝色比: 2.6 %

显色指数: 95.2 AvgR: 93.7
R1: 98.1 R2: 96.4 R3: 92.8 R4: 94.0 R5: 97.1 R6: 93.8 R7: 95.1 R8: 94.8
R9: 86.9 R10: 90.4 R11: 93.4 R12: 82.1 R13: 97.7 R14: 95.4 R15: 98.2


色温: 3940 K 光通量: 1286.328 lm 峰值波长: 448.6 nm 色容差: 6.1
明暗视觉比: 1.8 中心波长: 449.2 nm 主波长: 582.4 nm 质心波长: 577.4 nm
半宽度: 23.0 nm 色偏差: -0.00486 色纯度: 23.8 % 色质指数: 85.5
LER(TM-30): 277.8 辐射功率: 4630.3 mw 色域指数(Rg): 103.6 逼真度(Rf): 91.1
红光辐射功率: 1750.5 mw 近红辐射功率: 231.4 mw 远红辐射功率: 9.8 mw

电参数:







光效: 34.2 Lm/W 能效: 37.2 能效等级: G
电压: 221.0 V 电流: 0.182 A 功率: 37.620 W 功率因素: 0.932

产品型号: 制造厂商:
产品编号: 测试单位:
测试人员: 测试日期:10/13/23
备注:




Rf: 91.1 CCT: 3940K u': 0.2289
Rg: 103.6 LER: 277.8 Duv: -0.00486 v': 0.4966



500			
Hue Bin	Rf	Chroma	Hue
1	94.8	-1.8%	-1.3%
2	95.6	-1.4%	1.6%
3	88.6	-0.0%	5.4%
4	90.7	1.3%	4.7%
5	90.4	3.0%	3.6%
6	91.4	5.3%	0.6%
7	94.9	2.4%	-2.0%
8	95.0	0.3%	-1.6%
9	95.0	-1.5%	0.5%
10	90.6	-3.0%	3.7%
11	84.4	1.4%	9.3%
12	84.4	4.0%	6.8%
13	91.1	5.7%	1.6%
14	90.5	8.1%	1.2%
15	90.9	4.1%	-3.9%
16	88.5	2.5%	-6.7%




产品型号: 制造厂商:
产品编号: 测试单位:
测试人员: 测试日期:10/13/23
备注:




产品型号:
产品编号:
测试人员:
备注:

制造厂商:
测试单位:
测试日期:10/13/23

光谱图



SDCM



颜色参数:

坐标x: 0.4746

坐标y: 0.4213

坐标u: 0.2671

坐标v: 0.3557

坐标u': 0.2671

坐标v': 0.5335

红色比: 55.3 %

绿色比: 36.4 %

蓝色比: 8.2 %

光通量红色比: 26.8 %

光通量绿色比: 71.9 %

光通量蓝色比: 1.3 %

显色指数: 95.5

AvgR: 93.4

R1: 95.9

R2: 97.3

R3: 97.9

R4: 97.3

R5: 95.8

R6: 98.6

R7: 94.7

R8: 86.6

R9: 69.5

R10: 93.2

R11: 99.6

R12: 89.1

R13: 96.4

R14: 97.8

R15: 91.3

色温: 2586 K

光通量: 1539.722 lm

峰值波长: 625.6 nm

色容差: 6.0

明暗视觉比: 1.2

中心波长: 616.6 nm

主波长: 584.0 nm

质心波长: 609.3 nm

半宽度: 145.4 nm

色偏差: 0.00278

色纯度: 68.9 %

色质指数: 88.2

LER(TM-30): 268.1

辐射功率: 5742.2 mw

色域指数(Rg): 97.4

逼真度(Rf): 93.4

红光辐射功率: 2900.7 mw

近红辐射功率: 473.5 mw

远红辐射功率: 25.7 mw

电参数:

光效: 41.0 Lm/W

能效: 44.6

能效等级: G

电压: 220.9 V

电流: 0.182 A

功率: 37.560 W

功率因素: 0.932

产品型号:

产品编号:

测试人员:


备注:

制造厂商:





测试单位:

测试日期:10/13/23


Rf: 93.4 CCT: 2586K u': 0.2671
Rg: 97.4 LER: 268.1 Duv: 0.00278 v': 0.5335




500			
Hue Bin	Rf	Chroma	Hue
1	92.3	-3.5%	0.3%
2	95.0	-2.3%	0.4%
3	95.0	-2.1%	0.6%
4	93.4	-4.0%	-1.3%
5	95.2	-3.2%	1.5%
6	94.7	-1.4%	3.0%
7	94.8	-2.4%	1.6%
8	95.5	-0.0%	2.7%
9	94.7	-0.7%	2.7%
10	93.3	0.1%	3.8%
11	93.8	1.5%	3.4%
12	92.5	3.0%	-1.6%
13	91.7	0.4%	-5.8%
14	90.6	0.9%	-6.8%
15	92.6	-2.7%	-1.5%
16	88.9	-2.7%	-6.7%



Rf by Bue






Chroma by Bue



产品型号:
产品编号:
测试人员:
备注:


制造厂商:
测试单位:
测试日期:10/13/23




产品型号:
产品编号:
测试人员:
备注:

制造厂商:
测试单位:
测试日期:10/13/23

光谱图



SDCM



颜色参数:

坐标x: 0.3205 坐标y: 0.3295 坐标u: 0.2031 坐标v: 0.3132 坐标u': 0.2031 坐标v': 0.4698
红色比: 28.0 % 绿色比: 40.9 % 蓝色比: 31.1 % 光通量红色比: 14.9 % 光通量绿色比: 81.3 % 光通量蓝色比: 3.7 %

显色指数: 90.4 AvgR: 87.8
R1: 92.7 R2: 91.2 R3: 88.0 R4: 91.5 R5: 92.4 R6: 86.4 R7: 91.3 R8: 90.2
R9: 72.3 R10: 78.1 R11: 91.9 R12: 72.1 R13: 92.0 R14: 93.2 R15: 93.1


色温: 6085 K 光通量: 2009.982 lm 峰值波长: 448.6 nm 色容差: 3.9
明暗视觉比: 2.2 中心波长: 448.8 nm 主波长: 487.8 nm 质心波长: 554.2 nm
半宽度: 22.8 nm 色偏差: -0.00043 色纯度: 4.6 % 色质指数: 86.5
LER(TM-30): 274.8 辐射功率: 7313.7 mw 色域指数(Rg): 101.9 逼真度(Rf): 87.5
红光辐射功率: 1955.0 mw 近红辐射功率: 296.2 mw 远红辐射功率: 20.2 mw

电参数:





光效: 53.9 Lm/W 能效: 58.7 能效等级: G
电压: 220.8 V 电流: 0.181 A 功率: 37.320 W 功率因素: 0.931

产品型号: 制造厂商:
产品编号: 测试单位:
测试人员: 测试日期:10/13/23
备注:


Rf: 87.5 CCT: 6085K u': 0.2031
Rg: 101.9 LER: 274.8 Duv: -0.00043 v': 0.4698



500			
Hue Bin	Rf	Chroma	Hue
1	90.0	-4.0%	-1.6%
2	91.6	-3.4%	2.8%
3	85.1	-1.4%	7.5%
4	85.3	1.3%	7.8%
5	87.2	3.7%	4.8%
6	92.1	4.7%	0.4%
7	95.2	1.7%	-2.3%
8	92.9	-2.5%	-2.1%
9	91.1	-5.6%	3.0%
10	82.8	-4.1%	8.4%
11	75.5	0.3%	13.8%
12	84.5	2.9%	9.0%
13	88.8	7.4%	4.7%
14	88.2	6.1%	-0.3%
15	83.6	10.1%	-9.6%
16	91.9	0.2%	-4.4%






Rf by Bue



Chroma by Bue



产品型号: 制造厂商:
产品编号: 测试单位:
测试人员: 测试日期:10/13/23
备注:



产品型号:
产品编号:
测试人员:
备注:

制造厂商:
测试单位:
测试日期:10/13/23