



光谱图



SDCM



颜色参数:

坐标x: 0.3895 坐标y: 0.5638 坐标u: 0.1734 坐标v: 0.3764 坐标u': 0.1734 坐标v': 0.5646
红色比: 19.6 % 绿色比: 76.3 % 蓝色比: 4.1 % 光通量红色比: 8.7 % 光通量绿色比: 91.0 % 光通量蓝色比: 0.3 %


显色指数: 36.0 AvgR: 21.6
R1: 34.2 R2: 48.4 R3: 50.6 R4: 10.2 R5: 35.6 R6: 45.6 R7: 48.4 R8: 15.7
R9: -99.0 R10: -1.5 R11: -8.3 R12: 15.9 R13: 35.3 R14: 76.4 R15: 16.7

色温: 4612 K 光通量: 446.648 lm 峰值波长: 542.4 nm 色容差: 79.1
明暗视觉比: 1.5 中心波长: 555.1 nm 主波长: 563.5 nm 质心波长: 562.7 nm
半宽度: 102.3 nm 色偏差: 0.06496 色纯度: 86.5 % 色质指数: 29.8
LER(TM-30): 485.1 辐射功率: 920.7 mw 色域指数(Rg): 45.1 逼真度(Rf): 38.4
红光辐射功率: 179.8 mw 近红辐射功率: 3.9 mw 远红辐射功率: 0.0 mw

电参数:

光效: 21.0 Lm/W 能效: 22.8 能效等级: G
电压: 220.8 V 电流: 0.176 A 功率: 21.310 W 功率因素: 0.546

Rf: 38.4 CCT: 4612K u': 0.1734
Rg: 45.1 LER: 485.1 Duv: 0.06496 v': 0.5646



500			
Hue Bin	Rf	Chroma	Hue
1	32.8	-30.9%	3.6%
2	49.7	-26.1%	-6.7%
3	26.5	-34.3%	-10.8%
4	26.0	-41.4%	-10.5%
5	28.9	-52.1%	3.0%
6	16.1	-52.1%	17.6%
7	13.0	-44.2%	32.9%
8	26.0	-31.6%	27.2%
9	44.6	-22.4%	29.9%
10	49.1	-16.4%	25.7%
11	66.5	-15.3%	7.6%
12	57.6	-21.3%	-3.2%
13	58.7	-26.0%	-13.9%
14	44.9	-27.8%	-4.8%
15	49.7	-29.9%	-7.6%
16	37.1	-30.1%	2.9%

