


光谱图



颜色参数:

坐标x: 0.2649 坐标y: 0.2601 坐标u: 0.1895 坐标v: 0.2791 坐标u': 0.1895 坐标v': 0.4187
红色比: 22.3 % 绿色比: 35.6 % 蓝色比: 42.1 % 光通量红色比: 16.2 % 光通量绿色比: 78.3 % 光通量蓝色比: 5.4 %

显色指数: 74.6 AvgR: 64.1
R1: 74.0 R2: 95.8 R3: 63.2 R4: 64.4 R5: 83.8 R6: 93.0 R7: 76.5 R8: 46.1
R9: -57.9 R10: 87.4 R11: 54.3 R12: 62.0 R13: 81.3 R14: 77.7 R15: 59.4


色温: 16315 K 光通量: 429.752 lm 峰值波长: 450.6 nm 色容差: 37.9
明暗视觉比: 3.0 中心波长: 450.8 nm 主波长: 475.6 nm 质心波长: 524.5 nm
半宽度: 21.6 nm 色偏差: -0.00470 色纯度: 30.3 % 色质指数: 89.0
LER(TM-30): 251.5 辐射功率: 1709.0 mw 色域指数(Rg): 113.1 逼真度(Rf): 76.0
红光辐射功率: 380.0 mw 近红辐射功率: 4.3 mw 远红辐射功率: 0.1 mw

电参数:





光效: 12.9 Lm/W 能效: 14.1 能效等级: G
电压: 220.8 V 电流: 0.263 A 功率: 33.200 W 功率因素: 0.570

产品型号: 制造厂商:Guangzhou Hotion Technology Co., Ltd
产品编号: 测试单位:
测试人员: 测试日期:03/31/13
备注:


Rf: 76.0 CCT: 16315K u': 0.1895
Rg: 113.1 LER: 251.5 Duv: -0.00470 v': 0.4187



500			
Hue Bin	Rf	Chroma	Hue
1	61.8	19.4%	-0.1%
2	76.7	8.6%	-7.0%
3	82.8	5.5%	-7.5%
4	85.3	2.3%	1.1%
5	81.9	-0.5%	3.3%
6	79.7	8.2%	7.8%
7	73.3	-2.8%	2.1%
8	85.9	3.9%	2.9%
9	87.7	-1.5%	5.6%
10	79.8	-3.1%	15.3%
11	59.3	0.4%	18.9%
12	71.9	0.4%	22.6%
13	64.3	2.1%	21.5%
14	59.4	9.4%	23.2%
15	59.0	28.9%	20.2%
16	68.5	13.6%	4.4%



Rf by Bue



Chroma by Bue

