


IAPMO RESEARCH AND TESTING, INC.

5001 E. Philadelphia Street, Ontario, CA 91761 • Phone (909) 472-4100 • Fax (909) 472-4244 • www.iapmort.org



IAPMO R&T Product Listing



This IAPMO R&T Listing is current as of April 29, 2021

File Number:

K-10114

Issued To:

NINGBO HENGSHENG PIPE FITTING CO., LTD.

NO. 28 WEST JINHUI ROAD NINGHAI COUNTY NINGBO, ZHEJIANG, ZH , CHINA

Product:

Wrought Copper Pressure Fittings

Products are in compliance with the following code(s):

Uniform Plumbing Code (UPC®)

International Plumbing Code (IPC®)

Products are in compliance with the following standard(s)

ASME B16.22-2012

IAPMO RESEARCH AND TESTING, INC.
CERTIFICATE OF LISTING

**Issued To:** NINGBO HENGSHENG PIPE FITTING CO., LTD.**File Number:** K-10114**Product:** Wrought Copper Pressure Fittings

This IAPMO R&T Listing is current as of April 29, 2021

Identification:

Fittings shall be permanently and legibly marked with the manufacturer's name or trademark in accordance with MSS SP-25 and the UPC® certification mark. Marking on fittings less than size 1/2 or on any fitting where it damages soldering surfaces is not required.

Characteristics:

Wrought copper and wrought copper alloy solder joint pressure fittings designed for use with copper water tube. To be installed in accordance with the manufacturer's instructions, and the requirements of the latest edition the Uniform Plumbing Code.

Products listed on this certificate have been tested by an IAPMO R&T recognized laboratory. This recognition has been granted based upon the laboratory's compliance to the applicable requirements of ISO/IEC 17025.

Models

Model Number	Description	Dimension
HS11003	1/2" Female Adapter (C x F)	
HS11004	3/4" Female Adapter (C x F)	
HS11005	1" Female Adapter (C x F)	
HS16003	1/2" Male Adapter (C x M)	
HS16004	3/4" Male Adapter (C x M)	
HS16005	1" Male Adapter (C x M)	

Model Number	Description	Dimension
HS23004	1/2" Cap (C)	
HS23006	3/4" Cap (C)	
HS23007	1" Cap (C)	
HS31005	1/2" No Stop Coupling (C x C)	
HS31007	3/4" No Stop Coupling (C x C)	
HS31009	1" No Stop Coupling (C x C)	
HS32005	1/2" Stop Coupling (C x C)	
HS32007	3/4" Stop Coupling (C x C)	
HS32009	1" Stop Coupling (C x C)	
HS33005	1/2" Coupling-Stake Stop (C x C)	
HS33007	3/4" Coupling-Stake Stop (C x C)	
HS33009	1" Coupling-Stake Stop (C x C)	
HS34015	Coupling Reducing (C x C)	3/4" x 1/2"
HS34019	Coupling Reducing (C x C)	1" x 1/2"
HS34021	Coupling Reducing (C x C)	1" x 3/4"
HS35015	Coupling Reducing (FTG x C)	3/4" x 1/2"
HS35019	Coupling Reducing (FTG x C)	1" x 1/2"
HS35021	Coupling Reducing (FTG x C)	1" x 3/4"
HS54005	1/2" 45 degree Elbow (C x C)	
HS54007	3/4" 45 degree Elbow (C x C)	
HS54009	1" 45 degree Elbow (C x C)	
HS55005	1/2" 45 degree Elbow (FTG x C)	
HS55007	3/4" 45 degree Elbow (FTG x C)	
HS55009	1" 45 degree Elbow (FTG x C)	
HS61005	1/2" Tee (C x C x C)	
HS61007	3/4" Tee (C x C x C)	
HS61009	1" Tee (C x C x C)	
HS61045	Tee (C x C x C)	3/4" x 1/2" x 1/2"
HS61046	Tee (C x C x C)	3/4" x 1/2" x 3/4"
HS61047	Tee (C x C x C)	3/4" x 3/4" x 1/2"
HS61051	Tee (C x C x C)	1" x 3/4" x 3/4"
HS61053	Tee (C x C x C)	1" x 1" x 1/2"
HS61055	Tee (C x C x C)	1" x 1" x 3/4"
HS61092	Tee (C x C x C)	1" x 3/4" x 1/2"
HS81005	1/2" 90 degree Elbow-SR (C x C)	
HS81007	3/4" 90 degree Elbow-SR (C x C)	
HS81009	1" 90 degree Elbow-SR (C x C)	
HS82005	1/2" 90 degree Elbow-SR (FTG x C)	
HS82007	3/4" 90 degree Elbow-SR (FTG x C)	
HS82009	1" 90 degree Elbow-SR (FTG x C)	