



product information

DP Series - DC pins

product description

Small size, easy to install, can be customized, strong anti-interference, stable performance, mostly used in module power supply and small electronic instruments

Technical Data

Rated Voltage	50/100VAC
Line Frequency	50/60Hz
Test Voltage	350VDC(line/line) 1414VAC(line/ground)
Insulation Resistance	>60MΩ@60VDC
Temperature Rise	<30
Climatic Category	25/085/21
Housing Material	Nickel-plated iron

Features




- Small size, easy to install
- Pin PCB mounting
- Can be customized upon request

Applications


- Electrical appliances, testing equipment
- Medical equipment
- Grid control system
- Laser cutting equipment
- City security monitoring system and so on

Performance Indicator

standard	High	Very High


Part No	Rated Current	Case Type	Termination		Circuit diagram	Remark
			Input	Output		
DADP1-1A	1A	P1				Parameter customization
DADP2-0.5A	0.5A	P2				
DADP2-2A	2A	P2				
DBDP5-1A	1A	P5				
DBDP5-3A	3A	P5				
DBDP4-0.5A	0.5A	P4				
DBDP4-2A	2A	P4				
DCDP3-0.5A	0.5A	P3				
DCDP3-2A	2A	P3				

Overall Dimension (±1mm)




Insertion loss


———— Common mode - - - - - Difference module




DCDP3-0.5A




DCDP3-2A




DADP1-1A




DADP2-0.5A




DADP2-2A



DBDP5-3A



DBDP4-0.5A



DBDP4-2A