

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
© COPYRIGHT 20 BY - ALL RIGHTS RESERVED.


LOC	DIST
ES	00


REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	J4	ADDED NEW DASH NUMBER 9-6	17AUG2022	CZ	SH









1. DIM S IS CENTERLINE SPACING OF POWER MODULE ON RIGHT SIDE OF HOUSING.
2. DIM T IS CENTERLINE SPACING OF POWER MODULE ON LEFT SIDE OF HOUSING.
3. OPTIONAL CENTER MODULE
4. COMPANY TRADEMARK, PART NUMBER, AND DATE CODE TO BE MARKED IN APPROX AREA SHOWN. PARTS UNDER 2.00 LONG MAY BE MARKED ON BOTH SIDES.
5. THERMO PLASTIC, UL94 V-0,BLACK
6. VARIABLE DIMENSIONS SHOWN ON PART VIEW .
7. NOT RELEASED FOR PRODUCTION.
8. DIMENSIONS FOR CONFIGURATION "S" PLEASE REFER TO SHEET 2.
9. DIMENSIONS FOR CONFIGURATION "P" PLEASE REFER TO SHEET 2.
10. DIMENSIONS FOR CONFIGURATION "LP/S/LP" PLEASE REFER TO SHEET 2.
11. DIMENSIONS FOR CONFIGURATION "S/P" PLEASE REFER TO SHEET 2.
12. DIMENSIONS FOR CONFIGURATION "LP" PLEASE REFER TO SHEET 2.

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: INCHES

TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC ±-
1 PLC ±-
2 PLC ±0.01
3 PLC ±0.005
4 PLC ±0.0020
ANGLES ±2°

MATERIAL - -
FINISH - -

DWN C.ZHOU 14MAY2012
CHK S.ZHAO -
APVD -
PRODUCT SPEC 108-2157
APPLICATION SPEC 114-13112
WEIGHT -

TE Connectivity

NAME SQUEEZE TO RELEASE CABLE RECEPTACLE ASSEMBLY W/ LATCHES AND KEY, MULTI-BEAM XLE

SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A1	00779	C-1892820	-


CUSTOMER DRAWING SCALE 1:1 SHEET 1 OF 13 REV J4

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
© COPYRIGHT 20 BY - ALL RIGHTS RESERVED.


LOC	DIST
ES	00

REVISIONS


P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-




FOR CONFIGURATION "S"




FOR CONFIGURATION "P"



FOR CONFIGURATION "S/P", OTHER DIMENSIONS PLEASE SEE SHEET 1



FOR CONFIGURATION "LP/S/LP"



FOR CONFIGURATION "LP"

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: INCHES

TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC ±-
1 PLC ±-
2 PLC ±0.01
3 PLC ±0.005
4 PLC ±0.0020
ANGLES ±2°

MATERIAL - -

FINISH - -

DWN C.ZHOU 14MAY2012
CHK S.ZHAO -
APVD - -
PRODUCT SPEC 108-2157
APPLICATION SPEC 114-13112
WEIGHT -

TE Connectivity

NAME SQUEEZE TO RELEASE CABLE RECEPTACLE ASSEMBLY W/ LATCHES AND KEY, MULTI-BEAM XLE

SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A1	00779	C-1892820	-

CUSTOMER DRAWING | SCALE 1:1 | SHEET 2 OF 13 | REV J4

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
© COPYRIGHT 20 BY - ALL RIGHTS RESERVED.

LOC	DIST
ES	00

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-

LATCH	CENTER MODULE	DIM P	DIM W	DIM T	DIM S	DIM R	DIM L	DIM K	DIM F	DESCRIPTION	PART NUMBER
YES	NO	.600	-	-	-	-	1.150	.275	1.760	1ACP + 8S + 1ACP	5-1892820-0
YES	NO	-	-	-	.300	-	1.150	.275	1.760	3ACP	4-1892820-9
YES	NO	1.500	.550	.300	.300	1.200	2.050	.275	2.660	2ACP + 20S + 2ACP	4-1892820-8
YES	NO	-	-	-	.400	-	1.250	.530	1.860	3ACP	4-1892820-7
YES	NO	.600	-	-	-	-	1.150	.275	1.760	1ACP + 8S + 1ACP	4-1892820-5
YES	NO	-	-	-	.300	-	1.450	.275	2.060	4ACP	4-1892820-4
YES	NO	-	-	-	-	-	2.750	.175	3.360	100S (8)	4-1892820-3
YES	NO	1.050	-	-	-	.500	1.050	.275	1.660	1ACP + 4S + 1ACP	4-1892820-2
YES	NO	1.150	.250	-	-	.600	1.150	.275	1.760	1ACP + 8S + 1ACP	4-1892820-1
YES	NO	-	-	-	-	-	2.250	.175	2.860	80S (8)	4-1892820-0
YES	NO	-	.950	-	.350	-	1.375	.275	1.985	3ACP + 4S	3-1892820-9
YES	NO	-	1.150	-	.300	-	1.875	.275	2.485	4ACP + 16S	3-1892820-8
YES	NO	-	.175	.300	-	.450	1.200	-	1.810	12S + 2ACP	3-1892820-7
YES	NO	1.000	.250	-	-	1.000	1.550	.275	2.160	1ACP + 24S + 1ACP	3-1892820-6
YES	NO	2.100	.850	.300	.300	1.500	2.650	.275	3.260	3ACP + 20S + 3ACP	3-1892820-5
YES	NO	1.800	.850	.300	.300	1.200	2.350	.275	2.960	3ACP + 8S + 3ACP	3-1892820-4
YES	NO	-	-	-	.250	-	1.700	.225	2.310	6P	3-1892820-3
YES	NO	-	-	-	.250	-	.950	.225	1.560	3P	3-1892820-2
YES	NO	2.600	1.150	.300	.300	1.700	3.150	.275	3.760	4ACP + 16S + 4ACP	3-1892820-1
YES	NO	1.400	.550	.300	.300	1.100	1.950	.275	2.560	2ACP + 16S + 2ACP	3-1892820-0
YES	NO	-	.2725	-	.115	-	.830	.1575	1.440	2LP + 12S	2-1892820-9
YES	NO	2.300	1.150	.300	.300	1.700	3.150	.275	3.760	4ACP + 16S + 4ACP	2-1892820-8
YES	NO	-	-	-	.300	-	1.150	.275	1.760	3ACP	2-1892820-7
YES	NO	-	-	-	.300	-	2.350	.275	2.960	7ACP	2-1892820-6
YES	NO	-	.550	-	.300	-	1.275	.275	1.885	2ACP + 16S	2-1892820-5
YES	NO	-	-	-	-	-	.650	.175	1.260	16S (8)	2-1892820-4
YES	NO	.115	-	-	-	-	.430	.1575	1.040	2LP	2-1892820-3
YES	NO	-	-	-	.350	-	2.550	.225	3.160	7P	2-1892820-2
YES	NO	2.620	DETAIL DIMENSIONS PLEASE SEE PART VIEW				3.020	.225	3.630	2P + 8S + 4LP + 8S + 4LP + 8S + 2P	2-1892820-1
YES	NO	-	-	-	.200	-	3.800	.200	4.410	18HDP	2-1892820-0
YES	NO	3.700	1.600	.200	.200	1.900	4.100	.200	4.710	8P + 8S + 10P	1-1892820-9
YES	NO	3.700	1.800	.200	.200	2.100	4.100	.200	4.710	9P + 8S + 9P	1-1892820-8
YES	NO	2.645	-	-	.230	-	2.960	.1575	3.570	24LP	1-1892820-7 (12)
YES	NO	2.185	-	-	.230	-	2.500	.1575	3.110	20LP	1-1892820-6 (12)
YES	NO	1.955	-	-	.230	-	2.270	.1575	2.880	18LP	1-1892820-4 (12)
YES	NO	-	-	-	.300	-	.850	.275	1.460	2ACP	1-1892820-3
YES	NO	-	-	-	.325	-	1.100	.225	1.710	3ACP	1-1892820-2
YES	NO	-	.175	.200	-	.475	1.050	-	1.660	16S + 2HDP	1-1892820-0 (11)
YES	NO	1.565	.7325	.230	.230	.990	1.880	.1575	2.490	6LP + 8S + 6LP	1892820-9
YES	NO	1.100	.550	.300	.300	1.100	1.950	.275	2.560	2ACP + 16S + 2ACP	1892820-8
YES	NO	.550	.225	-	-	.550	1.000	.225	1.610	1P + 8S + 1P	1892820-7
YES	NO	1.100	.400	.200	.200	.900	1.500	.200	2.110	2HDP + 16S + 2HDP	1892820-6
YES	NO	-	.550	-	.300	-	1.175	.275	1.785	2ACP + 12S	1892820-5
NO	NO	-	-	-	.250	-	1.200	.225	1.810	4P	1892820-3
YES	NO	.450	.175	-	-	.450	.850	.200	1.460	1P + 8S + 1P	1892820-2
YES	NO	-	-	-	-	-	1.825	.175	2.435	64S (8)	1892820-1

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: INCHES

TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC ±-
1 PLC ±-
2 PLC ±0.01
3 PLC ±0.005
4 PLC ±0.0020
ANGLES ±2°

MATERIAL -
FINISH -

DWN C.ZHOU 14MAY2012
CHK S.ZHAO -
APVD - -
PRODUCT SPEC 108-2157
APPLICATION SPEC 114-13112
WEIGHT -

TE Connectivity

NAME SQUEEZE TO RELEASE CABLE RECEPTACLE ASSEMBLY W/ LATCHES AND KEY, MULTI-BEAM XLE

SIZE A1 | CAGE CODE 00779 | DRAWING NO C-1892820 | RESTRICTED TO -

CUSTOMER DRAWING | SCALE 1:1 | SHEET 3 OF 13 | REV J4

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
© COPYRIGHT 20 BY - ALL RIGHTS RESERVED.

LOC	DIST
ES	00

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-

LATCH	CENTER MODULE	DIM P	DIM W	DIM T	DIM S	DIM R	DIM L	DIM K	DIM F	DESCRIPTION	PART NUMBER
YES	NO	3.100	1.150	.300	.300	2.300	3.750	.275	4.360	4ACP + 40S + 4ACP	9-1892820-6
YES	NO	1.100	.550	.300	.300	.800	1.650	.275	2.260	2ACP + 4S + 2ACP	9-1892820-5
YES	NO	-	.200	-	-	.700	1.100	.200	1.710	1P + 16S + 1P	9-1892820-4
YES	NO	-	-	-	.250	-	1.250	.250	1.860	4P	9-1892820-3
YES	NO	1.200	.600	.350	.350	.850	1.750	.275	2.360	2ACP + 4S + 2ACP	9-1892820-1
YES	NO	1.350	.625	.350	.350	1.350	1.900	.275	2.510	2ACP + 8S + 2ACP	9-1892820-0
YES	NO	1.100	.250	.300	-	.500	1.650	.275	2.260	1ACP + 4S + 3ACP	8-1892820-9
YES	NO	1.100	.550	.300	.300	.800	1.650	.275	2.260	2ACP + 4S + 2ACP	8-1892820-8
YES	NO	-	.200	-	-	.600	1.000	.200	1.610	1HDP + 12S + 1HDP	8-1892820-7
YES	NO	1.900	.850	.300	.300	1.300	2.450	.275	3.060	3ACP + 12S + 3ACP	8-1892820-6
YES	NO	2.435	.7325	.115	.115	2.090	2.750	.1575	2.860	6LP + 52S + 4LP	8-1892820-4
YES	NO	.500	.200			.500	.900	.200	1.510	1P + 8S + 1P	8-1892820-3
YES	NO	-	2.625	-	△6	-	3.100	.225	3.710	8P + 8S	8-1892820-2
YES	NO	-	-	-	.350	-	3.000	.275	3.610	8P	8-1892820-1
YES	NO	-	-	△6	△6	-	2.630	.1825	3.240	12LP + 1P	8-1892820-0
YES	NO	2.700	1.150	.300	.300	1.800	3.250	.275	3.860	4ACP + 20S + 4ACP	7-1892820-9
YES	NO	-	-	-	-	-	1.600	.150	2.210	56S	7-1892820-8
YES	NO	1.595	.2475	.115	.115	1.480	1.910	.1575	2.520	2LP + 48S + 2LP	7-1892820-7
YES	NO	1.700	.975	.300	.300	1.350	2.600	.275	3.210	3ACP + 8S + 3ACP	7-1892820-6
YES	NO	-	.175	.300	-	.350	1.700	-	2.310	8S + 4ACP	7-1892820-5
YES	NO	.900	.250	-	-	.900	1.450	.275	2.060	1ACP + 20S + 1ACP	7-1892820-4
YES	NO	.950	.275	-	-	.950	1.500	.275	2.110	1ACP + 20S + 1ACP	7-1892820-3
YES	NO	-	-	-	.300	-	2.050	.250	2.660	6ACP	7-1892820-1
YES	NO	-	2.350	-	.300	-	3.175	.275	3.785	8ACP + 20S	7-1892820-0
YES	NO	-	-	-	.250	-	2.200	.225	2.810	8P	6-1892820-8
YES	NO	-	-	-	.300	-	1.150	.275	1.760	3ACP	6-1892820-7
YES	NO	-	-	-	-	-	1.050	.175	1.660	32S	6-1892820-6
YES	NO	-	-	-	-	-	3.250	.175	3.860	120S	6-1892820-5
YES	NO	-	-	-	.350	-	2.300	.275	2.910	6ACP	6-1892820-4
YES	NO	-	-	-	.300	-	1.750	.275	2.360	5ACP	6-1892820-3
YES	NO	-	-	-	.250	-	1.200	.225	1.810	4P	6-1892820-2
YES	NO	1.815	-	-	.165	-	2.130	.1575	2.740	12LP	6-1892820-1
YES	NO	1.300	.550	.300	.300	1.000	1.850	.275	2.460	2ACP + 12S + 2ACP	6-1892820-0
YES	NO	3.400	1.150	.300	.300	2.500	3.950	.275	4.560	4ACP + 48S + 4ACP	5-1892820-9
YES	NO	3.100	1.150	.300	.300	2.200	3.650	.275	4.260	4ACP + 36S + 4ACP	5-1892820-8
YES	NO	-	-	-	.300	-	2.050	.275	2.660	6ACP	5-1892820-7
YES	NO	-	-	-	.350	-	1.950	.275	2.560	5ACP	5-1892820-6
YES	NO	1.150	.375	.200	.200	.950	1.600	.225	2.210	2HDP + 20S + 2HDP	5-1892820-5
YES	NO	3.000	.950	.250	.250	2.250	3.450	.225	4.060	4P + 48S + 4P	5-1892820-4
YES	NO	-	-	-	.300	-	1.450	.275	2.060	4ACP	5-1892820-3
YES	NO	-	.2725	-	.115	-	1.330	.1575	1.940	2LP + 32S	5-1892820-2
YES	NO	-	.2725	-	.115	-	.930	.1575	1.540	2LP + 16S	5-1892820-1

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: INCHES

TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC ±-
1 PLC ±-
2 PLC ±0.01
3 PLC ±0.005
4 PLC ±0.0020
ANGLES ±2°

MATERIAL -
FINISH -

DWN C.ZHOU 14MAY2012
CHK S.ZHAO -
APVD - -
PRODUCT SPEC 108-2157
APPLICATION SPEC 114-13112
WEIGHT -

TE Connectivity

NAME SQUEEZE TO RELEASE CABLE RECEPTACLE ASSEMBLY W/ LATCHES AND KEY, MULTI-BEAM XLE

SIZE A1 | CAGE CODE 00779 | DRAWING NO C-1892820 | RESTRICTED TO -

CUSTOMER DRAWING | SCALE 1:1 | SHEET 4 OF 13 | REV J4

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
© COPYRIGHT 20 BY - ALL RIGHTS RESERVED.

LOC	DIST
ES	00

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-

PART NUMBER	ROWS		SIGNAL															
			16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1
1892820-1	D		E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E
	C		E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E
	B		E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E
	A		E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E
64S																		

PART NUMBER	ROWS		POWER	SIGNAL		POWER
			P2	2	1	P1
1892820-2	D		RM	E	E	RM
	C			E	E	
	B			E	E	
	A			E	E	
1P + 8S + 1P						

PART NUMBER	ROWS		POWER				
			P4	P3	P2	P1	
1892820-3	D		RM	RM	RM	RM	
	C						
	B						
	A						
4P							

PART NUMBER	ROWS		POWER		SIGNAL				POWER		
			P4	P3	4	3	2	1	P2	P1	
1892820-6	D		RM	RM	E	E	E	E	RM	RM	
	C				E	E	E	E			
	B				E	E	E	E			
	A				E	E	E	E			
2HDP + 16S + 2HDP											

REFERENCE WIRE CHART AND CONTACTS		
HOUSING MODULE	CONTACT	INSULATION DIAMETER RANGE
.300 POWER	8 - 10 REF 1600960	[.176 - .272]
.250 POWER	8 - 10 REF 1600960	[.176 - .203]
	12 - 14 REF 1600961	[.156 - .176]
.200 POWER	12 - 14 REF 1600961	[.120 - .156]
.100 SIGNAL	22 - 26 REF 531216-5	[.036 - .069]

PART NUMBER	ROWS		SIGNAL		POWER	
			3	2	1	P2	P1
1892820-5	D		E	E	E	RM	RM
	C		E	E	E		
	B		E	E	E		
	A		E	E	E		
2ACP + 12S							

PART NUMBER	ROWS		POWER	SIGNAL		POWER
			P2	2	1	P1
1892820-7	D		RM	E	E	RM
	C			E	E	
	B			E	E	
	A			E	E	
1P + 8S + 1P						

PART NUMBER	ROWS		POWER						SIGNAL		POWER						
			P12	P11	P10	P9	P8	P7	2	1	P6	P5	P4	P3	P2	P1	
1892820-9	D		LP	LP	LP	LP	LP	LP	E	E	LP	LP	LP	LP	LP	LP	
	C								E	E							
	B								E	E							
	A								E	E							
6LP + 8S + 6LP																	

PART NUMBER	ROWS		POWER		SIGNAL				POWER		
			P4	P3	4	3	2	1	P2	P1	
1-1892820-8	D		RM	RM	E	E	E	E	RM	RM	
	C				E	E	E	E			
	B				E	E	E	E			
	A				E	E	E	E			
2ACP + 16S + 2ACP											

PART NUMBER	ROWS		POWER		SIGNAL				
			P2	P1	4	3	2	1	
1-1892820-0	D		RA	RM	E	E	E	E	
	C				E	E	E	E	
	B				E	E	E	E	
	A				E	E	E	E	
16S + 2HDP									

LOW POWER CONTACT	LP
POWER CONTACT, STD	RM
POWER CONTACT, MFBL	RA
SIGNAL CONTACT	E
DESCRIPTION	CODE
CODES	

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: INCHES

TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC ±-
1 PLC ±-
2 PLC ±0.01
3 PLC ±0.005
4 PLC ±0.0020
ANGLES ±2°

MATERIAL -
FINISH -

DWN C ZHOU 14MAY2012
CHK S ZHAO -
APVD - -
PRODUCT SPEC 108-2157
APPLICATION SPEC 114-13112
WEIGHT -

TE Connectivity

NAME SQUEEZE TO RELEASE CABLE RECEPTACLE ASSEMBLY W/ LATCHES AND KEY, MULTI-BEAM XLE

SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A1	00779	C-1892820	-

CUSTOMER DRAWING | SCALE 1:1 | SHEET 5 OF 13 | REV J4

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
© COPYRIGHT 20 BY - ALL RIGHTS RESERVED.

LOC	DIST
ES	00

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-

PART NUMBER	ROWS	POWER		
		P3	P2	P1
1-1892820-2	D	RM	RM	RM
	C			
	B			
	A			
3ACP				

PART NUMBER	ROWS	POWER	
		P2	P1
1-1892820-3	D	RM	RA
	C		
	B		
	A		
2ACP			

PART NUMBER	ROWS	POWER																	
		P18	P17	P16	P15	P14	P13	P12	P11	P10	P9	P8	P7	P6	P5	P4	P3	P2	P1
1-1892820-4	D	LP	LP	LP	LP	LP	LP	LP	LP	LP	LP	LP	LP	LP	LP	LP	LP	LP	LP
	C																		
	B																		
	A																		
18LP																			

PART NUMBER	ROWS	POWER																							
		P20	P19	P18	P17	P16	P15	P14	P13	P12	P11	P10	P9	P8	P7	P6	P5	P4	P3	P2	P1				
1-1892820-6	D	LP	LP	LP	LP	LP	LP	LP	LP	LP	LP	LP	LP	LP	LP	LP	LP	LP	LP	LP	LP				
	C																								
	B																								
	A																								
20LP																									

PART NUMBER	ROWS	POWER																									
		P24	P23	P22	P21	P20	P19	P18	P17	P16	P15	P14	P13	P12	P11	P10	P9	P8	P7	P6	P5	P4	P3	P2	P1		
1-1892820-7	D	LP	LP	LP	LP	LP	LP	LP	LP	LP	LP	LP	LP	LP	LP	LP	LP	LP	LP	LP	LP	LP	LP	LP	LP		
	C																										
	B																										
	A																										
24LP																											

PART NUMBER	ROWS	POWER																		SIGNAL		POWER							
		P18	P17	P16	P15	P14	P13	P12	P11	P10										2	1	P9	P8	P7	P6	P5	P4	P3	P2	P1
1-1892820-8	D	RM	RM	RM	RM	RM	RM	RM	RM	RM										E	E	RM	RM	RM	RM	RM	RM	RM	RM	RM
	C																			E	E									
	B																			E	E									
	A																			E	E									
9P + 8S + 9P																														

PART NUMBER	ROWS	POWER																		SIGNAL		POWER							
		P18	P17	P16	P15	P14	P13	P12	P11	P10	P9									2	1	P8	P7	P6	P5	P4	P3	P2	P1	
1-1892820-9	D	RM	RM	RM	RM	RM	RM	RM	RM	RM	RM									E	E	RM	RM	RM	RM	RM	RM	RM	RM	
	C																			E	E									
	B																			E	E									
	A																			E	E									
8P + 8S + 10P																														

PART NUMBER	ROWS	POWER																											
		P18	P17	P16	P15	P14	P13	P12	P11	P10	P9	P8	P7	P6	P5	P4	P3	P2	P1										
2-1892820-0	D	RM	RM	RM	RM	RM	RM	RM	RM	RM	RM	RM	RM	RM	RM	RM	RM	RM	RM										
	C																												
	B																												
	A																												
18HDP																													

THIS DRAWING IS A CONTROLLED DOCUMENT.	DWN C.ZHOU 14MAY2012	TE Connectivity	
DIMENSIONS: INCHES	CHK S.ZHAO -	NAME SQUEEZE TO RELEASE CABLE RECEPTACLE ASSEMBLY W/ LATCHES AND KEY, MULTI-BEAM XLE	
TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ±- 1 PLC ±- 2 PLC ±0.01 3 PLC ±0.005 4 PLC ±0.0020 ANGLES ±2°	APVD -	PRODUCT SPEC 108-2157	
		APPLICATION SPEC 114-13112	
MATERIAL - -	FINISH - -	WEIGHT -	SIZE A1 / CAGE CODE 00779 / DRAWING NO C-1892820 / RESTRICTED TO -
		CUSTOMER DRAWING	SCALE 1:1 / SHEET 6 OF 13 / REV J4


THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
© COPYRIGHT 20 BY - ALL RIGHTS RESERVED.

LOC	DIST
ES	00

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-

PART NUMBER	ROWS		POWER		SIGNAL		LOWER POWER				SIGNAL		LOW POWER				SIGNAL		POWER	
			P4	P3	6	5	LP8	LP7	LP6	LP5	4	3	LP4	LP3	LP2	LP1	2	1	P2	P1
2-1892820-1	D		RM	RM	E	E	LP	LP	LP	LP	E	E	LP	LP	LP	LP	E	E	RM	RM
	C				E	E					E	E					E	E		
	B				E	E					E	E					E	E		
	A				E	E					E	E					E	E		
2P + 8S + 4LP + 8S + 4LP + 8S + 2P																				



PART NUMBER	ROWS		POWER						
			P7	P6	P5	P4	P3	P2	P1
2-1892820-2	D		RM	RM	RM		RM	RM	RM
	C								
	B								
	A								
7P									

NO CONTACT LOADED

PART NUMBER	ROWS		POWER	
			LP2	LP1
2-1892820-3	D		LP	LP
	C			
	B			
	A			
2LP				

PART NUMBER	ROWS		SIGNAL			
			4	3	2	1
2-1892820-4	D		E	E	E	E
	C		E	E	E	E
	B		E	E	E	E
	A		E	E	E	E
16S						

PART NUMBER	ROWS		SIGNAL				POWER	
			4	3	2	1	P2	P1
2-1892820-5	D		E	E	E	E	RM	RM
	C		E	E	E	E		
	B		E	E	E	E		
	A		E	E	E	E		
2ACP + 16S								

PART NUMBER	ROWS		POWER		
			P3	P2	P1
2-1892820-7	D		RM		RM
	C				
	B				
	A				
3ACP					

NO CONTACT LOADED

PART NUMBER	ROWS		POWER						
			P7	P6	P5	P4	P3	P2	P1
2-1892820-6	D		RM		RM		RM		RM
	C								
	B								
	A								
7ACP									

NO CONTACTS LOADED

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: INCHES

TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC ±-
1 PLC ±-
2 PLC ±0.01
3 PLC ±0.005
4 PLC ±0.0020
ANGLES ±2°

MATERIAL - -
FINISH - -

DWN C.ZHOU 14MAY2012
CHK S.ZHAO -
APVD - -
PRODUCT SPEC 108-2157
APPLICATION SPEC 114-13112
WEIGHT -

TE Connectivity

NAME SQUEEZE TO RELEASE CABLE RECEPTACLE ASSEMBLY W/ LATCHES AND KEY, MULTI-BEAM XLE

SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A1	00779	C-1892820	-

CUSTOMER DRAWING | SCALE 1:1 | SHEET 7 OF 13 | REV J4

4805 (3/11)

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
© COPYRIGHT 20 BY - ALL RIGHTS RESERVED.

LOC	DIST
ES	00

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-

PART NUMBER	ROWS		POWER				SIGNAL				POWER				
			P8	P7	P6	P5	4	3	2	1	P4	P3	P2	P1	
2-1892820-8	D		RM	RM	RM	RM	E	E	E	E	RM	RM	RM	RM	
	C						E	E	E	E					
	B						E	E	E	E					
	A						E	E	E	E					
4ACP + 16S + 4ACP															

PART NUMBER	ROWS		SIGNAL			POWER		
			3	2	1	LP2	LP1	
2-1892820-9	D		E	E	E	LP	LP	
	C		E	E	E			
	B		E	E	E			
	A		E	E	E			
2LP + 12S								

PART NUMBER	ROWS		POWER		SIGNAL				POWER		
			P4	P3	4	3	2	1	P2	P1	
3-1892820-0	D		RM	RM	-	-	-	-	RA	RA	
	C				-	-	-	-			
	B				-	-	-	-			
	A				-	-	-	-			
2ACP + 16S + 2ACP											

- NO CONTACTS LOADED

PART NUMBER	ROWS		POWER				SIGNAL				POWER				
			P8	P7	P6	P5	4	3	2	1	P4	P3	P2	P1	
3-1892820-1	D		RM	RM	RM	RM	-	-	-	-	RA	RA	RA	RA	
	C						-	-	-	-					
	B						-	-	-	-					
	A						-	-	-	-					
4ACP + 16S + 4ACP															

- NO CONTACTS LOADED

PART NUMBER	ROWS		POWER		SIGNAL		POWER	
			P3	P2	P1			
3-1892820-2	D		RM	RM	RM			
	C							
	B							
	A							
3P								

PART NUMBER	ROWS		SIGNAL				POWER				
			4	3	2	1	P4	P3	P2	P1	
3-1892820-8	D		E	E	E	E	RA	RA	RM	RM	
	C		E	E	E	E					
	B		E	E	E	E					
	A		E	E	E	E					
4ACP + 16S											

PART NUMBER	ROWS		POWER						
			P6	P5	P4	P3	P2	P1	
3-1892820-3	D		RM	RM	RM	RM	RM	RM	
	C								
	B								
	A								
6P									

PART NUMBER	ROWS		POWER				SIGNAL				POWER				
			P6	P5	P4	P3	6	5	4	3	2	1	P1		
3-1892820-6	D		RM	RM	RM	RM	E	E	E	E	E	E	RM		
	C						E	E	E	E	E	E			
	B						E	E	E	E	E	E			
	A						E	E	E	E	E	E			
1ACP + 24S + 1ACP															

PART NUMBER	ROWS		POWER				SIGNAL				POWER				
			P6	P5	P4	P3	5	4	3	2	1	P3	P2	P1	
3-1892820-5	D		RM	RM	RM	RM	E	E	E	E	E	RM	RM	RM	
	C						E	E	E	E	E				
	B						E	E	E	E	E				
	A						E	E	E	E	E				
3ACP + 20S + 3ACP															

PART NUMBER	ROWS		POWER		SIGNAL				POWER		
			P6	P5	P4	2	1	P3	P2	P1	
3-1892820-4	D		RM	RM	RM	-	-	RM	RM	RM	
	C					-	-				
	B					-	-				
	A					-	-				
3ACP + 8S + 3ACP											

- NO CONTACTS LOADED

PART NUMBER	ROWS		POWER		SIGNAL			
			P2	P1	3	2	1	
3-1892820-7	D		RM	RM	E	E	E	
	C				E	E	E	
	B				E	E	E	
	A				E	E	E	
12S + 2ACP								

PART NUMBER	ROWS		S	POWER			
			1	P3	P2	P1	
3-1892820-9	D		E	RM	RM	RM	
	C		E				
	B		E				
	A		E				
3ACP + 4S							

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: INCHES

TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC ±-
1 PLC ±-
2 PLC ±0.01
3 PLC ±0.005
4 PLC ±0.0020
ANGLES ±2°

MATERIAL - -
FINISH - -

DWN C ZHOU 14MAY2012
CHK S ZHAO -
APVD - -
PRODUCT SPEC 108-2157
APPLICATION SPEC 114-13112
WEIGHT -

TE Connectivity

NAME SQUEEZE TO RELEASE CABLE RECEPTACLE ASSEMBLY W/ LATCHES AND KEY, MULTI-BEAM XLE

SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A1	00779	C-1892820	-

CUSTOMER DRAWING | SCALE 1:1 | SHEET 8 OF 13 | REV J4

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
© COPYRIGHT 20 BY - ALL RIGHTS RESERVED.

LOC	DIST
ES	00

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-

PART NUMBER	ROWS		SIGNAL																			
			20	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1
4-1892820-0	D		E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E
	C		E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E
	B		E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E
	A		E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E
80S																						

PART NUMBER	ROWS		POWER	SIGNAL		POWER	
			P2	2	1	P1	
4-1892820-1	D		RM	E	E	RA	
	C			E	E		
	B			E	E		
	A			E	E		
1ACP + 8S + 1ACP							

PART NUMBER	ROWS		POWER	SIGNAL	POWER	
			P2	1	P1	
4-1892820-2	D		RM	E	RA	
	C			E		
	B			E		
	A			E		
1ACP + 4S + 1ACP						

PART NUMBER	ROWS		POWER			
			P3	P3	P2	P1
4-1892820-4	D		RM	RM	RA	RA
	C					
	B					
	A					
4ACP						

PART NUMBER	ROWS		SIGNAL																			
			25	24	23	22	21	20	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1
4-1892820-3	D		E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E
	C		E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E
	B		E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E
	A		E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E
100S																											

PART NUMBER	ROWS		POWER			
			P3	P2	P1	
4-1892820-7	D		RA	RA	RM	
	C					
	B					
	A					
3ACP						

PART NUMBER	ROWS		POWER	SIGNAL		POWER	
			P2	2	1	P1	
4-1892820-5	D		RM	E	E	RA	
	C			E	E		
	B			E	E		
	A			E	E		
1ACP + 8S + 1ACP							

PART NUMBER	ROWS		POWER				SIGNAL				POWER					
			P8	P7	P6	P5	12	11	10	9	8	7	6	5	4	3	2	1	P4	P3	P2	P1
5-1892820-4	D		RM	RM	RM	RM	E	E	E	E	E	E	E	E	E	E	E	E	RM	RM	RM	RM
	C						E	E	E	E	E	E	E	E	E	E	E	E				
	B						E	E	E	E	E	E	E	E	E	E	E	E				
	A						E	E	E	E	E	E	E	E	E	E	E	E				
4P + 48S + 4P																						

PART NUMBER	ROWS		POWER				SIGNAL								POWER			
			P4	P3	5	4	3	2	1	P2	P1							
4-1892820-8	D		RM	RM	E	E	E	E	E	RM	RM							
	C				E	E	E	E	E									
	B				E	E	E	E	E									
	A				E	E	E	E	E									
2ACP + 20S + 2ACP																		

PART NUMBER	ROWS		SIGNAL								POWER			
			8	7	6	5	4	3	2	1	LP2	LP1		
5-1892820-2	D		E	E	E	E	E	E	E	E	LP	LP		
	C		E	E	E	E	E	E	E	E				
	B		E	E	E	E	E	E	E	E				
	A		E	E	E	E	E	E	E	E				
2LP + 32S														

PART NUMBER	ROWS		POWER			
			P3	P3	P2	P1
5-1892820-3	D		RM	RM	RM	RM
	C					
	B					
	A					
4ACP						

PART NUMBER	ROWS		POWER	SIGNAL		POWER	
			P2	2	1	P1	
5-1892820-0	D		RM	E	E	RM	
	C			E	E		
	B			E	E		
	A			E	E		
1ACP + 8S + 1ACP							

PART NUMBER	ROWS		SIGNAL				POWER	
			4	3	2	1	LP2	LP1
5-1892820-1	D		E	E	E	E	LP	LP
	C		E	E	E	E		
	B		E	E	E	E		
	A		E	E	E	E		
2LP + 16S								

PART NUMBER	ROWS		POWER			
			P3	P2	P1	
4-1892820-9	D		RM	RM	RM	
	C					
	B					
	A					
3ACP						

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN C.ZHOU 14MAY2012	TE Connectivity
DIMENSIONS: INCHES	TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ±- 1 PLC ±- 2 PLC ±0.01 3 PLC ±0.005 4 PLC ±0.0020 ANGLES ±2°	CHK S.ZHAO APVD - PRODUCT SPEC 108-2157 APPLICATION SPEC 114-13112 WEIGHT -	NAME SQUEEZE TO RELEASE CABLE RECEPTACLE ASSEMBLY W/ LATCHES AND KEY, MULTI-BEAM XLE
MATERIAL - -	FINISH - -		SIZE A1 CAGE CODE 00779 DRAWING NO C-1892820 RESTRICTED TO -
CUSTOMER DRAWING		SCALE 1:1	SHEET 9 OF 13 REV J4

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
© COPYRIGHT 20 BY - ALL RIGHTS RESERVED.

LOC	DIST
ES	00

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-

PART NUMBER	ROWS		POWER		SIGNAL					POWER		
			P4	P3	5	4	3	2	1	P2	P1	
5-1892820-5	D		RM	RM	E	E	E	E	E	RM	RM	
	C				E	E	E	E	E			
	B				E	E	E	E	E			
	A				E	E	E	E	E			
2HDP + 20S + 2HDP												

PART NUMBER	ROWS		POWER		SIGNAL			POWER		
			P4	P3	3	2	1	P2	P1	
6-1892820-0	D		RM	RM	E	E	E	RM	RM	
	C				E	E	E			
	B				E	E	E			
	A				E	E	E			
2ACP + 12S + 2ACP										

PART NUMBER	ROWS		POWER					
			P5	P4	P3	P2	P1	
5-1892820-6	D		RM	RM	RM	RM	RM	
	C							
	B							
	A							
5ACP								

PART NUMBER	ROWS		POWER											
			LP12	LP11	LP10	LP9	LP8	LP7	LP6	LP5	LP4	LP3	LP2	LP1
6-1892820-1	D		LP	LP	LP	LP	LP	LP	LP	LP	LP	LP	LP	LP
	C													
	B													
	A													
12LP														

PART NUMBER	ROWS		POWER					
			P6	P5	P4	P3	P2	P1
5-1892820-7	D		RM	RM	RM	RM	RM	RM
	C							
	B							
	A							
6ACP								

PART NUMBER	ROWS		POWER				
			P4	P3	P2	P1	
6-1892820-2	D		RM	RM	RM	RM	
	C						
	B						
	A						
4P							

| PART NUMBER | ROWS | | POWER | | | | | | | | | | | | | |

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
© COPYRIGHT 20 BY - ALL RIGHTS RESERVED.

LOC	DIST
ES	00

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-

PART NUMBER	ROWS		POWER		
			P3	P2	P1
6-1892820-7	D		RM	RA	RM
	C				
	B				
	A				
3ACP					

PART NUMBER	ROWS		POWER			SIGNAL		POWER		
			P6	P5	P4	2	1	P3	P2	P1
7-1892820-6	D		RM	RM	RM	E	E	RM	RM	RM
	C					E	E			
	B					E	E			
	A					E	E			
3ACP + 8S + 3ACP										

PART NUMBER	ROWS		POWER							
			P8	P7	P6	P5	P4	P3	P2	P1
6-1892820-8	D		RA	RA	RA	RA	RM	RM	RM	RM
	C									
	B									
	A									
8P										

PART NUMBER	ROWS		LOW POWER		SIGNAL										LOW POWER	
			LP4	LP3	12	11	10	9	8	7	6	5	4	3	2	1	LP2	LP1
7-1892820-7	D		LP	LP	E	E	E	E	E	E	E	E	E	E	E	E	LP	LP
	C				E	E	E	E	E	E	E	E	E	E	E	E		
	B				E	E	E	E	E	E	E	E	E	E	E	E		
	A				E	E	E	E	E	E	E	E	E	E	E	E		
2LP + 48S + 2LP																		

PART NUMBER	ROWS		SIGNAL					POWER							
			5	4	3	2	1	P8	P7	P6	P5	P4	P3	P2	P1
7-1892820-0	D		E	E	E	E	E	RM	RM	RM	RM	RM	RM	RM	RM
	C		E	E	E	E	E								
	B		E	E	E	E	E								
	A		E	E	E	E	E								
8ACP + 20S															

PART NUMBER	ROWS		SIGNAL													
			14	13	12	11	10	9	8	7	6	5	4	3	2	1
7-1892820-8	D		E	E	E	E	E	E	E	E	E	E	E	E	E	E
	C		E	E	E	E	E	E	E	E	E	E	E	E	E	E
	B		E	E	E	E	E	E	E	E	E	E	E	E	E	E
	A		E	E	E	E	E	E	E	E	E	E	E	E	E	E
56S																

PART NUMBER	ROWS		POWER						SIGNAL	
			P6	P5	P4	P3	P2	P1		
7-1892820-1	D		RM	RM	RM	RM	RM	RM		
	C									
	B									
	A									
6ACP										

PART NUMBER	ROWS		POWER				SIGNAL					POWER				
			P8	P7	P6	P5	5	4	3	2	1	P4	P3	P2	P1	
7-1892820-9	D		RM	RM	RM	RM	E	E	E	E	E	RM	RM	RM	RM	
	C						E	E	E	E	E					
	B						E	E	E	E	E					
	A						E	E	E	E	E					
4ACP + 20S + 4ACP																

PART NUMBER	ROWS		POWER	SIGNAL						
			P2	5	4	3	2	1	P1	
7-1892820-3	D		RA	E	E	E	E	E	RM	
	C			E	E	E	E	E		
	B			E	E	E	E	E		
	A			E	E	E	E	E		
1ACP + 20S + 1ACP										

PART NUMBER	ROWS		POWER	SIGNAL						
			P2	5	4	3	2	1	P1	
7-1892820-4	D		RM	E	E	E	E	E	RM	
	C			E	E	E	E	E		
	B			E	E	E	E	E		
	A			E	E	E	E	E		
1ACP + 20S + 1ACP										

PART NUMBER	ROWS		POWER				SIGNAL	
			P4	P3	P2	P1	2	1
7-1892820-5	D		RM	RM	RA	RA	E	E
	C						E	E
	B						E	E
	A						E	E
8S + 4ACP								

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: INCHES

TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC ±-
1 PLC ±-
2 PLC ±0.01
3 PLC ±0.005
4 PLC ±0.0020
ANGLES ±2°

MATERIAL - -
FINISH - -

DWN C.ZHOU 14MAY2012
CHK S.ZHAO -
APVD - -
PRODUCT SPEC 108-2157
APPLICATION SPEC 114-13112
WEIGHT -

TE Connectivity

NAME SQUEEZE TO RELEASE CABLE RECEPTACLE ASSEMBLY W/ LATCHES AND KEY, MULTI-BEAM XLE

SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A1	00779	C-1892820	-

CUSTOMER DRAWING | SCALE 1:1 | SHEET 11 OF 13 | REV J4


THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
© COPYRIGHT 20 BY - ALL RIGHTS RESERVED.

LOC	DIST
ES	00

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-

PART NUMBER	ROWS		POWER												
			P1	LP12	LP11	LP10	LP9	LP8	LP7	LP6	LP5	LP4	LP3	LP2	LP1
8-1892820-0	D		RA	LP	LP	LP	LP	LP	LP	LP	LP	LP	LP	LP	LP
	C														
	B														
	A														
12LP + 1P															




PART NUMBER	ROWS		POWER								
			P8	P7	P6	P5	P4	P3	P2	P1	
8-1892820-1	D		RM	RM	RM	RM	RM	RM	RM	RM	
	C										
	B										
	A										
8P											

PART NUMBER	ROWS		POWER	SIGNAL		POWER	
			P2	2	1	P1	
8-1892820-3	D		RM	E	E	RM	
	C			E	E		
	B			E	E		
	A			E	E		
1P + 8S + 1P							

PART NUMBER	ROWS		LOW POWER				SIGNAL												LOW POWER						
			LP10	LP9	LP8	LP7	13	12	11	10	9	8	7	6	5	4	3	2	1	LP6	LP5	LP4	LP3	LP2	LP1	
8-1892820-4	D		LP	LP	LP	LP	E	E	E	E	E	E	E	E	E	E	E	E	E	LP	LP	LP	LP	LP	LP	
	C						E	E	E	E	E	E	E	E	E	E	E	E	E							
	B						E	E	E	E	E	E	E	E	E	E	E	E	E							
	A						E	E	E	E	E	E	E	E	E	E	E	E	E							
6LP + 52S + 4LP																									

PART NUMBER	ROWS		SIGNAL		POWER						
			2	1	P8	P7	P6	P5	P4	P3	P2	P1
8-1892820-2	D		E	E	RM	RM	RM	RM	RM	RM	RM	RM
	C		E	E								
	B		E	E								
	A		E	E								
8P + 8S												



PART NUMBER	ROWS		POWER			SIGNAL			POWER			
			P6	P5	P4	3	2	1	P3	P2	P1	
8-1892820-6	D		RM	RM	RM	E	E	E	RM	RM	RM	
	C					E	E	E				
	B					E	E	E				
	A					E	E	E				
3ACP + 12S + 3ACP												

PART NUMBER	ROWS		POWER	SIGNAL			POWER	
			P2	3	2	1	P1	
8-1892820-7	D		RM	E	E	E	RM	
	C			E	E	E		
	B			E	E	E		
	A			E	E	E		
1HDP+12S+1HDP								

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: INCHES

TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC ±-
1 PLC ±-
2 PLC ±0.01
3 PLC ±0.005
4 PLC ±0.0020
ANGLES ±2°

MATERIAL - -

FINISH - -

DWN C ZHOU 14MAY2012
CHK S ZHAO -
APVD - -
PRODUCT SPEC 108-2157
APPLICATION SPEC 114-13112
WEIGHT -

TE Connectivity

NAME SQUEEZE TO RELEASE CABLE RECEPTACLE ASSEMBLY W/ LATCHES AND KEY, MULTI-BEAM XLE

SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A1	00779	C-1892820	-

CUSTOMER DRAWING | SCALE 1:1 | SHEET 12 OF 13 | REV J4

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
© COPYRIGHT 20 BY - ALL RIGHTS RESERVED.

LOC	DIST
ES	00

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-

PART NUMBER	ROWS		POWER		S	POWER		
			P4	P3	1	P2	P1	
8-1892820-8	D		RM	RM	E	RM	RM	
	C				E			
	B				E			
	A				E			
2ACP + 4S + 2ACP								

PART NUMBER	ROWS		POWER			S	POWER	
			P4	P3	P2	1	P1	
8-1892820-9	D		RM	RM	RM	E	RM	
	C					E		
	B					E		
	A					E		
1ACP + 4S + 3ACP								

PART NUMBER	ROWS		POWER		SIG		POWER		
			P4	P3	2	1	P2	P1	
9-1892820-0	D		RM	RM	E	E	RM	RM	
	C				E	E			
	B				E	E			
	A				E	E			
2ACP + 8S + 2ACP									


PART NUMBER	ROWS		POWER		S	POWER		
			P4	P3	1	P2	P1	
9-1892820-1	D		RM	RM	E	RM	RM	
	C				E			
	B				E			
	A				E			
2ACP + 4S + 2ACP								


PART NUMBER	ROWS		POWER	SIGNAL				POWER	
			P2	4	3	2	1	P1	
9-1892820-4	D		RM	E	E	E	E	RM	
	C			E	E	E	E		
	B			E	E	E	E		
	A			E	E	E	E		
1P+16S+1P									

PART NUMBER	ROWS		POWER		S	POWER		
			P4	P3	1	P2	P1	
9-1892820-5	D		RM	RM	E	RM	RM	
	C				-			
	B				-			
	A				E			
2ACP + 4S + 2ACP								

PART NUMBER	ROWS		POWER				SIGNAL										POWER				
			P8	P7	P6	P5	10	9	8	7	6	5	4	3	2	1	P4	P3	P2	P1	
9-1892820-6	D		RM	RM	RM	RM	E	E	E	E	E	E	E	E	E	E	RM	RM	RM	RM	
	C						E	E	E	E	E	E	E	E	E	E					
	B						E	E	E	E	E	E	E	E	E	E					
	A						E	E	E	E	E	E	E	E	E	E					
4ACP + 36S + 4ACP																					

PART NUMBER	ROWS		POWER				POWER	
			P4	P3	P2	1	P1	
9-1892820-3	D		RM	RM	RM	RM	RM	
	C							
	B							
	A							
4P								





THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN C.ZHOU 14MAY2012	TE Connectivity
DIMENSIONS: INCHES	TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± 1 PLC ±. 2 PLC ±0.01 3 PLC ±0.005 4 PLC ±0.0020 ANGLES ±2°	CHK S.ZHAO APVD - PRODUCT SPEC 108-2157 APPLICATION SPEC 114-13112 WEIGHT -	NAME SQUEEZE TO RELEASE CABLE RECEPTACLE ASSEMBLY W/ LATCHES AND KEY, MULTI-BEAM XLE
MATERIAL - -	FINISH - -		SIZE A1 CAGE CODE 00779 DRAWING NO C-1892820 RESTRICTED TO -
CUSTOMER DRAWING		SCALE 1:1 SHEET 13 OF 13	REV J4