# Data sheet

## 2075.0 STB 8,5/2,3



Socket plug, M 2.5, Colour: natural

### Business data

| | |
|---|---|
| Article number | 2075.0 |
| Article name | STB 8,5/2,3 |
| GTIN (EAN) | 4044211048839 |
| Colour | Natural |
| Packaging unit | 50 |
| Quantity unit | PC |
| Weight per piece (not including packaging) | 0.7 g |
| Weight per piece (including packaging) | 0.71 g |
| Unit of weight | G |
| Customs number | 85389099 |
| Country of origin | DE |
| Product description | Socket plug |

# Data sheet

## 2075.0 STB 8,5/2,3

## Technical data

### Dimensions

| | |
|---|---|
| Length | 11.5 mm |
| Length of head | 8.5 mm |
| Outer diameter | 4 mm |
| Inner diameter | 2.3 mm |

### Connection data

| | |
|---|---|
| Screw head | Slotted |
| Screw threading | M 2,5 |
| Tightening torque, min. | 0.4 Nm |
| Tightening torque, max. | 0.8 Nm |

### Materials

| | |
|---|---|
| Material | Brass |
| Surface | Nickel |

### Further technical data

| | |
|---|---|
| Mounting type | Screwable |

### Environmental Product Compliance

| | |
|---|---|
| REACH Conform | yes |
| REACH Reference date | 2022-06-10 |
| REACH Candidate Substance Note | No |
| RoHS Conform | yes |


# Data sheet
## 2075.0 STB 8,5/2,3

### Media




## Accessories

### ##INVERSE##CONTA-CONNECT




Double-level terminal with electronic components, Screw connection, Mounting type:Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 4 mm², Width: 6 mm, Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|---|---|---|---|
| 1045.2 | RKD 4/G/115V AC BG | 4044211009458 | 100 ST |




Double-level terminal with electronic components, Screw connection, Mounting type:Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 4 mm², Width: 6 mm, Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|---|---|---|---|
| 1046.2 | RKD 4/D1 BG | 4044211009663 | 100 |




Double-level terminal with electronic components, Screw connection, Mounting type:Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 4 mm², Width: 6 mm, Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|---|---|---|---|
| 1047.2 | RKD 4/D2 BG | 4044211009885 | 100 |



Double-level terminal with electronic components, Screw connection, Mounting type:Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 4 mm², Width: 12 mm, Colour: Beige


| Article number | Article name | GTIN (EAN) | Packaging unit |
|---|---|---|---|
| 1048.2 | RKD 4/UG/600V/5kA BG | 4044211010102 | 50 ST |



Double-level terminal with electronic components, Screw connection, Mounting type:Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 4 mm², Width: 6 mm, Colour: Beige


| Article number | Article name | GTIN (EAN) | Packaging unit |
|---|---|---|---|
| 2310.2 | RKD 4/LED1(RD)/6V DC BG | 4044211050979 | 100 ST |

### ##INVERSE##CONTA-CONNECT




Double-level terminal with electronic components, Screw connection, Mounting type:Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 4 mm², Width: 6 mm, Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|---|---|---|---|
| 2311.2 | RKD 4/LED2(RD)/6V DC BG | 4044211050986 | 100 ST |




Double-level terminal with electronic components, Screw connection, Mounting type:Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 4 mm², Width: 6 mm, Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|---|---|---|---|
| 2312.2 | RKD 4/LED1(GN)/24V DC BG | 4044211050993 | 100 ST |




Double-level terminal with electronic components, Screw connection, Mounting type:Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 4 mm², Width: 6 mm, Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|---|---|---|---|
| 2313.2 | RKD 4/LED2(GN)/24V DC BG | 4044211051006 | 100 ST |




Double-level terminal with electronic components, Screw connection, Mounting type:Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 4 mm², Width: 12 mm, Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|---|---|---|---|
| 1024.2 | RKD 4/UV/60V BG | 4044211005443 | 50 ST |



Double-level terminal with electronic components, Screw connection, Mounting type:Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 4 mm², Width: 12 mm, Colour: Beige


| Article number | Article name | GTIN (EAN) | Packaging unit |
|---|---|---|---|
| 1029.2 | RKD 4/UV/75V BG | 4044211006501 | 50 ST |



Double-level terminal with electronic components, Screw connection, Mounting type:Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 4 mm², Width: 12 mm, Colour: Beige


| Article number | Article name | GTIN (EAN) | Packaging unit |
|---|---|---|---|
| 1031.2 | RKD 4/UV/130V BG | 4044211006891 | 50 ST |

### ##INVERSE##CONTA-CONNECT




Double-level terminal with electronic components, Screw connection, Mounting type:Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 4 mm², Width: 12 mm, Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|---|---|---|---|
| 1033.2 | RKD 4/UG/90V/5kA BG | 4044211007300 | 50 ST |




Double-level terminal with electronic components, Screw connection, Mounting type:Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 4 mm², Width: 12 mm, Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|---|---|---|---|
| 1034.2 | RKD 4/UG/230V/5kA BG | 4044211007515 | 50 ST |




Double-level terminal with electronic components, Screw connection, Mounting type:Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 4 mm², Width: 6 mm, Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|---|---|---|---|
| 1040.2 | RKD 4/LED1(RD)/24V DC BG | 4044211008406 | 100 ST |




Double-level terminal with electronic components, Screw connection, Mounting type:Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 4 mm², Width: 6 mm, Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|---|---|---|---|
| 1041.2 | RKD 4/LED2(RD)/24V DC BG | 4044211008611 | 100 ST |



Double-level terminal with electronic components, Screw connection, Mounting type:Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 4 mm², Width: 6 mm, Colour: Beige


| Article number | Article name | GTIN (EAN) | Packaging unit |
|---|---|---|---|
| 1042.2 | RKD 4/LED5(RD)/24V AC BG | 4044211008826 | 100 ST |



Double-level terminal with electronic components, Screw connection, Mounting type:Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 4 mm², Width: 6 mm, Colour: Beige


| Article number | Article name | GTIN (EAN) | Packaging unit |
|---|---|---|---|
| 1043.2 | RKD 4/LED5(RD)/48V AC BG | 4044211009038 | 100 ST |

### ##INVERSE##CONTA-CONNECT




Double-level terminal with electronic components, Screw connection, Mounting type:Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 4 mm², Width: 6 mm, Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|---|---|---|---|
| 1044.2 | RKD 4/G/230V AC BG | 4044211009243 | 100 ST |




Double-level terminal with electronic components, Screw connection, Mounting type:Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 4 mm², Width: 12 mm, Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|---|---|---|---|
| 1023.2 | RKD 4/UV/30V BG | 4044211005238 | 50 ST |




Double-level terminal with electronic components, Screw connection, Mounting type:Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 4 mm², Width: 6 mm, Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|---|---|---|---|
| 2322.2 | RKD 4/D3 BG | 4044211051082 | 100 ST |




Double-level terminal with electronic components, Screw connection, Mounting type:Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 4 mm², Width: 6 mm, Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|---|---|---|---|
| 2323.2 | RKD 4/D4 BG | 4044211051099 | 100 ST |



Double-level terminal with electronic components, Screw connection, Mounting type:Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 4 mm², Width: 6 mm, Colour: Beige


| Article number | Article name | GTIN (EAN) | Packaging unit |
|---|---|---|---|
| 2324.2 | RKD 4/RD1 BG | 4044211051105 | 100 ST |



Double-level terminal with electronic components, Screw connection, Mounting type:Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 4 mm², Width: 12 mm, Colour: Beige


| Article number | Article name | GTIN (EAN) | Packaging unit |
|---|---|---|---|
| 1051.2 | RKD 4/UV/275V BG | 4044211010782 | 50 ST |

### ##INVERSE##CONTA-CONNECT




Double-level terminal with electronic components, Screw connection, Mounting type:Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 4 mm², Width: 6 mm, Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|---|---|---|---|
| 2314.2 | RKD 4/LED1(RD)/60V DC BG | 4044211051013 | 100 ST |




Double-level terminal with electronic components, Screw connection, Mounting type:Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 4 mm², Width: 6 mm, Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|---|---|---|---|
| 2315.2 | RKD 4/LED2(RD)/60V DC BG | 4044211051020 | 100 ST |




Double-level terminal with electronic components, Screw connection, Mounting type:Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 4 mm², Width: 6 mm, Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|---|---|---|---|
| 2316.2 | RKD 4/LED5(RD)/150V AC BG | 4044211051037 | 100 ST |




Double-level terminal with electronic components, Screw connection, Mounting type:Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 4 mm², Width: 6 mm, Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|---|---|---|---|
| 2317.2 | RKD 4/LED5(RD)/60V AC BG | 4044211146740 | 100 ST |



Double-level terminal with electronic components, Screw connection, Mounting type:Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 4 mm², Width: 6 mm, Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|---|---|---|---|
| 2319.2 | RKD 4/D0 BG | 4044211051051 | 100 ST |




Double-level terminal with electronic components, Screw connection, Mounting type:Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 4 mm², Width: 6 mm, Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|---|---|---|---|
| 2320.2 | RKD 4/D6 BG | 4044211051068 | 100 ST |

# Data sheet

## 2075.0 STB 8,5/2,3

### ##INVERSE##CONTA-CONNECT



Double-level terminal with electronic components, Screw connection, Mounting type:Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 4 mm², Width: 6 mm, Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|---|---|---|---|
| 2321.2 | RKD 4/D5 BG | 4044211051075 | 100 ST |



Adapter plug, Colour: Red


| Article number | Article name | GTIN (EAN) | Packaging unit |
|---|---|---|---|
| 2052.0 | ZS 2,3/4 | 4044211048587 | 20 ST |



Test plug, Colour: Red

| Article number | Article name | GTIN (EAN) | Packaging unit |
|---|---|---|---|
| 2007.0 | PS 2,3 | 4044211048105 | 20 ST |

### ##INVERSE##CONTA-CONNECT



Double-level terminal with electronic components, Screw connection, Mounting type:Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 4 mm², Width: 6 mm, Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|---|---|---|---|
| 1041.2 | RKD 4/LED2(RD)/24V DC BG | 4044211008611 | 100 ST |