

Data sheet

2266.0 Q 10



Cross-connector, No. of poles: 10, Mounting type: Can be screwed on, Width: 115.3 mm, Rated cross-section: 16 mm², Colour: natural

Business data

Article number	2266.0
Article name	Q 10
GTIN (EAN)	4044211050757
Colour	Natural
Packaging unit	10
Quantity unit	PC
Weight per piece (not including packaging)	25.4 g
Weight per piece (including packaging)	25.41 g
Unit of weight	G
Customs number	85389099
Country of origin	CZ
Product description	Cross-connector

Data sheet

2266.0 Q 10

Technical data

Dimensions

Length	6 mm
Width	115.3 mm
Hole diameter	3.4 mm
Hole spacing (mid-point to mid-point)	11.9 mm
Pitch size	12 mm

Ratings

Voltage with partition, max.	800 V
Voltage without partition, max.	400 V
Rated current	47 A
Rated cross-section	16 mm ²
Contamination degree	3

Connection data

No. of poles	10
Screw head	Slotted
Screw threading	M 3
Tightening torque, min.	0.5 Nm
Tightening torque, max.	1 Nm

Materials

Material	Brass
Surface	Nickel
Surface screw	Galvanized

Further technical data

Mounting type	Screwable
Number of bridged terminals	10

Technical data

Environmental Product Compliance

REACH Conform	No
REACH Reference date	2022-06-10
REACH Candidate Substance Note	No
REACH CAS 1 Substance	LEAD
REACH CAS 1 Percent minimal	0.1 %
REACH CAS 1 Percent maximum	4 %
REACH CAS 1 Number	7439-92-1
RoHS Conform	yes
RoHS Exception rule	6c

Media



Accessories

Screwdriver

Screwdriver with bare blade, Colour: Black-grey



Article number	Article name	GTIN (EAN)	Packaging unit
<u>1086.0</u>	SDB 0,6x3,5	4044211014797	1 ST

##INVERSE##CONTA-CONNECT



Feed-through terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 16 mm², Width: 12 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
<u>1531.2</u>	RK 16/35/N/IS BG	4044211047085	50



Feed-through terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 16 mm², Width: 12 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
<u>1532.2</u>	RK 16/35/N/Z/IS BG	4044211047122	50



Feed-through terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 16 mm², Width: 12 mm, Colour: Black

Article number	Article name	GTIN (EAN)	Packaging unit
<u>2747.4</u>	RK 16/35/N PA-G BK	4044211130312	50 ST



Feed-through terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 16 mm², Width: 12 mm, Colour: Black-yellow

Article number	Article name	GTIN (EAN)	Packaging unit
<u>2705.2</u>	RK 16/35 N/PE/IS BKYE	4044211172213	50 ST



Ex feed-through terminal ATEX-certified, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 16 mm², Width: 11.9 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
<u>1409.2</u>	RK 16/35 N Ex BG	4044211107871	50

##INVERSE##CONTA-CONNECT



Feed-through terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 16 mm², Width: 12 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
<u>1511.2</u>	RK 16/35/N BG	4044211046118	50



Feed-through terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 16 mm², Width: 12 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
<u>1513.2</u>	RK 16/35/N/Z BG	4044211046163	50



Feed-through terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 16 mm², Width: 12 mm, Colour: Black-yellow

Article number	Article name	GTIN (EAN)	Packaging unit
<u>1565.2</u>	RK 16/35 N/PE BKYE	4044211047368	50 ST