
# Data sheet

## 2277.0 EP 150



Inlay plate, Colour: natural

### Business data

| | |
|---|---|
| Article number | 2277.0 |
| Article name | EP 150 |
| GTIN (EAN) | 4044211050849 |
| Colour | Natural |
| Packaging unit | 10 |
| Quantity unit | PC |
| Weight per piece (not including packaging) | 14 g |
| Weight per piece (including packaging) | 14.01 g |
| Unit of weight | G |
| Customs number | 74198090 |
| Country of origin | DE |
| Product description | Inlay plate |

# Data sheet
## 2277.0 EP 150

## Technical data

### Dimensions

| | |
|---|---|
| Length | 20 mm |
| Width | 25 mm |
| Height | 6 mm |

### Materials

| | |
|---|---|
| Material | Steel |
| Surface | Galvanized |

### Environmental Product Compliance

| | |
|---|---|
| REACH Conform | yes |
| REACH Reference date | 2022-06-10 |
| REACH Candidate Substance Note | No |
| RoHS Conform | yes |

# Data sheet
## 2277.0 EP 150

### Media

# Data sheet
## 2277.0 EP 150

## Accessories

### ##INVERSE##CONTA-CONNECT



Feed-through terminal to mounting surface, Screw connection, Mounting type: Mounting surface, Rated cross-section: 150 mm², Width: 31 mm, Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|---|---|---|---|
| 1584.2 | RK 150-D BG | 4044211047740 | 5 |



Ex feed-through terminal ATEX-certified, Screw connection, Mounting type:Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 150 mm², Width: 31 mm, Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|---|---|---|---|
| 1477.2 | RK 150 Ex BG | 4044211107864 | 5 |



Feed-through terminal, Screw connection, Mounting type:Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 150 mm², Width: 31 mm, Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|---|---|---|---|
| 1124.2 | RK 150 BG | 4044211019198 | 5 |