


# Data sheet

## 2829.2 AP 2,5/S BG



End plate, Width: 1.5 mm, Colour: Beige

### Business data

|                                            |               |
|--------------------------------------------|---------------|
| Article number                             | 2829.2        |
| Article name                               | AP 2,5/S BG   |
| GTIN (EAN)                                 | 4044211055554 |
| Colour                                     | Beige         |
| Packaging unit                             | 20            |
| Quantity unit                              | PC            |
| Weight per piece (not including packaging) | 5.15 g        |
| Weight per piece (including packaging)     | 5.17 g        |
| Unit of weight                             | G             |
| Customs number                             | 85389099      |
| Country of origin                          | DE            |
| Product description                        | End plate     |

# Data sheet

## 2829.2 AP 2,5/S BG

### Technical data

#### Dimensions

|                |         |
|----------------|---------|
| Length         | 90.3 mm |
| Width          | 1.5 mm  |
| Min. thickness | 1.5 mm  |
| Height         | 52.3 mm |

#### Materials

|                           |               |
|---------------------------|---------------|
| Material                  | Polyamide 6.6 |
| Flammability class UL 94  | V-2           |
| Working temperature, min. | -40 °C        |
| Working temperature, max. | 105 °C        |

#### Further technical data

|                       |   |
|-----------------------|---|
| Designed as end plate | ✓ |
| Snap-on available     | ✓ |

#### Environmental Product Compliance

|                                |            |
|--------------------------------|------------|
| REACH Conform                  | yes        |
| REACH Reference date           | 2022-06-10 |
| REACH Candidate Substance Note | No         |
| RoHS Conform                   | yes        |

---

### Media

---

### Accessories

#### ##INVERSE##CONTA-CONNECT



Three-wire installation terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm<sup>2</sup>, Width: 6 mm, Colour: Beige

| Article number | Article name       | GTIN (EAN)    | Packaging unit |
|----------------|--------------------|---------------|----------------|
| <u>1412.2</u>  | DLIS 2,5 PE/L/L BG | 4044211044572 | 50 ST          |



Three-wire installation terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm<sup>2</sup>, Width: 18 mm, Colour: Beige

| Article number | Article name          | GTIN (EAN)    | Packaging unit |
|----------------|-----------------------|---------------|----------------|
| <u>2716.2</u>  | DLIS 2,5 B-3L/N/PE BG | 4044211129903 | 25 ST          |



Three-wire installation terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm<sup>2</sup>, Width: 6 mm, Colour: Beige

| Article number | Article name       | GTIN (EAN)    | Packaging unit |
|----------------|--------------------|---------------|----------------|
| <u>1411.2</u>  | DLIS 2,5 PE/L/N BG | 4044211044565 | 50 ST          |




Three-wire installation terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm<sup>2</sup>, Width: 6 mm, Colour: Beige

| Article number | Article name  | GTIN (EAN)    | Packaging unit |
|----------------|---------------|---------------|----------------|
| <u>1415.2</u>  | DLIS 2,5 N BG | 4044211044602 | 50 ST          |



Three-wire installation terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm<sup>2</sup>, Width: 6 mm, Colour: Beige

| Article number | Article name  | GTIN (EAN)    | Packaging unit |
|----------------|---------------|---------------|----------------|
| <u>1416.2</u>  | DLIS 2,5 L BG | 4044211044619 | 50 ST          |




Three-wire installation terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm<sup>2</sup>, Width: 18 mm, Colour: Beige

| Article number | Article name    | GTIN (EAN)    | Packaging unit |
|----------------|-----------------|---------------|----------------|
| <u>1446.2</u>  | DLIS 2,5 B-W BG | 4044211044954 | 16 ST          |

# Data sheet


## 2829.2 AP 2,5/S BG

### ##INVERSE##CONTA-CONNECT




Three-wire installation terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm<sup>2</sup>, Width: 12 mm, Colour: Beige

| Article number | Article name    | GTIN (EAN)    | Packaging unit |
|----------------|-----------------|---------------|----------------|
| <u>1447.2</u>  | DLIS 2,5 B-D BG | 4044211044961 | 25 ST          |




Three-wire installation terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm<sup>2</sup>, Width: 18 mm, Colour: Beige

| Article number | Article name            | GTIN (EAN)    | Packaging unit |
|----------------|-------------------------|---------------|----------------|
| <u>2715.2</u>  | DLIS 2,5 B-3L/3N/3PE BG | 4044211129897 | 16 ST          |



Three-wire installation terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm<sup>2</sup>, Width: 18 mm, Colour: Beige

| Article number | Article name         | GTIN (EAN)    | Packaging unit |
|----------------|----------------------|---------------|----------------|
| <u>2718.2</u>  | DLIS 2,5 B-6L/3PE BG | 4044211129927 | 16 ST          |




Three-wire installation terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm<sup>2</sup>, Width: 6 mm, Colour: Beige

| Article number | Article name        | GTIN (EAN)    | Packaging unit |
|----------------|---------------------|---------------|----------------|
| <u>1410.2</u>  | DLIS 2,5 PE/L/NT BG | 4044211044558 | 50 ST          |



Three-wire installation terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm<sup>2</sup>, Width: 6 mm, Colour: Beige

| Article number | Article name    | GTIN (EAN)    | Packaging unit |
|----------------|-----------------|---------------|----------------|
| <u>1413.2</u>  | DLIS 2,5 L/N BG | 4044211044589 | 50 ST          |



Three-wire installation terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm<sup>2</sup>, Width: 6 mm, Colour: Beige

| Article number | Article name    | GTIN (EAN)    | Packaging unit |
|----------------|-----------------|---------------|----------------|
| <u>1414.2</u>  | DLIS 2,5 L/L BG | 4044211044596 | 50 ST          |

# Data sheet

## 2829.2 AP 2,5/S BG

### ##INVERSE##CONTA-CONNECT



Three-wire installation terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm<sup>2</sup>, Width: 18 mm, Colour: Beige

| Article number | Article name     | GTIN (EAN)    | Packaging unit |
|----------------|------------------|---------------|----------------|
| <u>2717.2</u>  | DLIS 2,5 B-6L BG | 4044211129910 | 16 ST          |

### ##INVERSE##CONTA-CONNECT



Three-wire installation terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm<sup>2</sup>, Width: 6 mm, Colour: Beige

| Article number | Article name  | GTIN (EAN)    | Packaging unit |
|----------------|---------------|---------------|----------------|
| <u>1416.2</u>  | DLIS 2,5 L BG | 4044211044619 | 50 ST          |