




Labelling card, Pitch: 7.5 mm, Colour: White, Print: Sequential 11-20, Direction of print: horizontal

**RAL:** 9010

### Business data

|                                            |                      |
|--------------------------------------------|----------------------|
| Article number                             | 3153.0               |
| Article name                               | BK 7,50/3,8 FW 11-20 |
| GTIN (EAN)                                 | 4044211101183        |
| Colour                                     | White                |
| Packaging unit                             | 10                   |
| Quantity unit                              | PC                   |
| Number of strips per card                  | 12 ST                |
| Number of characters per strip             | 10 ST                |
| Number of markers per labelling card       | 120 ST               |
| Weight per piece (not including packaging) | 0.6 g                |
| Weight per piece (including packaging)     | 0.74 g               |
| Unit of weight                             | G                    |
| Customs number                             | 49119900             |
| Country of origin                          | DE                   |
| Product description                        | Labelling card       |

---

### Technical data

---

#### Dimensions

|        |        |
|--------|--------|
| Height | 3.8 mm |
|--------|--------|

|       |        |
|-------|--------|
| Pitch | 7.5 mm |
|-------|--------|

#### Materials

|          |           |
|----------|-----------|
| Material | Polyester |
|----------|-----------|

|                           |        |
|---------------------------|--------|
| Working temperature, min. | -40 °C |
|---------------------------|--------|

|                           |        |
|---------------------------|--------|
| Working temperature, max. | 120 °C |
|---------------------------|--------|

#### Print

|                  |       |
|------------------|-------|
| Marker labelling | 11-20 |
|------------------|-------|

|                    |            |
|--------------------|------------|
| Printing direction | Horizontal |
|--------------------|------------|

|                               |                               |
|-------------------------------|-------------------------------|
| Wipe resistance when printing | DIN 30 646; VDE 0611: 1977-11 |
|-------------------------------|-------------------------------|

#### Environmental Product Compliance

|               |     |
|---------------|-----|
| REACH Conform | yes |
|---------------|-----|

|                      |            |
|----------------------|------------|
| REACH Reference date | 2022-06-10 |
|----------------------|------------|

|                                |    |
|--------------------------------|----|
| REACH Candidate Substance Note | No |
|--------------------------------|----|

|              |     |
|--------------|-----|
| RoHS Conform | yes |
|--------------|-----|

---

### Media

---

Accessories

Labelling pen



Labelling pen for manual writing, Water resistant and smudge-proof, Line width 0.4 mm, Ink colour: Black

| Article number | Article name | GTIN (EAN)    | Packaging unit |
|----------------|--------------|---------------|----------------|
| 2034.0         | BS-1         | 4044211048365 | 10 ST          |