

Data sheet

3491.8 FQI 2,5-4/50 YE



Insulated cross-connector, No. of poles: 50, Mounting type: Plug in, Colour: Yellow

RAL: 1026

Business data

Article number	3491.8
Article name	FQI 2,5-4/50 YE
GTIN (EAN)	4044211179496
Colour	Yellow
Packaging unit	5
Quantity unit	PC
Weight per piece (not including packaging)	70.8 g
Weight per piece (including packaging)	71.8 g
Unit of weight	G
Customs number	85389099
Country of origin	DE
Product description	Insulated cross-connector

Technical data

Dimensions

Length	4 mm
Pitch size	5.1 mm

Ratings

Max. voltage	800 V
Rated current	24 A
Current load, max.	24 A
Rated cross-section	2.5 mm ²

Connection data

No. of poles	50
--------------	----

Materials

Material	Copper
Surface	Tin-nickel
Insulation housing	Polyamide 6.6
Flammability class UL 94	V-2
Working temperature, min.	-40 °C
Working temperature, max.	105 °C

Further technical data

Mounting type	Plug in
Number of bridged terminals	50

Environmental Product Compliance

REACH Conform	yes
REACH Reference date	2022-06-10
REACH Candidate Substance Note	No
RoHS Conform	yes

Media


Accessories

##INVERSE##CONTA-CONNECT



Three-wire installation terminal, Push-in connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 4 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
3287.2	FDLI 2,5-4 OT/L/PE	4044211181642	50 ST



Three-wire installation terminal, Push-in connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 4 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
3288.2	FDLI 2,5-4 OT/L	4044211181659	50 ST



Three-wire installation terminal, Push-in connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 4 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
3282.2	FDLI 2,5-4 MT/L/PE	4044211181598	50 ST



Three-wire installation terminal, Push-in connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 4 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
3284.2	FDLI 2,5-4 NT/L	4044211181611	50 ST



Three-wire installation terminal, Push-in connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 4 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
3286.2	FDLI 2,5-4 L/L	4044211181635	50 ST



Three-wire installation terminal, Push-in connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 4 mm², Width: 5.1 mm, Colour: Beige


Article number	Article name	GTIN (EAN)	Packaging unit
3289.2	FDLI 2,5-4 MT/L	4044211181666	50 ST

##INVERSE##CONTA-CONNECT



Three-wire installation terminal, Push-in connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 4 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
<u>3283.2</u>	FDLI 2,5-4 NT/L/PE	4044211181604	50 ST



Three-wire installation terminal, Push-in connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 4 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
<u>3285.2</u>	FDLI 2,5-4 L/L/PE	4044211181628	50 ST