










THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		CURRENT REV DESC:		molex		
DIMENSION UNITS		SCALE		1.0 FPC CONN ZIF FOR SMT (ST) WITH TAPE -LEAD FREE-		
mm		NTS		PRODUCT CUSTOMER DRAWING		
GENERAL TOLERANCES (UNLESS SPECIFIED)		MM		DOCUMENT NUMBER		
4 PLACES		±		SD-52610-034		
3 PLACES		±		DOC TYPE		
2 PLACES		±		PSD		
1 PLACE		±		DOC PART		
0 PLACES		±		001		
ANGULAR TOL		± 3.0 °		REVISION		
DRAFT WHERE APPLICABLE		THIRD ANGLE PROJECTION		C		
MUST REMAIN WITHIN DIMENSIONS		DRAWING		MATERIAL NUMBER		
		A3-SIZE		CUSTOMER		
		52610		GENERAL MARKET		
				SHEET NUMBER		
				1 OF 2		



適合FPC推奨寸法
APPLICABLE FPC RECOMMENDED DIM.
仕上がり厚さ(THICKNESS): 0.3 ±0.05



注記(NOTES):

- 材料(MATERIAL)
ハウジング(HOUSING): 46NYLON , UL94V-0
アクチュエータ(ACTUATOR): PPS , UL94V-0
ターミナル(TERMINAL): リン青銅、ニッケル下地、**錫-ビスマスメッキ** (t0.32)
PHOS-BRO. **TIN-BISMUTH** OVER NICKEL PLATED ㊤
- エンボステープ梱包時は、アクチュエータがロックした状態とする。
IN THE PACKAGE , ACTUATOR OF PART NO. 52610-**59 SHOULD BE LOCKED.
- 3 ソルダータール半田付け面のズレ量は、基準面 [F] に対し上方向 0.05 MAX.、
下方向 0.15 MAX. とする。
MISALIGNMENT OF SOLDER TAILS FROM [F] UPPER DIRECTION : 0.05 MAX. ,
LOWER DIRECTION : 0.15 MAX.
- 4 偶数極に適用。
APPLY FOR EVEN CIRCUIT.
5. 本製品は 52610-**57 の鉛フリー品である。
THIS PRODUCT IS LEAD FREE OF 52610-**57

36.6	34.85	31.2	29	52610-3059	30
34.6	32.85	29.2	27	-2859	28
32.6	30.85	27.2	25	-2659	26
31.6	29.85	26.2	24	-2559	25
30.6	28.85	25.2	23	-2459	24
28.6	26.85	23.2	21	-2259	22
26.6	24.85	21.2	19	-2059	20
25.6	23.85	20.2	18	-1959	19
23.6	21.85	18.2	16	-1759	17
22.6	20.85	17.2	15	-1659	16
20.6	18.85	15.2	13	-1459	14
18.6	16.85	13.2	11	-1259	12
17.6	15.85	12.2	10	-1159	11
16.6	14.85	11.2	9	-1059	10
15.6	13.85	10.2	8	-0959	9
14.6	12.85	9.2	7	-0859	8
13.6	11.85	8.2	6	-0759	7
12.6	10.85	7.2	5	52610-0659	6
D	(C)	B	(A)	MATERIAL. NO.	CKT.


GENERAL TOLERANCES (UNLESS SPECIFIED)	
10 ^{UNDER}	±0.2
10 ^{OVER} 30 ^{UNDER}	±0.25
30 ^{OVER}	±0.3

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION	
DIMENSION UNITS	SCALE
mm	NTS
GENERAL TOLERANCES (UNLESS SPECIFIED)	
	MM INCH
4 PLACES	±
3 PLACES	±
2 PLACES	±
1 PLACE	±
0 PLACES	±
ANGULAR TOL ± 3.0 °	
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	
THIRD ANGLE PROJECTION	
DRAWING A3-SIZE	
SERIES 52610	
MATERIAL NUMBER SEE CHART	
CUSTOMER GENERAL MARKET	
SHEET NUMBER 2 OF 2	

CURRENT REV DESC:	
EC NO: 719890	
DRWN: DGONDO	2022/09/01
CHK'D: SMARUYAMA	2022/09/05
APPR: YNAITO	2022/09/05
INITIAL REVISION:	
DRWN: H.SHIMABUKUR	2004/03/17
APPR: M.SASAO	2004/03/17

DOCUMENT NUMBER		DOC TYPE	DOC PART	REVISION
SD-52610-034		PSD	001	C


PRODUCT CUSTOMER DRAWING	
molex	
1.0 FPC CONN ZIF FOR SMT (ST)WITH TAPE -LEAD FREE-	



	24	29.4	25.4	15.25	11.32	526 10-1075	10
				14.25	10.32	526 10-0975	9
				13.25	9.32	526 10-0875	8
				12.25	8.32	526 10-0775	7
				11.25	7.32	526 10-0675	6
526 10-**75	キャリアテープ幅 CARRIER TAPE WIDTH	D	C	(B)	(A)	MATERIAL. NO.	極数 CKT.
MODEL. NO.							

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		CURRENT REV DESC:		molex			
DIMENSION UNITS		SCALE		1.0 FPC CONN SMT ZIF WITH TAPE EMBSTP PKG -LEAD FREE-			
mm		NTS		PRODUCT CUSTOMER DRAWING			
GENERAL TOLERANCES (UNLESS SPECIFIED)		ANGULAR TOL		DOCUMENT NUMBER			
10 ^{UNDER}		±0.2		SD-52610-035			
10 ^{OVER} 30 ^{UNDER}		±0.25		PSD 001 C			
30 ^{OVER}		±0.3		MATERIAL NUMBER			
ANGULAR		±3 °		SEE TABLE			
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION		CUSTOMER			
		A3-SIZE		GENERAL MARKET			
		SERIES		SHEET NUMBER			
		52610		2 OF 5			




DOCUMENT STATUS	P1	RELEASE DATE	2022/09/05	05:51:53
-----------------	----	--------------	------------	----------



	32	37.4	33.4	19.25	15.32	52610-1475	14
				17.25	13.32	52610-1275	12
52610-**75				16.25	12.32	52610-1175	11
MODEL NO.	キャリアテープ幅 CARRIER TAPE WIDTH	D	C	(B)	(A)	MATERIAL. NO.	極数 CKT.

GENERAL TOLERANCES (UNLESS SPECIFIED)				THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION			
				CURRENT REV DESC:		molex 1.0 FPC CONN SMT ZIF WITH TAPE EMBSTP PKG -LEAD FREE-	
10 ^{UNDER}		±0.2		EC NO: 719890 DRWN: NARENC CHK'D: SMARUYAMA APPR: YNAITO			
10 ^{OVER} 30 ^{UNDER}		±0.25				2022/09/05	
30 ^{OVER}		±0.3		2022/09/05		PRODUCT CUSTOMER DRAWING	
ANGULAR		±3 °		INITIAL REVISION:		DOCUMENT NUMBER	
				DRWN: HSHIMABUKURO		SD-52610-035	
				APPR: MSASAO		DOC TYPE	
				2004/03/30		PSD	
				2004/04/01		DOC PART	
						001	
						C	
						REVISION	
						SD-52610-035	
						PSD	
						001	
						C	
						REVISION	
						SD-52610-035	
						PSD	
						001	
						C	
						REVISION	
						SD-52610-035	
						PSD	
						001	
						C	
						REVISION	
						SD-52610-035	
						PSD	
						001	
						C	
						REVISION	
						SD-52610-035	
						PSD	
						001	
						C	
						REVISION	
						SD-52610-035	
						PSD	
						001	
						C	
						REVISION	
						SD-52610-035	
						PSD	
						001	
						C	
						REVISION	
						SD-52610-035	
						PSD	
						001	
						C	
						REVISION	
						SD-52610-035	
						PSD	
						001	
						C	
						REVISION	
						SD-52610-035	
						PSD	
						001	
						C	
						REVISION	
						SD-52610-035	
						PSD	
						001	
						C	
						REVISION	
						SD-52610-035	
						PSD	
						001	
						C	
						REVISION	
						SD-52610-035	
						PSD	
						001	
						C	
						REVISION	
						SD-52610-035	
						PSD	
						001	
						C	
						REVISION	
						SD-52610-035	
						PSD	
						001	
						C	
						REVISION	
						SD-52610-035	
						PSD	
						001	
						C	
						REVISION	
						SD-52610-035	
						PSD	
						001	
						C	
						REVISION	
						SD-52610-035	
						PSD	
						001	
						C	
						REVISION	
						SD-52610-035	
						PSD	
						001	
						C	
						REVISION	
						SD-52610-035	
						PSD	
						001	
						C	
						REVISION	
						SD-52610-035	
						PSD	
						001	
						C	
						REVISION	
						SD-52610-035	
						PSD	
						001	
						C	
						REVISION	
						SD-52610-035	
						PSD	
						001	
						C	
						REVISION	
						SD-52610-035	
						PSD	
						001	
						C	
						REVISION	
						SD-52610-035	
						PSD	
						001	
						C	
						REVISION	
						SD-52610-035	
						PSD	
						001	
						C	
						REVISION	
						SD-52610-035	
						PSD	
						001	
						C	
						REVISION	
						SD-52610-035	
						PSD	
						001	
						C	
						REVISION	
						SD-52610-035	
						PSD	
						001	
						C	
						REVISION	
						SD-52610-035	
						PSD	
						001	
						C	
						REVISION	
						SD-52610-035	
						PSD	
						001	
						C	
						REVISION	
						SD-52610-035	
						PSD	
						001	
						C	
						REVISION	
						SD-52610-035	
						PSD	
						001	
						C	
						REVISION	
						SD-52610-035	
						PSD	
						001	
						C	
						REVISION	
						SD-52610-035	
						PSD	
						001	
						C	
						REVISION	
						SD-52610-035	
						PSD	
						001	
						C	
						REVISION	
						SD-52610-035	
						PSD	
						001	
						C	
						REVISION	
						SD-52610-035	
						PSD	
						001	
						C	
						REVISION	
						SD-52610-035	
						PSD	
						001	
						C	
						REVISION	
						SD-52610-035	
						PSD	
						001	
						C	
						REVISION	
						SD-52610-035	
						PSD	
						001	
						C	
						REVISION	
						SD-52610-035	
						PSD	
						001	
						C	
						REVISION	
						SD-52610-035	
						PSD	
						001	
						C	
						REVISION	
						SD-52610-035	
						PSD	
						001	
						C	
						REVISION	
						SD-52610-035	
						PSD	
						001	
						C	
						REVISION	
						SD-52610-035	
						PSD	
						001	
						C	
						REVISION	
						SD-52610-035	
						PSD	
						001	
						C	
						REVISION	
						SD-52610-035	
						PSD	
						001	
						C	
						REVISION	
						SD-52610-035	
						PSD	
						001	
						C	
						REVISION	
						SD-52610-035	
						PSD	
						001	
						C	
						REVISION	
						SD-52610-035	
						PSD	
						001	
						C	
						REVISION	
						SD-52610-035	
						PSD	
						001	
						C	
						REVISION	
						SD-52610-035	
						PSD	
						001	
						C	
						REVISION	
						SD-52610-035	
						PSD	
						001	
						C	
						REVISION	
						SD-52610-035	
						PSD	
						001	
						C	
						REVISION	
						SD-52610-035	
						PSD	
						001	
						C	
						REVISION	
						SD-52610-035	
						PSD	
						001	
						C	
						REVISION	
						SD-52610-035	
						PSD	
						001	
						C	
						REVISION	
						SD-52610-035	
						PSD	
						001	
						C	
						REVISION	
						SD-52610-035	
						PSD	
						001	
						C	
						REVISION	
						SD-52610-035	
						PSD	
						001	
						C	
						REVISION	
						SD-52610-035	
						PSD	
						001	
						C	
						REVISION	
						SD-52610-035	
						PSD	
						001	
						C	
						REVISION	
						SD-52610-035	
						PSD	

DOCUMENT STATUS	P1	RELEASE DATE	2022/09/05	05:51:53
-----------------	----	--------------	------------	----------



526 10-**75
MODEL. NO.


44	49.4	45.4	31.25	27.32	526 10-2675	26
			30.25	26.32	526 10-2575	25
			29.25	25.32	526 10-2475	24
			27.25	23.32	526 10-2275	22
			25.25	21.32	526 10-2075	20
			24.25	20.32	526 10-1975	19
			22.25	18.32	52610-1775	17
			21.25	17.32	526 10-1675	16
キャリアテープ幅 CARRIER TAPE WIDTH	D	C	(B)	(A)	MATERIAL. NO.	極数 CKT.

GENERAL TOLERANCES (UNLESS SPECIFIED)	
10 ^{UNDER}	±0.2
10 ^{OVER} 30 ^{UNDER}	±0.25
30 ^{OVER}	±0.3
ANGULAR	±3 °

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		CURRENT REV DESC:		molex			
DIMENSION UNITS	SCALE			1.0 FPC CONN SMT ZIF WITH TAPE EMBSTP PKG -LEAD FREE-			
mm	NTS			PRODUCT CUSTOMER DRAWING			
GENERAL TOLERANCES (UNLESS SPECIFIED)							
ANGULAR TOL	± °						
4 PLACES	±						
3 PLACES	±						
2 PLACES	±						
1 PLACE	±						
0 PLACES	±						
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION	DRAWING	SERIES	MATERIAL NUMBER	CUSTOMER	SHEET NUMBER
		⊕	A3-SIZE	52610	SEE TABLE	GENERAL MARKET	4 OF 5

EC NO: 719890
DRWN: NARENC 2022/08/26
CHK'D: SMARUYAMA 2022/09/05
APPR: YNAITO 2022/09/05

INITIAL REVISION:
DRWN: HSHIMABUKURO 2004/03/30
APPR: MSASAO 2004/04/01



	56	61.4	57.4	35.25	31.32	52610-3075	30
52610-**-75				33.25	29.32	52610-2875	28
MODEL. NO.	CARRIER TAPE WIDTH	D	C	(B)	(A)	MATERIAL. NO.	極数 CKT.

GENERAL TOLERANCES (UNLESS SPECIFIED)		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION													
		DIMENSION UNITS		SCALE		CURRENT REV DESC:				molex					
		mm		NTS											
		GENERAL TOLERANCES (UNLESS SPECIFIED)													
ANGULAR TOL		± °		EC NO: 719890 DRWN: NARENC 2022/08/26 CHK'D: SMARUYAMA 2022/09/05 APPR: YNAITO 2022/09/05				1.0 FPC CONN SMT ZIF WITH TAPE EMBSTP PKG -LEAD FREE-							
4 PLACES		± °													
3 PLACES		± °													
2 PLACES		± °		INITIAL REVISION: DRWN: HSHIMABUKURO 2004/03/30 APPR: MSASAO 2004/04/01				PRODUCT CUSTOMER DRAWING							
1 PLACE		± °													
0 PLACES		± °													
10 ^{UNDER}		±0.2		THIRD ANGLE PROJECTION  A3-SIZE 52610				DOCUMENT NUMBER		DOC TYPE		DOC PART		REVISION	
10 ^{OVER} 30 ^{UNDER}		±0.25						SD-52610-035		PSD		001		C	
30 ^{OVER}		±0.3						MATERIAL NUMBER		CUSTOMER		SHEET NUMBER			
ANGULAR		±3 °						SEE TABLE		GENERAL MARKET		5 OF 5			

DOCUMENT STATUS	P1	RELEASE DATE	2022/09/05	05:51:53
-----------------	----	--------------	------------	----------