




[illegible]

[illegible]

[illegible]

[illegible]

10		9		8		7		6		5		4		3		2		1	
PART NO FOR TRAY PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION											
								A	B	F	M	P							
87914-1251	-----	-----	-----	-----	12	-----	1	15.24	12.70	18.40	13.08	3.03							
87914-1252	-----	-----	-----	-----	12	-----	2	15.24	12.70	18.40	13.08	3.03							
87914-1253	-----	-----	-----	-----	12	-----	3	15.24	12.70	18.40	13.08	3.03							
87914-1254	-----	-----	-----	-----	12	-----	4	15.24	12.70	18.40	13.08	3.03							
87914-1255	-----	-----	-----	-----	12	-----	5	15.24	12.70	18.40	13.08	3.03							
87914-1256	-----	-----	-----	-----	12	-----	6	15.24	12.70	18.40	13.08	3.03							
87914-1241	-----	-----	-----	-----	12	-----	1	15.24	12.70	12.50	6.95	3.26							
87914-1242	-----	-----	-----	-----	12	-----	2	15.24	12.70	12.50	6.95	3.26							
87914-1243	-----	-----	-----	-----	12	-----	3	15.24	12.70	12.50	6.95	3.26							
87914-1244	-----	-----	-----	-----	12	-----	4	15.24	12.70	12.50	6.95	3.26							
87914-1245	-----	-----	-----	-----	12	-----	5	15.24	12.70	12.50	6.95	3.26							
87914-1201	-----	-----	-----	-----	12	-----	4	15.24	12.70	13.21	8.13	2.79							
87914-1202	-----	-----	-----	-----	12	-----	5	15.24	12.70	13.21	8.13	2.79							
87914-1203	-----	-----	-----	-----	12	-----	6	15.24	12.70	13.21	8.13	2.79							
87914-1204	-----	-----	-----	-----	12	-----	4	15.24	12.70	11.11	6.10	2.72							
87914-1205	-----	-----	-----	-----	12	-----	5	15.24	12.70	11.11	6.10	2.72							
87914-1206	-----	-----	-----	-----	12	-----	6	15.24	12.70	11.11	6.10	2.72							
87914-1207	-----	-----	-----	-----	12	-----	6	15.24	12.70	11.11	6.10	2.72							

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

DIMENSION UNITS

mm

SCALE

NTS

GENERAL TOLERANCES (UNLESS SPECIFIED)

	MM	INCH
4 PLACES	±	±
3 PLACES	±	±
2 PLACES	± 0.2	±
1 PLACE	±	±
0 PLACES	±	±
ANGULAR TOL	± 3.0 °	

DRAFT WHERE APPLICABLE

MUST REMAIN

WITHIN DIMENSIONS

CURRENT REV DESC:

EC NO: 717430

DRWN: DANUSA

CHK'D: DANUSA

APPR: MRAMAKRISHNA

2022/06/28

2022/08/11

2022/08/11

INITIAL REVISION:

DRWN: YLQIAO

APPR: SCLOW

2005/01/17

2005/01/25

DOCUMENT NUMBER

SD-87914-013

DOC TYPE

PSD

DOC PART

000

REVISION

D23

PRODUCT CUSTOMER DRAWING

THIRD ANGLE PROJECTION

DRAWING

A3-SIZE

SERIES

87914

MATERIAL NUMBER

SEE TABLE

CUSTOMER

GENERAL MARKET

SHEET NUMBER

10 OF 45

2.54MM PITCH

DUAL ROW HEADER SINGLE WAFER, T/H

molex

10		9		8		7		6		5		4		3		2		1				
PART NO FOR TRAY PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION														
								A	B	F	M	P										
87914-1411	-----	-----	-----	-----	14	-----	1	17.78	15.24	10.92	5.84	2.79										
87914-1421	-----	-----	-----	-----	14	-----	1	17.78	15.24	12.25	7.00	2.96										
87914-1431	-----	-----	-----	-----	14	-----	1	17.78	15.24	13.38	6.09	5.00										
87914-1412	-----	-----	-----	-----	14	-----	2	17.78	15.24	10.92	5.84	2.79										
87914-1422	-----	-----	-----	-----	14	-----	2	17.78	15.24	12.25	7.00	2.96										
87914-1432	-----	-----	-----	-----	14	-----	2	17.78	15.24	13.38	6.09	5.00										
87914-1413	-----	-----	-----	-----	14	-----	3	17.78	15.24	10.92	5.84	2.79										
87914-1423	-----	-----	-----	-----	14	-----	3	17.78	15.24	12.25	7.00	2.96										
87914-1433	-----	-----	-----	-----	14	-----	3	17.78	15.24	13.38	6.09	5.00										
87914-1414	-----	-----	-----	-----	14	-----	4	17.78	15.24	10.92	5.84	2.79										
87914-1424	-----	-----	-----	-----	14	-----	4	17.78	15.24	12.25	7.00	2.96										
87914-1434	-----	-----	-----	-----	14	-----	4	17.78	15.24	13.38	6.09	5.00										
87914-1415	-----	-----	-----	-----	14	-----	5	17.78	15.24	10.92	5.84	2.79										
87914-1425	-----	-----	-----	-----	14	-----	5	17.78	15.24	12.25	7.00	2.96										
87914-1435	-----	-----	-----	-----	14	-----	5	17.78	15.24	13.38	6.09	5.00										
87914-1416	-----	-----	-----	-----	14	-----	6	17.78	15.24	10.92	5.84	2.79										
87914-1417	-----	-----	-----	-----	14	-----	6	17.78	15.24	10.92	5.84	2.79										
87914-1426	-----	-----	-----	-----	14	-----	6	17.78	15.24	12.25	7.00	2.96										
87914-1427	-----	-----	-----	-----	14	-----	6	17.78	15.24	12.25	7.00	2.96										
87914-1436	-----	-----	-----	-----	14	-----	6	17.78	15.24	13.38	6.09	5.00										
87914-1401	-----	-----	-----	-----	14	-----	4	17.78	15.24	13.21	8.13	2.79										
87914-1402	-----	-----	-----	-----	14	-----	5	17.78	15.24	13.21	8.13	2.79										
87914-1403	-----	-----	-----	-----	14	-----	6	17.78	15.24	13.21	8.13	2.79										
87914-1404	-----	-----	-----	-----	14	-----	4	17.78	15.24	11.11	6.10	2.72										
87914-1405	-----	-----	-----	-----	14	-----	5	17.78	15.24	11.11	6.10	2.72										
87914-1406	-----	-----	-----	-----	14	-----	6	17.78	15.24	11.11	6.10	2.72										
87914-1407	-----	-----	-----	-----	14	-----	6	17.78	15.24	11.11	6.10	2.72										
87914-0007	-----	-----	-----	-----	14	-----	5	17.78	15.24	13.42	8.08	3.05										

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

DIMENSION UNITS

mm

SCALE

NTS

GENERAL TOLERANCES (UNLESS SPECIFIED)

	MM	INCH
4 PLACES	±	±
3 PLACES	±	±
2 PLACES	± 0.2	±
1 PLACE	±	±
0 PLACES	±	±
ANGULAR TOL	± 3.0 °	

DRAFT WHERE APPLICABLE

MUST REMAIN WITHIN DIMENSIONS

CURRENT REV DESC:

EC NO: 717430

DRWN: DANUSA

CHK'D: DANUSA

APPR: MRAMAKRISHNA

INITIAL REVISION:

DRWN: YLQIAO

APPR: SCLOW

2022/06/28

2022/08/11

2022/08/11

2005/01/17

2005/01/25

THIRD ANGLE PROJECTION

DRAWING

A3-SIZE

SERIES

87914

DOCUMENT NUMBER

SD-87914-013

DOC TYPE

PSD

DOC PART

000

REVISION

D23

2.54MM PITCH

DUAL ROW HEADER SINGLE WAFER, T/H

PRODUCT CUSTOMER DRAWING

MATERIAL NUMBER

SEE TABLE

CUSTOMER

GENERAL MARKET

SHEET NUMBER

11 OF 45

10		9		8		7		6		5		4		3		2		1	
PART NO FOR TRAY PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	KINK POSITION	PLATING TYPE	DIMENSION										
									A	B	F	M	P	G					
87914-1441	-----	-----	-----	-----	14	-----	-----	1	17.78	15.24	13.42	8.08	3.05	---					
87914-1442	-----	-----	-----	-----	14	-----	-----	2	17.78	15.24	13.42	8.08	3.05	---					
87914-1443	-----	-----	-----	-----	14	-----	-----	3	17.78	15.24	13.42	8.08	3.05	---					
87914-1444	-----	-----	-----	-----	14	-----	-----	4	17.78	15.24	13.42	8.08	3.05	---					
87914-1445	-----	-----	-----	-----	14	-----	-----	5	17.78	15.24	13.42	8.08	3.05	---					
-----	87914-1446	-----	-----	-----	14	-----	CKT 1, 2, 13 & 14	6	17.78	15.24	14.58	9.11	3.18	---					
-----	-----	-----	-----	87914-1447	14	-----	-----	6	17.78	15.24	13.79	8.20	3.30	14.79					

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

DIMENSION UNITS

mm

SCALE

NTS

GENERAL TOLERANCES (UNLESS SPECIFIED)

	MM	INCH
4 PLACES	±	±
3 PLACES	±	±
2 PLACES	± 0.2	±
1 PLACE	±	±
0 PLACES	±	±
ANGULAR TOL	± 3.0 °	

DRAFT WHERE APPLICABLE
MUST REMAIN
WITHIN DIMENSIONS

THIRD ANGLE PROJECTION

DRAWING

A3-SIZE

SERIES

87914

CURRENT REV DESC:

EC NO: 717430
DRWN: DANUSA
CHK'D: DANUSA
APPR: MRAMAKRISHNA

2022/06/28
2022/08/11
2022/08/11

INITIAL REVISION:
DRWN: YLQIAO
APPR: SCLOW

2005/01/17
2005/01/25

DOCUMENT NUMBER

SD-87914-013

DOC TYPE

PSD

DOC PART

000

REVISION

D23

PRODUCT CUSTOMER DRAWING

MATERIAL NUMBER

SEE TABLE

CUSTOMER

GENERAL MARKET

SHEET NUMBER

12 OF 45

molex

2.54MM PITCH
DUAL ROW HEADER SINGLE WAFER, T/H

10		9		8		7		6		5		4		3		2		1																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
F	PART NO FOR TRAY PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		

10		9		8		7		6		5		4		3		2		1				
PART NO FOR TRAY PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION														
								A	B	F	M	P										
87914-2211	-----	-----	-----	-----	22	-----	1	27.94	25.40	10.92	5.84	2.79										
87914-2221	-----	-----	-----	-----	22	-----	1	27.94	25.40	12.25	7.00	2.96										
87914-2231	-----	-----	-----	-----	22	-----	1	27.94	25.40	13.38	6.09	5.00										
87914-2212	-----	-----	-----	-----	22	-----	2	27.94	25.40	10.92	5.84	2.79										
87914-2222	-----	-----	-----	-----	22	-----	2	27.94	25.40	12.25	7.00	2.96										
87914-2232	-----	-----	-----	-----	22	-----	2	27.94	25.40	13.38	6.09	5.00										
87914-2213	-----	-----	-----	-----	22	-----	3	27.94	25.40	10.92	5.84	2.79										
87914-2223	-----	-----	-----	-----	22	-----	3	27.94	25.40	12.25	7.00	2.96										
87914-2233	-----	-----	-----	-----	22	-----	3	27.94	25.40	13.38	6.09	5.00										
87914-2214	-----	-----	-----	-----	22	-----	4	27.94	25.40	10.92	5.84	2.79										
87914-2224	-----	-----	-----	-----	22	-----	4	27.94	25.40	12.25	7.00	2.96										
87914-2234	-----	-----	-----	-----	22	-----	4	27.94	25.40	13.38	6.09	5.00										
87914-2215	-----	-----	-----	-----	22	-----	5	27.94	25.40	10.92	5.84	2.79										
87914-2225	-----	-----	-----	-----	22	-----	5	27.94	25.40	12.25	7.00	2.96										
87914-2235	-----	-----	-----	-----	22	-----	5	27.94	25.40	13.38	6.09	5.00										
87914-2216	-----	-----	-----	-----	22	-----	6	27.94	25.40	10.92	5.84	2.79										
87914-2217	-----	-----	-----	-----	22	-----	6	27.94	25.40	10.92	5.84	2.79										
87914-2226	-----	-----	-----	-----	22	-----	6	27.94	25.40	12.25	7.00	2.96										
87914-2227	-----	-----	-----	-----	22	-----	6	27.94	25.40	12.25	7.00	2.96										
87914-2236	-----	-----	-----	-----	22	-----	6	27.94	25.40	13.38	6.09	5.00										
87914-2201	-----	-----	-----	-----	22	-----	4	27.94	25.40	13.21	8.13	2.79										
87914-2202	-----	-----	-----	-----	22	-----	5	27.94	25.40	13.21	8.13	2.79										
87914-2203	-----	-----	-----	-----	22	-----	6	27.94	25.40	13.21	8.13	2.79										
87914-2204	-----	-----	-----	-----	22	-----	4	27.94	25.40	11.11	6.10	2.72										
87914-2205	-----	-----	-----	-----	22	-----	5	27.94	25.40	11.11	6.10	2.72										
87914-2206	-----	-----	-----	-----	22	-----	6	27.94	25.40	11.11	6.10	2.72										
87914-2207	-----	-----	-----	-----	22	-----	6	27.94	25.40	11.11	6.10	2.72										

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

DIMENSION UNITS

mm

SCALE

NTS

GENERAL TOLERANCES (UNLESS SPECIFIED)

	MM	INCH
4 PLACES	±	±
3 PLACES	±	±
2 PLACES	± 0.2	±
1 PLACE	±	±
0 PLACES	±	±
ANGULAR TOL	± 3.0 °	

DRAFT WHERE APPLICABLE

MUST REMAIN WITHIN DIMENSIONS

CURRENT REV DESC:

EC NO: 717430

DRWN: DANUSA

CHK'D: DANUSA

APPR: MRAMAKRISHNA

INITIAL REVISION:

DRWN: YLQIAO

APPR: SCLOW

2022/06/28

2022/08/11

2022/08/11

2005/01/17

2005/01/25

THIRD ANGLE PROJECTION

DRAWING

A3-SIZE

SERIES

87914

DOCUMENT NUMBER

SD-87914-013

DOC TYPE

PSD

DOC PART

000

REVISION

D23

PRODUCT CUSTOMER DRAWING

2.54MM PITCH

DUAL ROW HEADER SINGLE WAFER, T/H

MATERIAL NUMBER

SEE TABLE

CUSTOMER

GENERAL MARKET

SHEET NUMBER

16 OF 45

10		9		8		7		6		5		4		3		2		1	
PART NO FOR TRAY PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION					A	B	F	M	P		
87914-2811	-----	-----	-----	-----	28	-----	1	35.56	33.02	10.92	5.84	2.79							
87914-2821	-----	-----	-----	-----	28	-----	1	35.56	33.02	12.25	7.00	2.96							
87914-2831	-----	-----	-----	-----	28	-----	1	35.56	33.02	13.38	6.09	5.00							
87914-2812	-----	-----	-----	-----	28	-----	2	35.56	33.02	10.92	5.84	2.79							
87914-2822	-----	-----	-----	-----	28	-----	2	35.56	33.02	12.25	7.00	2.96							
87914-2832	-----	-----	-----	-----	28	-----	2	35.56	33.02	13.38	6.09	5.00							
87914-2813	-----	-----	-----	-----	28	-----	3	35.56	33.02	10.92	5.84	2.79							
87914-2823	-----	-----	-----	-----	28	-----	3	35.56	33.02	12.25	7.00	2.96							
87914-2833	-----	-----	-----	-----	28	-----	3	35.56	33.02	13.38	6.09	5.00							
87914-2814	-----	-----	-----	-----	28	-----	4	35.56	33.02	10.92	5.84	2.79							
87914-2824	-----	-----	-----	-----	28	-----	4	35.56	33.02	12.25	7.00	2.96							
87914-2834	-----	-----	-----	-----	28	-----	4	35.56	33.02	13.38	6.09	5.00							
87914-2815	-----	-----	-----	-----	28	-----	5	35.56	33.02	10.92	5.84	2.79							
87914-2825	-----	-----	-----	-----	28	-----	5	35.56	33.02	12.25	7.00	2.96							
87914-2835	-----	-----	-----	-----	28	-----	5	35.56	33.02	13.38	6.09	5.00							
87914-2816	-----	-----	-----	-----	28	-----	6	35.56	33.02	10.92	5.84	2.79							
87914-2817	-----	-----	-----	-----	28	-----	6	35.56	33.02	10.92	5.84	2.79							
87914-2826	-----	-----	-----	-----	28	-----	6	35.56	33.02	12.25	7.00	2.96							
87914-2827	-----	-----	-----	-----	28	-----	6	35.56	33.02	12.25	7.00	2.96							
87914-2836	-----	-----	-----	-----	28	-----	6	35.56	33.02	13.38	6.09	5.00							
87914-2801	-----	-----	-----	-----	28	-----	4	35.56	33.02	13.21	8.13	2.79							
87914-2802	-----	-----	-----	-----	28	-----	5	35.56	33.02	13.21	8.13	2.79							
87914-2803	-----	-----	-----	-----	28	-----	6	35.56	33.02	13.21	8.13	2.79							
87914-2804	-----	-----	-----	-----	28	-----	4	35.56	33.02	11.11	6.10	2.72							
87914-2805	-----	-----	-----	-----	28	-----	5	35.56	33.02	11.11	6.10	2.72							
87914-2806	-----	-----	-----	-----	28	-----	6	35.56	33.02	11.11	6.10	2.72							
87914-2807	-----	-----	-----	-----	28	-----	6	35.56	33.02	11.11	6.10	2.72							

[illegible]

10		9		8		7		6		5		4		3		2		1														
PART NO FOR TRAY PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION																								
								A	B	F	M	P																				
87914-3611	-----	-----	-----	-----	36	-----	1	45.72	43.18	10.92	5.84	2.79																				
87914-3621	-----	-----	-----	-----	36	-----	1	45.72	43.18	12.25	7.00	2.96																				
87914-3631	-----	-----	-----	-----	36	-----	1	45.72	43.18	13.38	6.09	5.00																				
87914-3612	-----	-----	-----	-----	36	-----	2	45.72	43.18	10.92	5.84	2.79																				
87914-3622	-----	-----	-----	-----	36	-----	2	45.72	43.18	12.25	7.00	2.96																				
87914-3632	-----	-----	-----	-----	36	-----	2	45.72	43.18	13.38	6.09	5.00																				
87914-3613	-----	-----	-----	-----	36	-----	3	45.72	43.18	10.92	5.84	2.79																				
87914-3623	-----	-----	-----	-----	36	-----	3	45.72	43.18	12.25	7.00	2.96																				
87914-3633	-----	-----	-----	-----	36	-----	3	45.72	43.18	13.38	6.09	5.00																				
87914-3614	-----	-----	-----	-----	36	-----	4	45.72	43.18	10.92	5.84	2.79																				
87914-3624	-----	-----	-----	-----	36	-----	4	45.72	43.18	12.25	7.00	2.96																				
87914-3634	-----	-----	-----	-----	36	-----	4	45.72	43.18	13.38	6.09	5.00																				
87914-3615	-----	-----	-----	-----	36	-----	5	45.72	43.18	10.92	5.84	2.79																				
87914-3625	-----	-----	-----	-----	36	-----	5	45.72	43.18	12.25	7.00	2.96																				
87914-3635	-----	-----	-----	-----	36	-----	5	45.72	43.18	13.38	6.09	5.00																				
87914-3616	-----	-----	-----	-----	36	-----	6	45.72	43.18	10.92	5.84	2.79																				
87914-3617	-----	-----	-----	-----	36	-----	6	45.72	43.18	10.92	5.84	2.79																				
87914-3626	-----	-----	-----	-----	36	-----	6	45.72	43.18	12.25	7.00	2.96																				
87914-3627	-----	-----	-----	-----	36	-----	6	45.72	43.18	12.25	7.00	2.96																				
87914-3636	-----	-----	-----	-----	36	-----	6	45.72	43.18	13.38	6.09	5.00																				
87914-3601	-----	-----	-----	-----	36	-----	4	45.72	43.18	13.21	8.13	2.79																				
87914-3602	-----	-----	-----	-----	36	-----	5	45.72	43.18	13.21	8.13	2.79																				
87914-3603	-----	-----	-----	-----	36	-----	6	45.72	43.18	13.21	8.13	2.79																				
87914-3604	-----	-----	-----	-----	36	-----	4	45.72	43.18	11.11	6.10	2.72																				
87914-3605	-----	-----	-----	-----	36	-----	5	45.72	43.18	11.11	6.10	2.72																				
87914-3606	-----	-----	-----	-----	36	-----	6	45.72	43.18	11.11	6.10	2.72																				
87914-3607	-----	-----	-----	-----	36	-----	6	45.72	43.18	11.11	6.10	2.72																				

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

DIMENSION UNITS

mm

SCALE

NTS

GENERAL TOLERANCES (UNLESS SPECIFIED)

	MM	INCH
4 PLACES	±	±
3 PLACES	±	±
2 PLACES	± 0.2	±
1 PLACE	±	±
0 PLACES	±	±
ANGULAR TOL	± 3.0 °	

DRAFT WHERE APPLICABLE

MUST REMAIN WITHIN DIMENSIONS

CURRENT REV DESC:

EC NO: 717430

DRWN: DANUSA

CHK'D: DANUSA

APPR: MRAMAKRISHNA

INITIAL REVISION:

DRWN: YLQIAO

APPR: SCLOW

2022/06/28

2022/08/11

2022/08/11

2005/01/17

2005/01/25

THIRD ANGLE PROJECTION

DRAWING

A3-SIZE

SERIES

87914

DOCUMENT NUMBER

SD-87914-013

DOC TYPE

PSD

DOC PART

000

REVISION

D23

MATERIAL NUMBER

SEE TABLE

CUSTOMER

GENERAL MARKET

SHEET NUMBER

23 OF 45

molex

2.54MM PITCH

DUAL ROW HEADER SINGLE WAFER, T/H

PRODUCT CUSTOMER DRAWING

	10	9		8		7		6		5		4	3	2	1	
F	PART NO FOR TRAY PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION							
									A	B	F	M	P			
	87914-4211	-----	-----	-----	-----	42	-----	1	53.34	50.80	10.92	5.84	2.79			
	87914-4221	-----	-----	-----	-----	42	-----	1	53.34	50.80	12.25	7.00	2.96			
	87914-4212	-----	-----	-----	-----	42	-----	2	53.34	50.80	10.92	5.84	2.79			
	87914-4222	-----	-----	-----	-----	42	-----	2	53.34	50.80	12.25	7.00	2.96			
	87914-4213	-----	-----	-----	-----	42	-----	3	53.34	50.80	10.92	5.84	2.79			
	87914-4223	-----	-----	-----	-----	42	-----	3	53.34	50.80	12.25	7.00	2.96			
	87914-4214	-----	-----	-----	-----	42	-----	4	53.34	50.80	10.92	5.84	2.79			
	87914-4224	-----	-----	-----	-----	42	-----	4	53.34	50.80	12.25	7.00	2.96			
	87914-4215	-----	-----	-----	-----	42	-----	5	53.34	50.80	10.92	5.84	2.79			
E	87914-4225	-----	-----	-----	-----	42	-----	5	53.34	50.80	12.25	7.00	2.96			
	87914-4216	-----	-----	-----	-----	42	-----	6	53.34	50.80	10.92	5.84	2.79			
	87914-4217	-----	-----	-----	-----	42	-----	6	53.34	50.80	10.92	5.84	2.79			
	87914-4226	-----	-----	-----	-----	42	-----	6	53.34	50.80	12.25	7.00	2.96			
	87914-4227	-----	-----	-----	-----	42	-----	6	53.34	50.80	12.25	7.00	2.96			
	87914-4201	-----	-----	-----	-----	42	-----	4	53.34	50.80	13.21	8.13	2.79			
	87914-4202	-----	-----	-----	-----	42	-----	5	53.34	50.80	13.21	8.13	2.79			
	87914-4203	-----	-----	-----	-----	42	-----	6	53.34	50.80	13.21	8.13	2.79			
	87914-4204	-----	-----	-----	-----	42	-----	4	53.34	50.80	11.11	6.10	2.72			
	87914-4205	-----	-----	-----	-----	42	-----	5	53.34	50.80	11.11	6.10	2.72			
D	87914-4206	-----	-----	-----	-----	42	-----	6	53.34	50.80	11.11	6.10	2.72			
	87914-4207	-----	-----	-----	-----	42	-----	6	53.34	50.80	11.11	6.10	2.72			
C																
B																
A																
DOCUMENT STATUS		P1	RELEASE DATE		2022/08/11	06:33:58										
	9		8		7		6		5		4		3		2	1

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

DIMENSION UNITS

mm

SCALE

NTS

GENERAL TOLERANCES (UNLESS SPECIFIED)

MM

INCH

4 PLACES

±

±

3 PLACES

±

±

2 PLACES

±

0.2

±

1 PLACE

±

±

0 PLACES

±

±


ANGULAR TOL

±

3.0 °

DRAFT WHERE APPLICABLE
MUST REMAIN
WITHIN DIMENSIONS

THIRD ANGLE PROJECTION



DRAWING

A3-SIZE

SERIES

87914

MATERIAL NUMBER

SEE TABLE

CUSTOMER

GENERAL MARKET

SHEET NUMBER

26 OF 45

CURRENT REV DESC:

EC NO: 717430

DRWN: DANUSA

CHK'D: DANUSA

APPR: MRAMAKRISHNA

INITIAL REVISION:

DRWN: YLQIAO

APPR: SCLOW

2022/06/28

2022/08/11

2022/08/11

2005/01/17

2005/01/25

2.54MM PITCH

DUAL ROW HEADER SINGLE WAFER, T/H

PRODUCT CUSTOMER DRAWING

DOCUMENT NUMBER

SD-87914-013

DOC TYPE

PSD

DOC PART

000

REVISION

D23

10		9		8		7		6		5		4		3		2		1				
PART NO FOR TRAY PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION														
								A	B	F	M	P										
87914-4411	-----	-----	-----	-----	44	-----	1	55.88	53.34	10.92	5.84	2.79										
87914-4421	-----	-----	-----	-----	44	-----	1	55.88	53.34	12.25	7.00	2.96										
87914-4412	-----	-----	-----	-----	44	-----	2	55.88	53.34	10.92	5.84	2.79										
87914-4422	-----	-----	-----	-----	44	-----	2	55.88	53.34	12.25	7.00	2.96										
87914-4413	-----	-----	-----	-----	44	-----	3	55.88	53.34	10.92	5.84	2.79										
87914-4423	-----	-----	-----	-----	44	-----	3	55.88	53.34	12.25	7.00	2.96										
87914-4414	-----	-----	-----	-----	44	-----	4	55.88	53.34	10.92	5.84	2.79										
87914-4424	-----	-----	-----	-----	44	-----	4	55.88	53.34	12.25	7.00	2.96										
87914-4415	-----	-----	-----	-----	44	-----	5	55.88	53.34	10.92	5.84	2.79										
87914-4425	-----	-----	-----	-----	44	-----	5	55.88	53.34	12.25	7.00	2.96										
87914-4416	-----	-----	-----	-----	44	-----	6	55.88	53.34	10.92	5.84	2.79										
87914-4417	-----	-----	-----	-----	44	-----	6	55.88	53.34	10.92	5.84	2.79										
87914-4426	-----	-----	-----	-----	44	-----	6	55.88	53.34	12.25	7.00	2.96										
87914-4427	-----	-----	-----	-----	44	-----	6	55.88	53.34	12.25	7.00	2.96										
87914-4401	-----	-----	-----	-----	44	-----	4	55.88	53.34	13.21	8.13	2.79										
87914-4402	-----	-----	-----	-----	44	-----	5	55.88	53.34	13.21	8.13	2.79										
87914-4403	-----	-----	-----	-----	44	-----	6	55.88	53.34	13.21	8.13	2.79										
87914-4404	-----	-----	-----	-----	44	-----	4	55.88	53.34	11.11	6.10	2.72										
87914-4405	-----	-----	-----	-----	44	-----	5	55.88	53.34	11.11	6.10	2.72										
87914-4406	-----	-----	-----	-----	44	-----	6	55.88	53.34	11.11	6.10	2.72										
87914-4407	-----	-----	-----	-----	44	-----	6	55.88	53.34	11.11	6.10	2.72										

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

DIMENSION UNITS

mm

SCALE

NTS

GENERAL TOLERANCES (UNLESS SPECIFIED)

	MM	INCH
4 PLACES	±	±
3 PLACES	±	±
2 PLACES	± 0.2	±
1 PLACE	±	±
0 PLACES	±	±
ANGULAR TOL	± 3.0 °	

DRAFT WHERE APPLICABLE

MUST REMAIN WITHIN DIMENSIONS

CURRENT REV DESC:

EC NO: 717430

DRWN: DANUSA

CHK'D: DANUSA

APPR: MRAMAKRISHNA

INITIAL REVISION:

DRWN: YLQIAO

APPR: SCLOW

2022/06/28

2022/08/11

2022/08/11

2005/01/17

2005/01/25

THIRD ANGLE PROJECTION

DRAWING

A3-SIZE

SERIES

87914

DOCUMENT NUMBER

SD-87914-013

DOC TYPE

PSD

DOC PART

000

REVISION

D23

MATERIAL NUMBER

SEE TABLE

CUSTOMER

GENERAL MARKET

SHEET NUMBER

27 OF 45

molex

2.54MM PITCH

DUAL ROW HEADER SINGLE WAFER, T/H

PRODUCT CUSTOMER DRAWING

[illegible]

10		9		8		7		6		5		4		3		2		1				
PART NO FOR TRAY PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION														
								A	B	F	M	P										
87914-4811	-----	-----	-----	-----	48	-----	1	60.96	58.42	10.92	5.84	2.79										
87914-4821	-----	-----	-----	-----	48	-----	1	60.96	58.42	12.25	7.00	2.96										
87914-4812	-----	-----	-----	-----	48	-----	2	60.96	58.42	10.92	5.84	2.79										
87914-4822	-----	-----	-----	-----	48	-----	2	60.96	58.42	12.25	7.00	2.96										
87914-4813	-----	-----	-----	-----	48	-----	3	60.96	58.42	10.92	5.84	2.79										
87914-4823	-----	-----	-----	-----	48	-----	3	60.96	58.42	12.25	7.00	2.96										
87914-4814	-----	-----	-----	-----	48	-----	4	60.96	58.42	10.92	5.84	2.79										
87914-4824	-----	-----	-----	-----	48	-----	4	60.96	58.42	12.25	7.00	2.96										
87914-4815	-----	-----	-----	-----	48	-----	5	60.96	58.42	10.92	5.84	2.79										
87914-4825	-----	-----	-----	-----	48	-----	5	60.96	58.42	12.25	7.00	2.96										
87914-4816	-----	-----	-----	-----	48	-----	6	60.96	58.42	10.92	5.84	2.79										
87914-4817	-----	-----	-----	-----	48	-----	6	60.96	58.42	10.92	5.84	2.79										
87914-4826	-----	-----	-----	-----	48	-----	6	60.96	58.42	12.25	7.00	2.96										
87914-4827	-----	-----	-----	-----	48	-----	6	60.96	58.42	12.25	7.00	2.96										
87914-4801	-----	-----	-----	-----	48	-----	4	60.96	58.42	13.21	8.13	2.79										
87914-4802	-----	-----	-----	-----	48	-----	5	60.96	58.42	13.21	8.13	2.79										
87914-4803	-----	-----	-----	-----	48	-----	6	60.96	58.42	13.21	8.13	2.79										
87914-4804	-----	-----	-----	-----	48	-----	4	60.96	58.42	11.11	6.10	2.72										
87914-4805	-----	-----	-----	-----	48	-----	5	60.96	58.42	11.11	6.10	2.72										
87914-4806	-----	-----	-----	-----	48	-----	6	60.96	58.42	11.11	6.10	2.72										
87914-4807	-----	-----	-----	-----	48	-----	6	60.96	58.42	11.11	6.10	2.72										

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

DIMENSION UNITS

mm

SCALE

NTS

GENERAL TOLERANCES (UNLESS SPECIFIED)

	MM	INCH
4 PLACES	±	±
3 PLACES	±	±
2 PLACES	± 0.2	±
1 PLACE	±	±
0 PLACES	±	±
ANGULAR TOL	± 3.0 °	

DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

THIRD ANGLE PROJECTION

DRAWING

A3-SIZE

SERIES

87914

CURRENT REV DESC:

EC NO: 717430
DRWN: DANUSA
CHK'D: DANUSA
APPR: MRAMAKRISHNA

2022/06/28
2022/08/11
2022/08/11

INITIAL REVISION:

DRWN: YLQIAO
APPR: SCLOW

2005/01/17
2005/01/25

DOCUMENT NUMBER

SD-87914-013

DOC TYPE

PSD

DOC PART

000

REVISION

D23

PRODUCT CUSTOMER DRAWING

MATERIAL NUMBER

SEE TABLE

CUSTOMER

GENERAL MARKET

SHEET NUMBER

29 OF 45

molex

2.54MM PITCH
DUAL ROW HEADER SINGLE WAFER, T/H

10		9		8		7		6		5		4		3		2		1				
PART NO FOR TRAY PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION														
								A	B	F	M	P										
87914-0002	-----	-----	-----	-----	50	-----	8	63.50	60.96	18.54	11.58	4.47										
87914-5011	-----	-----	-----	-----	50	-----	1	63.50	60.96	10.92	5.84	2.79										
87914-5021	-----	-----	-----	-----	50	-----	1	63.50	60.96	12.25	7.00	2.96										
87914-5012	-----	-----	-----	-----	50	-----	2	63.50	60.96	10.92	5.84	2.79										
87914-5022	-----	-----	-----	-----	50	-----	2	63.50	60.96	12.25	7.00	2.96										
87914-5013	-----	-----	-----	-----	50	-----	3	63.50	60.96	10.92	5.84	2.79										
87914-5023	-----	-----	-----	-----	50	-----	3	63.50	60.96	12.25	7.00	2.96										
87914-5014	-----	-----	-----	-----	50	-----	4	63.50	60.96	10.92	5.84	2.79										
87914-5024	-----	-----	-----	-----	50	-----	4	63.50	60.96	12.25	7.00	2.96										
87914-5015	-----	-----	-----	-----	50	-----	5	63.50	60.96	10.92	5.84	2.79										
87914-5025	-----	-----	-----	-----	50	-----	5	63.50	60.96	12.25	7.00	2.96										
87914-5016	-----	-----	-----	-----	50	-----	6	63.50	60.96	10.92	5.84	2.79										
87914-5017	-----	-----	-----	-----	50	-----	6	63.50	60.96	10.92	5.84	2.79										
87914-5026	-----	-----	-----	-----	50	-----	6	63.50	60.96	12.25	7.00	2.96										
87914-5027	-----	-----	-----	-----	50	-----	6	63.50	60.96	12.25	7.00	2.96										
87914-5001	-----	-----	-----	-----	50	-----	4	63.50	60.96	13.21	8.13	2.79										
87914-5002	-----	-----	-----	-----	50	-----	5	63.50	60.96	13.21	8.13	2.79										
87914-5003	-----	-----	-----	-----	50	-----	6	63.50	60.96	13.21	8.13	2.79										
87914-5004	-----	-----	-----	-----	50	-----	4	63.50	60.96	11.11	6.10	2.72										
87914-5005	-----	-----	-----	-----	50	-----	5	63.50	60.96	11.11	6.10	2.72										
87914-5006	-----	-----	-----	-----	50	-----	6	63.50	60.96	11.11	6.10	2.72										
87914-5007	-----	-----	-----	-----	50	-----	6	63.50	60.96	11.11	6.10	2.72										

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

DIMENSION UNITS

SCALE

mm

NTS

GENERAL TOLERANCES (UNLESS SPECIFIED)

MM

INCH

4 PLACES

±

±

3 PLACES

±

±

2 PLACES

±

0.2

±

1 PLACE

±

±

0 PLACES

±

±

ANGULAR TOL

±

3.0 °

DRAFT WHERE APPLICABLE

MUST REMAIN

WITHIN DIMENSIONS

CURRENT REV DESC:

EC NO: 717430

DRWN: DANUSA

CHK'D: DANUSA

APPR: MRAMAKRISHNA

INITIAL REVISION:

DRWN: YLQIAO

APPR: SCLOW

THIRD ANGLE PROJECTION

DRAWING

SERIES

MATERIAL NUMBER

CUSTOMER

SHEET NUMBER

2022/06/28

2022/08/11

2022/08/11

2005/01/17

2005/01/25

A3-SIZE

87914

SEE TABLE

GENERAL MARKET

30 OF 45

mo

lex

2.54MM PITCH

DUAL ROW HEADER SINGLE WAFER, T/H

PRODUCT CUSTOMER DRAWING

DOCUMENT NUMBER

SD-87914-013

DOC TYPE

PSD

DOC PART

000

REVISION

D23


[illegible]


	10	9		8	7	6		5	4		3	2	1			
F	PART NO FOR BULK PACKAGING	PART NO FOR BULK PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION						
										A	B	F	M	P		
	87914-5411	-----	-----	-----	-----	-----	54	-----	1	68.58	66.04	10.92	5.84	2.79	F	
	87914-5421	-----	-----	-----	-----	-----	54	-----	1	68.58	66.04	12.25	7.00	2.96		
	87914-5412	-----	-----	-----	-----	-----	54	-----	2	68.58	66.04	10.92	5.84	2.79		
	87914-5422	-----	-----	-----	-----	-----	54	-----	2	68.58	66.04	12.25	7.00	2.96		
	87914-5413	-----	-----	-----	-----	-----	54	-----	3	68.58	66.04	10.92	5.84	2.79		
	87914-5423	-----	-----	-----	-----	-----	54	-----	3	68.58	66.04	12.25	7.00	2.96		
	87914-5414	-----	-----	-----	-----	-----	54	-----	4	68.58	66.04	10.92	5.84	2.79		
	87914-5424	-----	-----	-----	-----	-----	54	-----	4	68.58	66.04	12.25	7.00	2.96		
	87914-5415	-----	-----	-----	-----	-----	54	-----	5	68.58	66.04	10.92	5.84	2.79		
E	87914-5425	-----	-----	-----	-----	-----	54	-----	5	68.58	66.04	12.25	7.00	2.96		E
	87914-5416	-----	-----	-----	-----	-----	54	-----	6	68.58	66.04	10.92	5.84	2.79		
	87914-5426	-----	-----	-----	-----	-----	54	-----	6	68.58	66.04	12.25	7.00	2.96		
	87914-5427	-----	-----	-----	-----	-----	54	-----	6	68.58	66.04	12.25	7.00	2.96		
	-----	87914-5401	-----	-----	-----	-----	54	-----	4	68.58	66.04	13.21	8.13	2.79		
	-----	87914-5402	-----	-----	-----	-----	54	-----	5	68.58	66.04	13.21	8.13	2.79		
	-----	87914-5403	-----	-----	-----	-----	54	-----	6	68.58	66.04	13.21	8.13	2.79		
	-----	87914-5404	-----	-----	-----	-----	54	-----	4	68.58	66.04	11.11	6.10	2.72		
	-----	87914-5405	-----	-----	-----	-----	54	-----	5	68.58	66.04	11.11	6.10	2.72		
	-----	87914-5406	-----	-----	-----	-----	54	-----	6	68.58	66.04	11.11	6.10	2.72		
D	-----	87914-5407	-----	-----	-----	-----	54	-----	6	68.58	66.04	11.11	6.10	2.72	D	

[illegible]

	10	9		8	7	6		5		4		3		2		1		
F	PART NO FOR BULK PACKAGING	PART NO FOR BULK PACKAGING	PART NO. FOR TUBE WITHOUT CAP PACKAGING	PART NO. FOR TUBE WITH CAP PACKAGING	PART NO. FOR TAPE & REEL WITHOUT CAP PACKAGING	PART NO. FOR TAPE & REEL WITH CAP PACKAGING	CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION								
										A	B	F	M	P				
	87914-6411	-----	-----	-----	-----	-----	64	-----	1	81.28	78.74	10.92	5.84	2.79				
	87914-6421	-----	-----	-----	-----	-----	64	-----	1	81.28	78.74	12.25	7.00	2.96				
	87914-6412	-----	-----	-----	-----	-----	64	-----	2	81.28	78.74	10.92	5.84	2.79				
	87914-6422	-----	-----	-----	-----	-----	64	-----	2	81.28	78.74	12.25	7.00	2.96				
	87914-6413	-----	-----	-----	-----	-----	64	-----	3	81.28	78.74	10.92	5.84	2.79				
	87914-6423	-----	-----	-----	-----	-----	64	-----	3	81.28	78.74	12.25	7.00	2.96				
E	87914-6414	-----	-----	-----	-----	-----	64	-----	4	81.28	78.74	10.92	5.84	2.79				
	87914-6424	-----	-----	-----	-----	-----	64	-----	4	81.28	78.74	12.25	7.00	2.96				
	87914-6415	-----	-----	-----	-----	-----	64	-----	5	81.28	78.74	10.92	5.84	2.79				
	87914-6425	-----	-----	-----	-----	-----	64	-----	5	81.28	78.74	12.25	7.00	2.96				
	87914-6416	-----	-----	-----	-----	-----	64	-----	6	81.28	78.74	10.92	5.84	2.79				
	87914-6426	-----	-----	-----	-----	-----	64	-----	6	81.28	78.74	12.25	7.00	2.96				
	87914-6427	-----	-----	-----	-----	-----	64	-----	6	81.28	78.74	12.25	7.00	2.96				
	-----	87914-6401	-----	-----	-----	-----	64	-----	4	81.28	78.74	13.21	8.13	2.79				
D	-----	87914-6402	-----	-----	-----	-----	64	-----	5	81.28	78.74	13.21	8.13	2.79				
	-----	87914-6403	-----	-----	-----	-----	64	-----	6	81.28	78.74	13.21	8.13	2.79				
	-----	87914-6404	-----	-----	-----	-----	64	-----	4	81.28	78.74	11.11	6.10	2.72				
	-----	87914-6405	-----	-----	-----	-----	64	-----	5	81.28	78.74	11.11	6.10	2.72				
	-----	87914-6406	-----	-----	-----	-----	64	-----	6	81.28	78.74	11.11	6.10	2.72				
	-----	87914-6407	-----	-----	-----	-----	64	-----	6	81.28	78.74	11.11	6.10	2.72				

[illegible]



			
RELEASE STATUS			
RELEASE DATE			

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																							
QUALITY SYMBOLS		ADD -0651 & -3686 EC NO: 115475 DRWN: FCSSO CHK'D: KHLIM APPR: KHLIM REV: A9		2017/07/28 2017/08/15		GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION UNITS		SCALE													
 = 0								MM		NTS													
 = 0								MM		INCH		DRWN BY SKLIM01		DATE 2005/09/07									
 = 0						4 PLACES		±		±		CHK'D BY		DATE									
 = 0						3 PLACES		±		±		BOKOK		2005/09/17									
 = 0						2 PLACES		±		0.2		±		APPR BY		DATE							
 = 0						1 PLACES		±		±		MLONG		2010/09/06		PRODUCT CUSTOMER DRAWING							
 = 0						0 PLACES		±		±		DRAWING SIZE		THIRD ANGLE PROJECTION		SERIES 87914		MATERIAL NUMBER SEE TABLE		CUSTOMER GENERAL MARKET			
 = 0						A9		REV		A9		REV		A9		REV		A9		REV		A9	
												DOCUMENT NUMBER SD-87914-022		DOC TYPE PSD		DOC PART 000		SHEET NUMBER 1 OF 3					

[illegible]