SIEMENS

## Data sheet 3VA9373-0JD13

WIRE CONNECTOR;CU 3 PCS. ACCESSORY FOR: 3VA5/6 400/600



| | |
|---|---|
| **Model** | |
| product brand name | SENTRON |
| product designation | accessories |
| Product version | circular conductor terminal |
| Accessories | Wire connector |
| **General technical data** | |
| designation / of the terminal | TC1.5 |
| **Voltage** | |
| **Current** | |
| **Mechanical Design** | |
| **Connections according IEC** | |
| IEC-marking / of terminals | 50-300 mm² CU 400A NNL |
| stripped length | 28 mm |
| **Connetctions according UL** | |
| UL-marking / of terminals | TC1.5 CMC 1-600 CU9 UR CSA |
| permissible temperature / of connectable conductor / according to UL 486A-486B | 90 °C |
| stripped length | 1.1 in |
| connectable conductor cross-section | |
| ● for copper cable / stranded / minimum | 1 AWG |
| ● for copper cable / stranded / maximum | 600 kcmil |
| ● for copper cable / finely stranded / minimum | 1 AWG |
| ● for copper cable / finely stranded / maximum | 600 kcmil |
| tightening torque / when using copper cables | |
| ● stranded | 1 AWG - 600 kcmil: 500 lb-in |
| ● finely stranded | 1 AWG - 600 kcmil: 500 lb-in |
| **Certificates** | |

**General Product Approval** | **EMC**

Miscellaneous

**Declaration of Conformity**



Subject to change without notice
© Copyright Siemens

| Shipping Approval | other | |
|---|---|---|
| LRS | Manufacturer Declaration | Miscellaneous |

## Further information

**Information- and Downloadcenter (Catalogs, Brochures,…)**
http://www.siemens.com/lowvoltage/catalogs
**Industry Mall (Online ordering system)**
https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3VA9373-0JD13
**Service&Support (Manuals, Certificates, Characteristics, FAQs,...)**
https://support.industry.siemens.com/cs/ww/en/ps/3VA9373-0JD13
**Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)**
http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3VA9373-0JD13
**Tender specifications**
http://www.siemens.com/specifications


Subject to change without notice
© Copyright Siemens




**last modified:** 12/20/2020


Subject to change without notice
© Copyright Siemens