

HD10-6-GKT

✓ ACTIVE

TE Internal #: HD10-6-GKT
Automotive Seals & Cavity Plugs, Gasket, Closed Cell Sponge,
Black, 6 Position, -70 – 225 °F [-57 – 107 °C]

[View on TE.com >](#)



Connectors > Automotive Connectors > Automotive Seals & Cavity Plugs



Connector Seal Type: **Gasket**
Seal Material: **Closed Cell Sponge**
Operating Temperature (Max): **107 °C [225 °F]**
Contains Lubricant: **No**
Primary Product Color: **Black**

Features

Product Type Features

Connector Seal Type	Gasket
---------------------	--------

Configuration Features

Number of Positions	6
---------------------	---

Body Features

Seal Material	Closed Cell Sponge
Primary Product Color	Black

Usage Conditions

Operating Temperature (Max)	107 °C[225 °F]
Operating Temperature Range	-57 – 107 °C[-70 – 225 °F]

Industry Standards

UL Flammability Rating	UL 94HBF
------------------------	----------

Packaging Features

Packaging Method	Box
------------------	-----

Other

--	--



Contains Lubricant	No
--------------------	----

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2023 (233) Candidate List Declared Against: JAN 2023 (233) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



Customers Also Bought

HD10-6-GKT

Automotive Seals & Cavity Plugs, Gasket, Closed Cell Sponge, Black, 6 Position, -70 – 225 °F [-57 – 107 °C]





TE Part #HD10-6-12P
DEUTSCH HD10 Housings



TE Part #HD18-006
BACK SHELL



TE Part #DRC23-24PA
HDR 24P, BLK, RA, AU/NI/CU, A




TE Part #HD10-6BT
BOOT, 6P, PLG/REC, ST, GRY



TE Part #DRC22-40PB
40P RECP ASM



TE Part #HDC16-6-LA
DUST CAP, 6P, REC, GRY, LANYARD, HD10



TE Part #DT06-4S-P012-COMP
PLG, 4P, BLK, N, SEAL RET, WEDGE CONT



TE Part #DTP06-4S-COMPLETE
DTP06-4S WEG CON

Documents

Product Drawings
GASKET, 6SZ, BLK, HD10

English

CAD Files
Customer View Model
ENG_CVM_CVM_HD10-6-GKT_A.2d_dxf.zip

English

Customer View Model
ENG_CVM_CVM_HD10-6-GKT_A.3d_igs.zip

English

Customer View Model
ENG_CVM_CVM_HD10-6-GKT_A.3d_stp.zip

English

3D PDF

3D

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages
CONNECTOR SELECTOR

English

Product Specifications
Application Specification

English