SIEMENS

Data sheet 3RT2916-1LN00



Surge suppressor, Interference suppression diode with LED, 70 ... 150 V DC, for contactor relays and motor contactors Size S00

General technical data		
product brand name		SIRIUS
product designation		surge suppressor
size of contactor		S00
design of the surge suppressor		with diode
ambient temperature		
• during storage	°C	-40 ... +80
• during operation	°C	-25 ... +60
Control circuit/ Control		
type of voltage of the control supply voltage		DC
control supply voltage 1		
• at DC	V	70 ... 150
Installation/ mounting/ dimensions		
mounting position		any
fastening method		clip-on
width	mm	28
height	mm	46
depth	mm	9
Certificates/ approvals		
certificate of suitability		CE / UL / CSA / CCC

General Product Approval	EMC	Declaration of Conformity
CSA, UR, EAC	RCM, RCM	Miscellaneous


Declaration of Conformity	Test Certificates		Shipping Approval
EG-Konf.	Special Test Certificate	Type Test Certificates/Test Report	BUREAU VERITAS, PRS, RINA

Subject to change without notice
© Copyright Siemens


Shipping Approval	other	Railway
RMRS	Confirmation	VDE Vibration and Shock

Further information

Information- and Downloadcenter (Catalogs, Brochures,…)
https://www.siemens.com/ic10
Industry Mall (Online ordering system)
https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3RT2916-1LN00
Cax online generator
http://support.automation.siemens.com/WW/CAXorder/default.aspx?lang=en&mlfb=3RT2916-1LN00
Service&Support (Manuals, Certificates, Characteristics, FAQs,...)
https://support.industry.siemens.com/cs/ww/en/ps/3RT2916-1LN00
Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, EPLAN macros, ...)
http://www.automation.siemens.com/bilddb/cax_de.aspx?mlfb=3RT2916-1LN00&lang=en



© Copyright Siemens



last modified: 9/3/2020

Subject to change without notice
© Copyright Siemens