
Data sheet

15285.2 FBK 40CZ



Interface module for ribbon cables, Tension-spring connection and ribbon cable connector, Mounting type: Mounting rail TS 35, No. of poles: 40

Business data

Article number	15285.2
Article name	FBK 40CZ
GTIN (EAN)	4044211078669
Packaging unit	1
Quantity unit	PC
Weight per piece (not including packaging)	88 g
Weight per piece (including packaging)	122 g
Unit of weight	G
Customs number	85369010
Country of origin	NL
Product description	Interface module

Data sheet

15285.2 FBK 40CZ

Data sheet

15285.2 FBK 40CZ

Technical data

Dimensions

Length	47 mm
Width	113 mm
Height TS 35/7.5	38 mm

Ratings

Overvoltage category	III
Contamination degree	2

Connection data

Connection principle	Tension-spring connection
Number of connections	1
No. of poles	40
Wire cross-section single core (rigid), min.	0.08 mm²
Wire cross-section single-core (rigid), max.	2.5 mm²
Wire cross-section stranded, min.	0.14 mm²
Wire cross-section stranded, max.	2.5 mm²
Wire cross-section stranded with wire-end ferrules,min.	0.14 mm²
Wire cross-section stranded with wire-end ferrules,max.	1.5 mm²
Stripping length	6 mm

Input data

Max. operating voltage AC/DC	125 V
Current load per channel, max.	1 A

Materials

Working temperature, min.	-20 °C
Working temperature, max.	50 °C

Further technical data

Mounting type	TS 35
Connector type	Ribbon cable according to EN 60603-13
Test voltage	0.67 kV

Environmental Product Compliance

REACH Conform	yes
REACH Reference date	2022-06-10
REACH Candidate Substance Note	No
RoHS Conform	yes


Approvals

Standards and regulations

Standards / specifications	DIN VDE 0110 / EN 50178

Data sheet
15285.2 FBK 40CZ

Media



Data sheet
15285.2 FBK 40CZ

Accessories