


# Data sheet

## 17250.2 SES 35 BG



End stop, Mounting type: Mounting rail TS 35/7.5 and TS 35/15, Width: 8 mm, Colour: Beige

### Business data

|                                            |               |
|--------------------------------------------|---------------|
| Article number                             | 17250.2       |
| Article name                               | SES 35 BG     |
| GTIN (EAN)                                 | 4044211178253 |
| Packaging unit                             | 50            |
| Quantity unit                              | PC            |
| Weight per piece (not including packaging) | 7.85 g        |
| Weight per piece (including packaging)     | 7.95 g        |
| Unit of weight                             | G             |
| Customs number                             | 85389099      |
| Country of origin                          | CZ            |
| Prio-Article                               | 17250.2       |
| Product description                        | End bracket   |

# Data sheet

## 17250.2 SES 35 BG

### Technical data

#### Dimensions

|                  |         |
|------------------|---------|
| Length           | 48 mm   |
| Width            | 8 mm    |
| Height TS 35/7.5 | 47.1 mm |
| Height TS 35/15  | 56.8 mm |

#### Materials

|                           |               |
|---------------------------|---------------|
| Material                  | Polyamide 6.6 |
| Flammability class UL 94  | V-2           |
| Working temperature, min. | -40 °C        |
| Working temperature, max. | 105 °C        |

#### Further technical data

|               |                                      |
|---------------|--------------------------------------|
| Mounting type | Mounting rail TS 35/7,5 and TS 35/15 |
|---------------|--------------------------------------|

#### Environmental Product Compliance

|                                |                        |
|--------------------------------|------------------------|
| REACH Conform                  | yes                    |
| REACH Reference date           | 2022-01-07, 2022-06-10 |
| REACH Candidate Substance Note | No                     |
| RoHS Conform                   | yes                    |


---

**Media**

---


### Accessories

#### Quick marking



Terminal marker / Pocket Maxicard, Length: 5 mm, Width: 8 mm, Colour: White

| Article number | Article name   | GTIN (EAN)    | Packaging unit |
|----------------|----------------|---------------|----------------|
| <u>9323.7</u>  | PMC SB 8/40 WH | 4044211129231 | 400 ST         |



Terminal marker / Pocket Maxicard, Length: 12 mm, Width: 8 mm, Colour: White

| Article number | Article name        | GTIN (EAN)    | Packaging unit |
|----------------|---------------------|---------------|----------------|
| <u>9410.7</u>  | PMC BSTR 8x12/21 WH | 4044211154998 | 210 ST         |

#### Marker holder



Group marker holder, Width: 6 mm, Material: PA6.6

| Article number | Article name | GTIN (EAN)    | Packaging unit |
|----------------|--------------|---------------|----------------|
| <u>3777.0</u>  | ZSchT 5      | 4044211061036 | 100 ST         |



Group marker holder, Width: 6 mm, Material: PA6.6

| Article number | Article name | GTIN (EAN)    | Packaging unit |
|----------------|--------------|---------------|----------------|
| <u>3807.0</u>  | ZSchT 6      | 4044211080136 | 100 ST         |



Group marker holder, Width: 5 mm, Material: PA6.6

| Article number | Article name | GTIN (EAN)    | Packaging unit |
|----------------|--------------|---------------|----------------|
| <u>2530.0</u>  | SchT 11      | 4044211128197 | 100 ST         |




Group marker holder, Width: 8 mm, Material: PA6.6

| Article number | Article name | GTIN (EAN)    | Packaging unit |
|----------------|--------------|---------------|----------------|
| <u>3749.0</u>  | SchT 9       | 4044211060589 | 100 ST         |

##INVERSE##CONTA-CONNECT


# Data sheet

## 17250.2 SES 35 BG




Double-level terminal with electronic components, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 4 mm<sup>2</sup>, Width: 6.1 mm, Colour: Beige

| Article number          | Article name | GTIN (EAN)    | Packaging unit |
|-------------------------|--------------|---------------|----------------|
| <a href="#">17566.2</a> | SRKD 4/D5 BG | 4044211234669 | 100 ST         |




Double-level terminal with electronic components, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 4 mm<sup>2</sup>, Width: 6.1 mm, Colour: Beige

| Article number          | Article name  | GTIN (EAN)    | Packaging unit |
|-------------------------|---------------|---------------|----------------|
| <a href="#">17569.2</a> | SRKD 4/RD5 BG | 4044211234690 | 100 ST         |




Double-level terminal with electronic components, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 4 mm<sup>2</sup>, Width: 6.1 mm, Colour: Beige

| Article number          | Article name | GTIN (EAN)    | Packaging unit |
|-------------------------|--------------|---------------|----------------|
| <a href="#">17563.2</a> | SRKD 4/D2 BG | 4044211234638 | 100 ST         |




Double-level terminal with electronic components, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 4 mm<sup>2</sup>, Width: 6.1 mm, Colour: Beige

| Article number          | Article name | GTIN (EAN)    | Packaging unit |
|-------------------------|--------------|---------------|----------------|
| <a href="#">17564.2</a> | SRKD 4/D3 BG | 4044211234645 | 100 ST         |




Double-level terminal with electronic components, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 4 mm<sup>2</sup>, Width: 6.1 mm, Colour: Beige

| Article number          | Article name | GTIN (EAN)    | Packaging unit |
|-------------------------|--------------|---------------|----------------|
| <a href="#">17565.2</a> | SRKD 4/D4 BG | 4044211234652 | 100 ST         |



Double-level terminal with electronic components, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 4 mm<sup>2</sup>, Width: 6.1 mm, Colour: Beige

| Article number          | Article name              | GTIN (EAN)    | Packaging unit |
|-------------------------|---------------------------|---------------|----------------|
| <a href="#">17570.2</a> | SRKD 4/LED1(RD)/24V DC BG | 4044211234706 | 100 ST         |




Double-level terminal with electronic components, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 4 mm<sup>2</sup>, Width: 6.1 mm, Colour: Beige

| Article number          | Article name              | GTIN (EAN)    | Packaging unit |
|-------------------------|---------------------------|---------------|----------------|
| <a href="#">17571.2</a> | SRKD 4/LED1(GN)/24V DC BG | 4044211234713 | 100 ST         |


# Data sheet

## 17250.2 SES 35 BG




Double-level terminal with electronic components, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 4 mm<sup>2</sup>, Width: 6.1 mm, Colour: Beige

| Article number | Article name              | GTIN (EAN)    | Packaging unit |
|----------------|---------------------------|---------------|----------------|
| <u>17572.2</u> | SRKD 4/LED2(RD)/24V DC BG | 4044211234720 | 100 ST         |




Double-level terminal with electronic components, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 4 mm<sup>2</sup>, Width: 6.1 mm, Colour: Beige

| Article number | Article name              | GTIN (EAN)    | Packaging unit |
|----------------|---------------------------|---------------|----------------|
| <u>17575.2</u> | SRKD 4/LED3(GN)/24V DC BG | 4044211234751 | 100 ST         |




Double-level terminal with electronic components, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 4 mm<sup>2</sup>, Width: 6.1 mm, Colour: Beige

| Article number | Article name              | GTIN (EAN)    | Packaging unit |
|----------------|---------------------------|---------------|----------------|
| <u>17576.2</u> | SRKD 4/LED4(RD)/24V DC BG | 4044211234768 | 100 ST         |




Double-level terminal with electronic components, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 4 mm<sup>2</sup>, Width: 6.1 mm, Colour: Beige

| Article number | Article name              | GTIN (EAN)    | Packaging unit |
|----------------|---------------------------|---------------|----------------|
| <u>17578.2</u> | SRKD 4/LED5(RD)/24V AC BG | 4044211234782 | 100 ST         |




Double-level terminal with electronic components, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 4 mm<sup>2</sup>, Width: 6.1 mm, Colour: Beige

| Article number | Article name               | GTIN (EAN)    | Packaging unit |
|----------------|----------------------------|---------------|----------------|
| <u>17579.2</u> | SRKD 4/LED5(RD)/230V AC BG | 4044211234799 | 100 ST         |



Double-level terminal with electronic components, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 4 mm<sup>2</sup>, Width: 6.1 mm, Colour: Beige

| Article number | Article name | GTIN (EAN)    | Packaging unit |
|----------------|--------------|---------------|----------------|
| <u>17561.2</u> | SRKD 4/D0 BG | 4044211234614 | 100 ST         |




Double-level terminal with electronic components, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 4 mm<sup>2</sup>, Width: 6.1 mm, Colour: Beige

| Article number | Article name | GTIN (EAN)    | Packaging unit |
|----------------|--------------|---------------|----------------|
| <u>17562.2</u> | SRKD 4/D1 BG | 4044211234621 | 100 ST         |


# Data sheet

## 17250.2 SES 35 BG




Double-level terminal with electronic components, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 4 mm<sup>2</sup>, Width: 6.1 mm, Colour: Beige

| Article number | Article name | GTIN (EAN)    | Packaging unit |
|----------------|--------------|---------------|----------------|
| <u>17567.2</u> | SRKD 4/D6 BG | 4044211234676 | 100 ST         |




Double-level terminal with electronic components, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 4 mm<sup>2</sup>, Width: 6.1 mm, Colour: Beige

| Article number | Article name  | GTIN (EAN)    | Packaging unit |
|----------------|---------------|---------------|----------------|
| <u>17568.2</u> | SRKD 4/RD1 BG | 4044211234683 | 100 ST         |




Double-level terminal with electronic components, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 4 mm<sup>2</sup>, Width: 6.1 mm, Colour: Beige

| Article number | Article name              | GTIN (EAN)    | Packaging unit |
|----------------|---------------------------|---------------|----------------|
| <u>17573.2</u> | SRKD 4/LED2(GN)/24V DC BG | 4044211234737 | 100 ST         |




Double-level terminal with electronic components, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 4 mm<sup>2</sup>, Width: 6.1 mm, Colour: Beige

| Article number | Article name              | GTIN (EAN)    | Packaging unit |
|----------------|---------------------------|---------------|----------------|
| <u>17574.2</u> | SRKD 4/LED3(RD)/24V DC BG | 4044211234744 | 100 ST         |




Double-level terminal with electronic components, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 4 mm<sup>2</sup>, Width: 6.1 mm, Colour: Beige

| Article number | Article name              | GTIN (EAN)    | Packaging unit |
|----------------|---------------------------|---------------|----------------|
| <u>17577.2</u> | SRKD 4/LED4(GN)/24V DC BG | 4044211234775 | 100 ST         |



Test disconnect terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 6 mm<sup>2</sup>, Width: 8.1 mm, Colour: Beige

| Article number | Article name    | GTIN (EAN)    | Packaging unit |
|----------------|-----------------|---------------|----------------|
| <u>17523.2</u> | SPTK 6/LT/HB BG | 4044211209223 | 50 ST          |




Test disconnect terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 6 mm<sup>2</sup>, Width: 8.1 mm, Colour: Beige

| Article number | Article name         | GTIN (EAN)    | Packaging unit |
|----------------|----------------------|---------------|----------------|
| <u>17524.2</u> | SPTK 6/LT/STBI/YE BG | 4044211209919 | 50 ST          |


# Data sheet

## 17250.2 SES 35 BG




Fuse-disconnect terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 6 mm², Width: 8.1 mm, Colour: Black

| Article number | Article name | GTIN (EAN)    | Packaging unit |
|----------------|--------------|---------------|----------------|
| <u>17151.4</u> | SSIK 6/2A BK | 4044211188993 | 50 ST          |




Fuse-disconnect terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 4 mm², Width: 6.1 mm, Colour: Black

| Article number | Article name                  | GTIN (EAN)    | Packaging unit |
|----------------|-------------------------------|---------------|----------------|
| <u>17172.4</u> | SSIK 4/2A/LED 30-60V AC/DC BK | 4044211180447 | 25 ST          |



Fuse-disconnect terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 6 mm², Width: 8.1 mm, Colour: Black

| Article number | Article name                  | GTIN (EAN)    | Packaging unit |
|----------------|-------------------------------|---------------|----------------|
| <u>17176.4</u> | SSIK 6/2A/LED 30-60V AC/DC BK | 4044211188931 | 50 ST          |



Fuse-disconnect terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 6 mm², Width: 8.1 mm, Colour: Black

| Article number | Article name                | GTIN (EAN)    | Packaging unit |
|----------------|-----------------------------|---------------|----------------|
| <u>17178.4</u> | SSIK 6/2A/LED 500V AC/DC BK | 4044211188948 | 50 ST          |



Test disconnect terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 6 mm², Width: 8.1 mm, Colour: Beige

| Article number | Article name | GTIN (EAN)    | Packaging unit |
|----------------|--------------|---------------|----------------|
| <u>17520.2</u> | SPTK 6/DU BG | 4044211209650 | 50 ST          |



Test disconnect terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 6 mm², Width: 8.1 mm, Colour: Beige

| Article number | Article name | GTIN (EAN)    | Packaging unit |
|----------------|--------------|---------------|----------------|
| <u>17521.2</u> | SPTK 6/LT BG | 4044211209162 | 50 ST          |



Test disconnect terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 6 mm², Width: 8.1 mm, Colour: Beige

| Article number | Article name | GTIN (EAN)    | Packaging unit |
|----------------|--------------|---------------|----------------|
| <u>17522.2</u> | SPTK 6/QT BG | 4044211209216 | 50 ST          |


# Data sheet

## 17250.2 SES 35 BG




Test disconnect terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 6 mm<sup>2</sup>, Width: 8.1 mm, Colour: Beige

| Article number | Article name         | GTIN (EAN)    | Packaging unit |
|----------------|----------------------|---------------|----------------|
| <u>17250.2</u> | SPTK 6/LT/STBI/BU BG | 4044211209926 | 50 ST          |




Fuse-disconnect terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 4 mm<sup>2</sup>, Width: 6.1 mm, Colour: Black

| Article number | Article name | GTIN (EAN)    | Packaging unit |
|----------------|--------------|---------------|----------------|
| <u>17150.4</u> | SSIK 4/2A BK | 4044211179816 | 50 ST          |



Fuse-disconnect terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 4 mm<sup>2</sup>, Width: 6.1 mm, Colour: Black

| Article number | Article name                  | GTIN (EAN)    | Packaging unit |
|----------------|-------------------------------|---------------|----------------|
| <u>17171.4</u> | SSIK 4/2A/LED 12-30V AC/DC BK | 4044211180430 | 25 ST          |




Fuse-disconnect terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 4 mm<sup>2</sup>, Width: 6.1 mm, Colour: Black

| Article number | Article name                    | GTIN (EAN)    | Packaging unit |
|----------------|---------------------------------|---------------|----------------|
| <u>17173.4</u> | SSIK 4/2A/LED 110-250V AC/DC BK | 4044211180454 | 25 ST          |




Fuse-disconnect terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 4 mm<sup>2</sup>, Width: 6.1 mm, Colour: Black

| Article number | Article name                | GTIN (EAN)    | Packaging unit |
|----------------|-----------------------------|---------------|----------------|
| <u>17174.4</u> | SSIK 4/2A/LED 500V AC/DC BK | 4044211180461 | 25 ST          |



Fuse-disconnect terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 6 mm<sup>2</sup>, Width: 8.1 mm, Colour: Black

| Article number | Article name                  | GTIN (EAN)    | Packaging unit |
|----------------|-------------------------------|---------------|----------------|
| <u>17175.4</u> | SSIK 6/2A/LED 12-30V AC/DC BK | 4044211188924 | 50 ST          |




Fuse-disconnect terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 6 mm<sup>2</sup>, Width: 8.1 mm, Colour: Black

| Article number | Article name                    | GTIN (EAN)    | Packaging unit |
|----------------|---------------------------------|---------------|----------------|
| <u>17177.4</u> | SSIK 6/2A/LED 110-250V AC/DC BK | 4044211188955 | 50 ST          |


# Data sheet

## 17250.2 SES 35 BG




Protective-earth double-level terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Green-yellow

| Article number | Article name  | GTIN (EAN)    | Packaging unit |
|----------------|---------------|---------------|----------------|
| <u>17182.2</u> | SSLD 2,5 GNYE | 4044211190705 | 100 ST         |




Protective-earth double-level terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 10 mm², Width: 10.1 mm, Colour: Green-yellow

| Article number | Article name | GTIN (EAN)    | Packaging unit |
|----------------|--------------|---------------|----------------|
| <u>17192.2</u> | SSLD 10 GNYE | 4044211190804 | 50 ST          |




Protective earth terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 10 mm², Width: 8 mm, Colour: Green-yellow

| Article number | Article name  | GTIN (EAN)    | Packaging unit |
|----------------|---------------|---------------|----------------|
| <u>17111.2</u> | SSL 6/2A GNYE | 4044211141769 | 100 ST         |




Protective earth terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 16 mm², Width: 10 mm, Colour: Green-yellow

| Article number | Article name      | GTIN (EAN)    | Packaging unit |
|----------------|-------------------|---------------|----------------|
| <u>17131.2</u> | SSL 16/2A/IS GNYE | 4044211181079 | 50 ST          |




Protective earth terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 35 mm², Width: 16.1 mm, Colour: Green-yellow

| Article number | Article name      | GTIN (EAN)    | Packaging unit |
|----------------|-------------------|---------------|----------------|
| <u>17147.2</u> | SSL 35/2A/IS GNYE | 4044211186678 | 20 ST          |



Double-level terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

| Article number | Article name | GTIN (EAN)    | Packaging unit |
|----------------|--------------|---------------|----------------|
| <u>17180.2</u> | SRKD 2,5 BG  | 4044211190668 | 100            |




Double-level terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

| Article number | Article name   | GTIN (EAN)    | Packaging unit |
|----------------|----------------|---------------|----------------|
| <u>17181.2</u> | SRKD 2,5/SV BG | 4044211190682 | 100            |


# Data sheet

## 17250.2 SES 35 BG




Double-level terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 4 mm², Width: 6.1 mm, Colour: Beige

| Article number | Article name | GTIN (EAN)    | Packaging unit |
|----------------|--------------|---------------|----------------|
| <u>17185.2</u> | SRKD 4 BG    | 4044211190712 | 100            |




Double-level terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 4 mm², Width: 6.1 mm, Colour: Beige

| Article number | Article name | GTIN (EAN)    | Packaging unit |
|----------------|--------------|---------------|----------------|
| <u>17186.2</u> | SRKD 4/SV BG | 4044211190736 | 100            |




Protective-earth double-level terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 4 mm², Width: 6.1 mm, Colour: Green-yellow

| Article number | Article name | GTIN (EAN)    | Packaging unit |
|----------------|--------------|---------------|----------------|
| <u>17187.2</u> | SSLD 4 GNYE  | 4044211190750 | 100 ST         |




Double-level terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 10 mm², Width: 10.1 mm, Colour: Beige

| Article number | Article name | GTIN (EAN)    | Packaging unit |
|----------------|--------------|---------------|----------------|
| <u>17190.2</u> | SRKD 10 BG   | 4044211190767 | 50             |




Double-level terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 10 mm², Width: 10.1 mm, Colour: Beige

| Article number | Article name  | GTIN (EAN)    | Packaging unit |
|----------------|---------------|---------------|----------------|
| <u>17191.2</u> | SRKD 10/SV BG | 4044211190781 | 50             |



Protective earth terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5 mm, Colour: Green-yellow

| Article number | Article name    | GTIN (EAN)    | Packaging unit |
|----------------|-----------------|---------------|----------------|
| <u>17103.2</u> | SSL 2,5/2A GNYE | 4044211141684 | 100 ST         |




Feed-through terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 4 mm², Width: 6 mm, Colour: Beige

| Article number | Article name  | GTIN (EAN)    | Packaging unit |
|----------------|---------------|---------------|----------------|
| <u>17106.2</u> | SRK 4/2A/Z BG | 4044211141714 | 100 ST         |


# Data sheet

## 17250.2 SES 35 BG




Protective earth terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 4 mm<sup>2</sup>, Width: 6 mm, Colour: Green-yellow

| Article number | Article name  | GTIN (EAN)    | Packaging unit |
|----------------|---------------|---------------|----------------|
| <u>17107.2</u> | SSL 4/2A GNYE | 4044211141721 | 100 ST         |



Protective earth terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 16 mm<sup>2</sup>, Width: 10 mm, Colour: Green-yellow

| Article number | Article name   | GTIN (EAN)    | Packaging unit |
|----------------|----------------|---------------|----------------|
| <u>17115.2</u> | SSL 10/2A GNYE | 4044211141806 | 100 ST         |




Protective earth terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 16 mm<sup>2</sup>, Width: 12.1 mm, Colour: Green-yellow

| Article number | Article name   | GTIN (EAN)    | Packaging unit |
|----------------|----------------|---------------|----------------|
| <u>17130.2</u> | SSL 16/2A GNYE | 4044211181062 | 50 ST          |




Feed-through terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 10 mm<sup>2</sup>, Width: 8 mm, Colour: Black-yellow

| Article number | Article name     | GTIN (EAN)    | Packaging unit |
|----------------|------------------|---------------|----------------|
| <u>17132.2</u> | SRK 6/2A/PE BKYE | 4044211200718 | 100 ST         |




Feed-through terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 16 mm<sup>2</sup>, Width: 12.1 mm, Colour: Beige

| Article number | Article name   | GTIN (EAN)    | Packaging unit |
|----------------|----------------|---------------|----------------|
| <u>17134.2</u> | SRK 16/2A/H BG | 4044211206192 | 50 ST          |



Protective earth terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 35 mm<sup>2</sup>, Width: 16.1 mm, Colour: Green-yellow

| Article number | Article name   | GTIN (EAN)    | Packaging unit |
|----------------|----------------|---------------|----------------|
| <u>17145.2</u> | SSL 35/2A GNYE | 4044211186661 | 20 ST          |




Feed-through terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm<sup>2</sup>, Width: 5 mm, Colour: Beige

| Article number | Article name  | GTIN (EAN)    | Packaging unit |
|----------------|---------------|---------------|----------------|
| <u>17100.2</u> | SRK 2,5/2A BG | 4044211141653 | 100            |


# Data sheet

## 17250.2 SES 35 BG




Feed-through terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 16 mm<sup>2</sup>, Width: 10 mm, Colour: Beige

| Article number | Article name   | GTIN (EAN)    | Packaging unit |
|----------------|----------------|---------------|----------------|
| <u>17113.2</u> | SRK B 10/2A BG | 4044211141783 | 100            |



Feed-through terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 16 mm<sup>2</sup>, Width: 12.1 mm, Colour: Beige

| Article number | Article name | GTIN (EAN)    | Packaging unit |
|----------------|--------------|---------------|----------------|
| <u>17124.2</u> | SRK 16/2A BG | 4044211180942 | 50             |



Feed-through terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 16 mm<sup>2</sup>, Width: 12.1 mm, Colour: Beige

| Article number | Article name      | GTIN (EAN)    | Packaging unit |
|----------------|-------------------|---------------|----------------|
| <u>17127.2</u> | SRK 16/2A/Z/IS BG | 4044211181048 | 50 ST          |



Feed-through terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 16 mm<sup>2</sup>, Width: 12.1 mm, Colour: Black-yellow

| Article number | Article name      | GTIN (EAN)    | Packaging unit |
|----------------|-------------------|---------------|----------------|
| <u>17128.2</u> | SRK 16/2A/PE BKYE | 4044211199739 | 50 ST          |



Feed-through terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm<sup>2</sup>, Width: 5 mm, Colour: Black-yellow

| Article number | Article name       | GTIN (EAN)    | Packaging unit |
|----------------|--------------------|---------------|----------------|
| <u>17129.2</u> | SRK 2,5/2A/PE BKYE | 4044211200688 | 100 ST         |



Feed-through terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 35 mm<sup>2</sup>, Width: 16.1 mm, Colour: Beige

| Article number | Article name   | GTIN (EAN)    | Packaging unit |
|----------------|----------------|---------------|----------------|
| <u>17141.2</u> | SRK 35/2A/Z BG | 4044211186630 | 20 ST          |




Feed-through terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 35 mm<sup>2</sup>, Width: 16.1 mm, Colour: Beige

| Article number | Article name      | GTIN (EAN)    | Packaging unit |
|----------------|-------------------|---------------|----------------|
| <u>17143.2</u> | SRK 35/2A/Z/IS BG | 4044211186654 | 20 ST          |




Feed-through terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 4 mm², Width: 6 mm, Colour: Black-yellow

| Article number | Article name     | GTIN (EAN)    | Packaging unit |
|----------------|------------------|---------------|----------------|
| <u>17155.2</u> | SRK 4/2A/PE BKYE | 4044211186692 | 100 ST         |




Feed-through terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 4 mm², Width: 6 mm, Colour: Beige

| Article number | Article name | GTIN (EAN)    | Packaging unit |
|----------------|--------------|---------------|----------------|
| <u>17104.2</u> | SRK 4/2A BG  | 4044211141691 | 100            |




Feed-through terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 4 mm², Width: 6 mm, Colour: Beige

| Article number | Article name  | GTIN (EAN)    | Packaging unit |
|----------------|---------------|---------------|----------------|
| <u>17105.2</u> | SRK B 4/2A BG | 4044211141707 | 100 ST         |




Feed-through terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 10 mm², Width: 8 mm, Colour: Beige

| Article number | Article name  | GTIN (EAN)    | Packaging unit |
|----------------|---------------|---------------|----------------|
| <u>17109.2</u> | SRK B 6/2A BG | 4044211141745 | 100 ST         |




Feed-through terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 16 mm², Width: 10 mm, Colour: Beige

| Article number | Article name | GTIN (EAN)    | Packaging unit |
|----------------|--------------|---------------|----------------|
| <u>17112.2</u> | SRK 10/2A BG | 4044211141776 | 100            |



Feed-through terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5 mm, Colour: Beige

| Article number | Article name      | GTIN (EAN)    | Packaging unit |
|----------------|-------------------|---------------|----------------|
| <u>17119.2</u> | SRK 2,5/2A SAS BG | 4044211149048 | 80             |



Feed-through terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 16 mm², Width: 12.1 mm, Colour: Beige

| Article number | Article name   | GTIN (EAN)    | Packaging unit |
|----------------|----------------|---------------|----------------|
| <u>17125.2</u> | SRK 16/2A/Z BG | 4044211181024 | 50 ST          |

# Data sheet

## 17250.2 SES 35 BG




Feed-through terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 35 mm<sup>2</sup>, Width: 16.1 mm, Colour: Beige

| Article number          | Article name | GTIN (EAN)    | Packaging unit |
|-------------------------|--------------|---------------|----------------|
| <a href="#">17140.2</a> | SRK 35/2A BG | 4044211186616 | 20             |




Feed-through terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 35 mm<sup>2</sup>, Width: 16.1 mm, Colour: Beige

| Article number          | Article name    | GTIN (EAN)    | Packaging unit |
|-------------------------|-----------------|---------------|----------------|
| <a href="#">17142.2</a> | SRK 35/2A/IS BG | 4044211186647 | 20             |




Feed-through terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm<sup>2</sup>, Width: 5 mm, Colour: Beige

| Article number          | Article name    | GTIN (EAN)    | Packaging unit |
|-------------------------|-----------------|---------------|----------------|
| <a href="#">17101.2</a> | SRK B 2,5/2A BG | 4044211141660 | 100 ST         |




Feed-through terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm<sup>2</sup>, Width: 5 mm, Colour: Beige

| Article number          | Article name    | GTIN (EAN)    | Packaging unit |
|-------------------------|-----------------|---------------|----------------|
| <a href="#">17102.2</a> | SRK 2,5/2A/Z BG | 4044211141677 | 100 ST         |




Feed-through terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 10 mm<sup>2</sup>, Width: 8 mm, Colour: Beige

| Article number          | Article name | GTIN (EAN)    | Packaging unit |
|-------------------------|--------------|---------------|----------------|
| <a href="#">17108.2</a> | SRK 6/2A BG  | 4044211141738 | 100            |



Feed-through terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 10 mm<sup>2</sup>, Width: 8 mm, Colour: Beige

| Article number          | Article name  | GTIN (EAN)    | Packaging unit |
|-------------------------|---------------|---------------|----------------|
| <a href="#">17110.2</a> | SRK 6/2A/Z BG | 4044211141752 | 100 ST         |




Feed-through terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 16 mm<sup>2</sup>, Width: 10 mm, Colour: Beige

| Article number          | Article name   | GTIN (EAN)    | Packaging unit |
|-------------------------|----------------|---------------|----------------|
| <a href="#">17114.2</a> | SRK 10/2A/Z BG | 4044211141790 | 100            |


# Data sheet

## 17250.2 SES 35 BG




Feed-through terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 10 mm<sup>2</sup>, Width: 8 mm, Colour: Beige

| Article number | Article name    | GTIN (EAN)    | Packaging unit |
|----------------|-----------------|---------------|----------------|
| <u>17117.2</u> | SRK 6/2A SAS BG | 4044211149000 | 80             |




Feed-through terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 16 mm<sup>2</sup>, Width: 10 mm, Colour: Beige

| Article number | Article name     | GTIN (EAN)    | Packaging unit |
|----------------|------------------|---------------|----------------|
| <u>17118.2</u> | SRK 10/2A SAS BG | 4044211149024 | 80             |




Feed-through terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 16 mm<sup>2</sup>, Width: 12.1 mm, Colour: Beige

| Article number | Article name    | GTIN (EAN)    | Packaging unit |
|----------------|-----------------|---------------|----------------|
| <u>17126.2</u> | SRK 16/2A/IS BG | 4044211181031 | 50             |



Feed-through terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 35 mm<sup>2</sup>, Width: 16.1 mm, Colour: Black-yellow

| Article number | Article name      | GTIN (EAN)    | Packaging unit |
|----------------|-------------------|---------------|----------------|
| <u>17144.2</u> | SRK 35/2A/PE BKYE | 4044211199722 | 20 ST          |




Feed-through terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 4 mm<sup>2</sup>, Width: 6 mm, Colour: Beige

| Article number | Article name    | GTIN (EAN)    | Packaging unit |
|----------------|-----------------|---------------|----------------|
| <u>17116.2</u> | SRK 4/2A SAS BG | 4044211148980 | 80             |




Feed-through terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 16 mm<sup>2</sup>, Width: 10 mm, Colour: Black-yellow

| Article number | Article name      | GTIN (EAN)    | Packaging unit |
|----------------|-------------------|---------------|----------------|
| <u>17133.2</u> | SRK 10/2A/PE BKYE | 4044211200725 | 100 ST         |




EX-Protective earth terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 16 mm<sup>2</sup>, Width: 10 mm, Colour: Green-yellow

| Article number | Article name      | GTIN (EAN)    | Packaging unit |
|----------------|-------------------|---------------|----------------|
| <u>87808.2</u> | SSL 10/2A Ex GNYE | 4044211199821 | 100 ST         |



Feed-through terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 16 mm<sup>2</sup>, Width: 10 mm, Colour: Beige


| Article number          | Article name    | GTIN (EAN)    | Packaging unit |
|-------------------------|-----------------|---------------|----------------|
| <a href="#">87807.2</a> | SRK 10/2A Ex BG | 4044211199807 | 100            |



Feed-through terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 10 mm<sup>2</sup>, Width: 8 mm, Colour: Beige

| Article number          | Article name   | GTIN (EAN)    | Packaging unit |
|-------------------------|----------------|---------------|----------------|
| <a href="#">87805.2</a> | SRK 6/2A Ex BG | 4044211199777 | 100            |

### ##INVERSE##CONTA-CONNECT



Double-level terminal with electronic components, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 4 mm<sup>2</sup>, Width: 6.1 mm, Colour: Beige

| Article number          | Article name | GTIN (EAN)    | Packaging unit |
|-------------------------|--------------|---------------|----------------|
| <a href="#">17566.2</a> | SRKD 4/D5 BG | 4044211234669 | 100 ST         |